


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Air Intake And Filtration

Page 1 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Air Intake And Filtration

Page 2 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-54-755-01	1	S	Kit, Knob w/Seal (Includes 2, 3)
2	KH-25-341-03	1	/P	Knob, Cover
3	KH-24-153-15	1		Seal, Air Cleaner Cover Knob
4	KH-24-096-31	1	S	Cover, Air Cleaner
5	KH-12-100-01	1	/P	Wing Nut
6	KH-24-096-01	1	/P	Cover, Inner Air Cleaner
7	KH-24-032-03	1	/P	Seal, Inner Air Cleaner
8	KH-24-083-02	1	S	Precleaner, Element
9	KH-47-083-03	1	S	Element, Air Cleaner
10	KH-M-0639016	3	S	Screw, Hex Flange, M6 x 1.0 x 16
11	KH-24-126-21	1		Bracket, Air Cleaner Base
12	KH-24-094-03	1	S	Base, Air Cleaner
13	KH-M-0651055	4		Screw, Hex Flange, M6 x 1.0 x 55
14	KH-24-164-14	1	/P	Manifold, Intake
15	KH-24-041-01	2	/P	Gasket, Intake Manifold
16	KH-24-041-06	1	/P	Gasket, Air Cleaner Base

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Battery, Electrical Components And Switches

Page 3 of 79



2185 Tractor S/N 326,006 - 389,000 & I1017G - I1310G
Battery, Electrical Components And Switches

Page 4 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	629-3020	1	S	Wire Harness, Main S/N G319 and prior
	629-3068	1	S	Wire Harness, Main S/N H019 and after
	725-0157	4	/P	Tie, Self-Clinch Cable
	726-0154	5	S	Tie, Pushmount
	726-3055	9		Clip, Cable
2	710-0751	1	/P	Screw, Hex Cap, 1/4-20 x .625 GR5
3	710-0936	2		Screw, Truss Hd Tapp, #6 x .62
4	711-1094	1		Stud, Ground
5	712-0267	1	S	Nut, Hex, 5/16-18
6	712-0271	1	/P	Nut, Hex Sems, 1/4-20
7	721-0342	1	S	Gasket, Silicone
8	723-0445	1	S	Strap, Battery Retainer (S/N 359001 & Above - used w/725-1707B battery;
9	723-3064	1		Strap, Battery Retainer (S/N 359000 & Below - used w/753-0608 battery;
10	725-0340	1		Cover, Terminal Black
11	725-1346	1	S	Nut, Ignition Switch
12	725-1347	1	/P	Cap, Ignition Switch
13	725-1365	3	S	Bulb, Indicator
14	725-1381	2	S	Fuse, 20 Amp
15	725-1648	1	S	Relay
16	725-3007A	1	/P	Cover, Terminal Red
17	725-3159	1	S	Hour Meter
18	725-3163	1	S	Switch, Ignition
19	725-3164A	1	S	Switch, Interlock (Brake)
20	725-3166	2	S	Switch, Snap Mount - Normally Closed
21	725-3233	1	S	Switch, PTO
22	725-3234	1	S	Switch, Seat
23	725-3237	1		Cover, Terminal Red
24	725-3251	1	S	Module, Voltage Sensor
25	729-0207	2		Holder, Fuse (S/N 359000 and Below)
	729-0357	2		Holder, Fuse w/Mounting Clip (S/N 359001 and Above)
26	729-0209	2		Clip, Fuse Holder Mounting (S/N 359000 and Below)
27	732-0696	1		Hook, Wire Rectangular
28	736-0607	1	/P	Washer, External Lock, 5/16
29	753-0608	1	/P	Battery (S/N 359,000 & Below)
	725-1707B	1	S	Battery (S/N 359,001 thru 389,000 & I016G thru K037G)
	725-1707C	1	S	Battery (S/N K037G thru I018G)
	725-1706	1	S	Battery (S/N I018G to Present)
30	759-3476A	1	S	Key, Ignition (Set of 2)
31	759-3693	2	S	Bulb, Head Lamp
32	759-3749	1	/P	Battery Cable Hardware (Set of 2; used with 753-0608 Battery)
	710-3015	2	/P	Screw (Used with 725-1707B/C)
	712-0271	2	/P	Sems Nut (Used with 725-1707B/C)
33	759-3750	6		Cap, Battery (Used w/753-0608 Batt.)
	725-0691	6		Cap, Battery (Used w/725-1707B Batt.)


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Battery, Electrical Components And Switches

Page 5 of 79

Ref #	Part Number	Qty	S/P/F	Description
34	783-0462	1	/P	Bracket, PTO Switch Retainer

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Blower Housing And Baffles

Page 6 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Blower Housing And Baffles

Page 7 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-027-20	1	S	Housing, Blower (Includes 2-4)
2	KH-24-100-02	2		Nut, Plastic
3	KH-25-139-16	1		Plug, Button, 9/16
4	KH-24-100-01	3		Nut, Plastic
5	KH-M-0551016	1		Screw, Hex Flange, M5 x 0.8 x 16
6	KH-M-0545016	5	S	Screw, Hex Flange, M5 x 0.8 x 16
7	KH-M-0545020	2	/P	Screw, Hex Flange, M5 x 0.8 x 20
8	KH-24-146-02	1	S	Plate, Backing - #2 Side
9	KH-M-0645016	6	S	Screw, Hex Flange, M6 x 1.0 x 16
10	KH-24-063-20	1	/P	Baffle, Cylinder Barrel - #2 Side
11	KH-24-063-17	1	/P	Baffle, Valley - #2 Side
12	KH-M-0545010	2	/P	Screw, Hex Flange, M5 x 0.8 x 10
13	KH-24-063-24	1	S	Baffle, Valley - #1 Side
14	KH-24-063-08	1	S	Baffle, Cylinder Barrel - #1 Side
15	KH-24-146-08	1	S	Plate, Backing - #1 Side

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Brake And Control Pedals S/N 359,000 And Below

Page 8 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Brake And Control Pedals S/N 359,000 And Below

Page 9 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0321	1		Shaft Assy, Brake
2	603-0322	1		Shaft Assy, Forward/Reverse
3	618-3060	1	S	Plate, Brake
4	703-2191	1		Arm, Brake
5	703-2570-0498	1	S	Pedal, Forward
6	703-2573-0498	1	S	Pedal, Brake
7	703-2582	1	S	Actuator, Reverse Switch
8	703-2804	2		Plate, Bearing Mounting
9	710-0599	1	/P	Screw, Hex Wash Tapp, 1/4 x .50 Lg
10	710-0623	2	/P	Screw, Hex Wash Tap, 3/8-16 x .75 Lg
11	710-0796	1	/P	Screw, Truss Mach Tapp, #12 x 1.5
12	710-3000	2	S	Screw, Hex Cap, 3/8-16 x .75 GR5
13	710-3262	1		Screw, Low Hd Cap, 3/8-16 x .75
14	711-0415	1	S	Pin, Clevis, 3/8 OD x 1.62 Lg
15	711-0736	1	/P	Ferrule, Adjustment
16	711-3295	1	S	Pin, Clevis, 1/4 OD x 2.38 Lg
17	712-0271	1	/P	Nut, Hex Sems, 1/4-20
18	712-0431	2	S	Nut, Hex Flanged Lock, 3/8-16
19	712-3027	1	S	Nut, Hex Flange Lock, 1/4-20
20	714-0104	6	S	Pin, Internal Cotter, 5/16 Dia x 1.12
21	714-0145	4	S	Pin, Internal Cotter, 3/8 Dia x 1.625
22	731-3165	1	S	Lever, Park Brake
23	731-3167	1	S	Pad, Reverse Pedal
24	732-0152	1		Spring, Compression
25	732-0418	1		Spring, Extension, .38 OD x 2.10 Lg
26	732-0463	1	S	Spring, Extension, .75 OD x 5.0 Lg
27	732-0756A	1	S	Spring, Torsion
28	732-3077	1		Spring, Brake
29	732-3099	1		Spring, Compression, .5 OD x 2.23
30	732-3117	1		Actuator, Neutral Switch
31	735-3048	1		Pad, Forward Pedal
32	735-3049	1	S	Pad, Brake Pedal
33	736-0185	1	S	Washer, Flat, .406 x .75 x .063
34	738-0255	1	S	Bolt, Shoulder, .375 Dia x .181 Lg
35	741-3065	4	S	Bearing, Hex Flange Split
36	747-3216	1		Rod, Brake
37	747-3219	1		Rod, Park Brake Engagement
38	761-3019	1		Drum, Brake
39	761-3020	1	S	Shoe, Brake
40	761-3028	1		Actuator, Brake Shoe

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Brake And Control Pedals S/N 359,001 And Above

Page 10 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Brake And Control Pedals S/N 359,001 And Above

Page 11 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0321A	1		Shaft Assy, Brake
2	603-0412	1		Pedal Assy, Reverse
3	603-0413	1		Shaft Assy, Forward/Reverse (Mfg Date 1308 and Before)
	603-0697	1		Shaft Assy, Forward/Reverse (Mfg Date J018 and After)
4	603-0419	1		Cam Assy, Control
5	603-0421	1	S	Plate Assy, Disengagement
6	703-2570A-0498	1	S	Pedal, Forward
7	703-2573A-0498	1	S	Pedal, Brake
8	703-2804	2		Plate, Bearing Mounting
9	703-2938	1		Bracket, Reverse Pivot
10	703-2941	1		Bracket, Cruise
11	703-2942	1		Plate, Rod Adjustment
12	703-2962	1		Lever, Cruise
13	703-2963	1	S	Lever, Brake Lock
14	703-2965	1	S	Actuator, Reverse Switch
15	710-0106	1	/P	Screw, Hex Cap, 1/4-20 x 1.25
16	710-0599	1	/P	Screw, Hex Wshr Tap 1/4-20 x .5
17	710-0623	2	/P	Screw, Hex Wshr Tap 3/8-16 x .75
18	710-0642	6	/P	Screw, Hex Wshr Tap 1/4-20 x .75
19	710-0796	1	/P	Screw, Truss Mach, #12 x 1.5
20	710-0216	2	/P	Screw, Hex Cap, 3/8-16 x .75 GR5
21	710-3009	2	/P	Screw, Phil Hd Pan, #10-24 x .75
22	711-0415	1	S	Pin, Clevis, 3/8 x 1.62
23	711-0736	1	/P	Ferrule, Adjustment, 1/4-20 Thrd
24	711-1138	1		Stud, Actuator
25	711-3295	1	S	Pin, Clevis, .25 x 2.38 Lg
26	712-0271	1	/P	Nut, Hex Sems, 1/4-20
27	712-0431	3	S	Nut, Hex Flange Lock, 3/8-16
28	712-3004A	1	/P	Nut, Hex Flange Lock, 5/16-18
29	712-3027	1	S	Nut, Hex Flange Lock, 1/4-20
30	714-0104	1	S	Pin, Int Cotter, 5/16 Dia x 1.12 Lg 9
31	714-0145	6	S	Pin, Int Cotter, 3/8 Dia x 1.62
32	715-0114	1	S	Pin, Spiral Spring, 1/4 x 1.5
33	731-3205	1	S	Pedal, Reverse
34	731-3206	1		Knob, Cruise
35	731-3207	1		Knob, Brake Lock
36	732-0418	1		Spring Extension .38 OD x 2.1
37	732-0463	1	S	Spring, Extension
38	732-0756A	1	S	Spring, Torsion
39	732-0824	1	S	Spring, Ext, .437 OD x 1.32
40	732-3099	1		Spring, Compression, .50 x 2.23
41	732-3117	1		Spring, Switch Actuator
42	735-3048	1		Pad, Forward Foot Control
43	735-3049	1	S	Pad, Brake Foot
44	736-0174	1	/P	Washer, Wave, .625 x .885 x .015
45	736-0349	1	S	Washer, Flat, .635 x 1.0 x .020
46	736-0463	1	S	Washer, Flat, 1/4 x .63 x .051
47	738-0145	1	S	Shoulder Bolt, .50 OD x .840
48	741-3065A	4	S	Bearing, Hex Flange Split
49	741-3073	2	S	Bearing, Flange, .375 x .58 x .25


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Brake And Control Pedals S/N 359,001 And Above

Page 12 of 79

Ref #	Part Number	Qty	S/P/F	Description
50	741-3074	3		Bearing, Flange, .626 x .93 x .344
51	747-3216	1		Rod, Brake
52	747-3219	1		Rod, Parking Brake
53	747-3299	1		Rod, Connecting (Mfg Date E067 and Before; Replace by Ordering 759-3935)
54	747-3307	1		Rod, Cruise
55	748-3060	1		Latch, Cruise
56	618-3060	1	S	Plate, Brake
57	703-2191	1		Arm, Brake
58	710-3262	1		Screw, Low Hd Cap, 3/8-16 x .75
59	732-0152	1		Spring, Compression
60	732-3077	1		Spring, Brake
61	761-3019	1		Drum, Brake
62	761-3020	1	S	Shoe, Brake
63	761-3028	1		Actuator, Brake Shoe
64	747-3341	1	S	Rod, Rear Connecting (Mfg Date E077 to I308)
	747-3341A	1	/P	Rod, Rear Connecting (Mfg Date J018 and After)
65	747-3344	1	S	Rod, Front Connecting (Mfg Date E077 to J018; Replace by Ordering 759-3935)
	747-3383	1	/P	Rod, Front Connecting (Mfg Date J018 and After)
	759-3935	1	/P	ROD KIT-CONNECTING

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Bulkhead, Dash Panel And Engine Controls

Page 13 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Bulkhead, Dash Panel And Engine Controls

Page 14 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	703-2557	1	S	Screen, Intake Dash
2	703-2562B	1		Bulkhead, Lower (Mfg Date Prior to H017)
	703-3108	1	S	Bulkhead, Lower (Mfg Date H017 and After; Replaces 703-2562B by Also Ordering Ref. #21-24 and Part #732-0855)
3	710-0751	2	/P	Screw, Hex Cap, 1/4-20 x .625 GR5
4	710-0597	4	/P	Screw, Hex Cap, 1/4-20 x 1.0
5	710-3217	3	/P	Screw, Cross Rec Truss Hd, #8-32 x .38
6	712-0142	1	/P	Nut, #8-32
7	712-0397	2	S	Nut, Wing w/Bell Washer, 1/4-20
8	720-3024	1	S	Seal, Push On Trim
9	723-3042	1	/P	Bushing, Snap, 7/8 ID
10	726-3048	2		Nut, U-Type Speed, 1/4-20
11	726-3054	4		Nut, U-Clip, 1/4-20
12	731-3137	1	S	Panel Dash
	777-1703	1	S	Graphic, Ignition Switch (S/N 359000 and Below)
	731-3137A	1	/P	Panel, Dash
	777I20306	1	/P	Graphic, Ignition Switch (S/N 359001 and Above)
13	731-3161	1	S	Knob, Throttle
14	723-3062	1		Ring, Foam Sealing
15	736-3128	4		Washer, Flat, .285 x 1.75 x .10
16	746-3049	1	S	Control, Throttle
17	746-3050A	1	S	Control, Choke
18	747-3226	1		Rod, RH Mounting
19	747-3227	1		Rod, LH Mounting
20	777I20312	1	/P	Label, Dash
21	710-0136	1	/P	Screw, Hex Cap, 1/4-20 x 1.75 GR5 (Mfg Date H017 and After)
22	736-0342	1		Washer, Flat, .283 x .75 x .030 (Mfg Date H017 and After)
23	731-3232	1		Roller, Hood Latch (Mfg Date H017 and After)
24	712-0271	1	/P	Nut, Hex Sems, 1/4-20 (Mfg Date H017 and After)
	732-0855	1	S	USE 732-0855A SPRING-HOOD LAT

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Crankcase

Page 15 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Crankcase

Page 16 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-782-01	1	S	Cylinder Block (Use Miniblock)
	KH-24-522-04	1	S	Short Block
	KH-62588	1	/P	Complete Engine
2	KH-X-75-10	1	S	Plug, Hex Hd, 3/8
3	KH-24-032-01	1	S	Seal, Front Oil
4	KH-12-380-17	6	S	Pin, Locating Dowel
5	KH-24-067-13	2	S	Rod, Connecting, Std
	KH-24-067-14	2		Rod, Connection, .010
6	KH-24-874-01	2	S	Piston w/Ring Set, Std
	KH-24-874-02	2	S	Piston w/Ring Set, .010
	KH-24-874-03	2	S	Piston w/Ring Set, .020
7	KH-12-422-09	AR	S	Shim, Camshaft, .0320
	KH-12-422-13	AR	S	Shim, Camshaft, .0400
	KH-12-422-07	AR	S	Shim, Camshaft, .0280
	KH-12-422-08	AR	S	Shim, Camshaft, .0300
	KH-12-422-10	AR	S	Shim, Camshaft, .0340
	KH-12-422-11	AR	S	Shim, Camshaft, .0360
	KH-12-422-12	AR	S	Shim Camshaft, .0380
8	KH-24-018-01	4	S	Retainer, Piston Pin
9	KH-24-108-01	2	S	Ring Set, Std
	KH-24-108-02	2	S	Ring Set, .010
	KH-24-108-03	2		Ring Set, .020
10	KH-24-012-05	1	S	Camshaft Assembly
11	KH-12-380-04	1		Pin, Hitch
12	KH-M-0631005	1	S	Washer, Plain
13	KH-12-032-01	1		Seal, Governor Cross Shaft
14	KH-X-25-102	1	S	Washer, Plain
15	KH-24-144-01	1		Shaft, Governor Cross
16	KH-52-139-09	1	S	Plug, Cup
17	751-3140	1	S	Drain, Oil
	751-3142	1		Cap
18	751-3141-12	1	S	Hose, Oil Drain
	KH-24-755-03	1	S	Gasket Set

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Crankshaft

Page 17 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Crankshaft

Page 18 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-014-06	1	S	Crankshaft (Includes Ref #2)
2	KH-52-139-09	1	S	Plug, Cup

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Cylinder Head, Valves And Breather

Page 19 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Cylinder Head, Valves And Breather

Page 20 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-755-75	1	S	Kit, Valve Cvr (Eng Spec No 62509)
	KH-24-393-14	1	S	Kit, Valve Cvr (Eng Spec No 62588)
2	KH-24-153-16	2	S	O-Ring, Cover
3	KH-24-112-08	8		Spacer
4	KH-M-0651030	8	/P	Screw, M6 x 1.0 x 30
5	KH-24-153-09	1	S	O-Ring, Filler Neck
6	KH-12-086-16	8	S	Screw, M10 x 1.5 x 91
7	KH-24-755-46	1	/P	Kit, Oil Cap (Eng Spec No 62509)
	KH-24-227-02	1	S	Kit, Oil Cap (Eng Spec No 62588)
8	KH-12-153-03	1		O-Ring (Eng Spec No 62509)
	KH-12-153-09	1		O-Ring (Eng Spec No 62588)
9	KH-24-445-01	1	S	Strap, Lifting
10	KH-M-0640034	4	/P	Screw, M6 x 1.0 x 34
11	KH-24-194-02	4	S	Pivot, Rocker Arm (Engines built before S/N 2520800007)
	KH-24-599-01	4	S	Pivot, Rocker Arm (Engines built after S/N 2520800007)
12	KH-24-186-03	4		Arm, Rocker (Engines built before S/N 2520800007)
	KH-25-186-01	4	/P	Arm, Rocker (Engines built after S/N 2520800007)
13	KH-SM-631005	4	S	Washer, Flat (Used only with KH-24-194-02 Rocker Arm Pivot)
14	KH-24-146-09	2	S	Plate, Guide (Used only with KH-24-194-02 Rocker Arm Pivot)
15	KH-24-016-01	2	/P	Valve, Exhaust, Std
	KH-24-016-02	2		Valve Exhaust .25mm
16	KH-235011	4	S	Retainer, Spring
17	KH-24-089-02	4	/P	Spring, Valve
18	KH-12-173-01	4	/P	Cap, Valve Spring
19	KH-12-755-03	4	/P	Lock, Retainer
20	KH-24-318-09	1	S	Head Assy, Cylinder #1
21	KH-24-755-74	1	S	Kit, Valve Cvr (Incl. Ref No 2-4)
22	KH-24-032-05	2	S	Seal, Valve Stem
23	KH-24-017-01	2	/P	Valve, Intake, Std
	KH-24-017-02	2		Valve, Intake, .25mm
24	KH-M-0645020	4	S	Screw, M6 x 1.0 x 20
25	KH-24-326-06	1	S	Hose, Breather
26	KH-X-426-9	1	S	Clamp, Hose
27	KH-24-033-01	1	/P	Cover, Breather
28	KH-24-041-23	1	S	Gasket, Breather
29	KH-24-050-01	1	S	Filter, Breather
30	KH-M-0545010	1	/P	Screw, Reed Retainer M5 x 0.8 x 10
31	KH-12-018-01	1	S	Retainer, Breather Reed
32	KH-24-402-03	1	/P	Reed, Breather
33	KH-25-351-01	4	S	Lifter, Valve
34	KH-24-411-04	4	S	Rod, Push (Engines built before S/N 2520800007)


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Cylinder Head, Valves And Breather

Page 21 of 79

Ref #	Part Number	Qty	S/P/F	Description
	KH-24-411-05	4	/P	Rod, Push (Engines built before S/N 2520800007)
35	KH-24-041-08	2	S	Gasket, Cylinder Head
36	KH-24-318-10	1	S	Head Assy, Cylinder #2
37	KH-24-086-34	4	/P	Screw, Shlder (Eng Spec No 62588)
38	KH-25-155-02	2	/P	Connector 90°.

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Drive Line

Page 22 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Drive Line

Page 23 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0191	1	/P	Shaft Assy, Drive, 27.87 Lg
	759-3764	2	/P	Kit, Drive Barrel
2	618-3085A	1	S/F	Transmission Assembly, Hydro
3	618-3088	1		Pinion Assy, Input
4	618-3111	1	S/F	Pump, Hydrostatic
5	703-2568	1		Arm, Hydro Dump
6	710-1260	2	S	Screw, Hex Wash Hd Tapp 5/16-18 x .75
7	710-0642	1	/P	Screw, Hex Wash Hd Tapp 1/4-20 x .75 GR5
8	710-3180	2	/P	Screw, Hex Cap 5/16-18 x 1.75 GR5
9	710-3195	2		Screw, Hex Cap 5/16-18 x 4.5 GR5
10	710-3258	2		Screw, Hex Patch, M8-1.25 x 50mm
11	710-3288	8		Screw, Hex Patch, 1/4-20 x 1.62 GR5
12	710-3290	5		Screw, Hex Wash Hd Tapp 3/8-16 x 1.25
13	712-0262	1	/P	Nut, Hex Center Lock Jam, 3/8-24
14	714-0104	1	S	Pin, Internal Cotter, 5/16 Dia x 1.12
15	719-3096	1	/P	Adapter, Drive Shaft
16	721-0261	1		O-Ring, 2.75 x .103
17	725-0157	1	/P	Tie, Self-Clinch Cable
18	726-0205	1	/P	Clamp, Hose
19	731-3095	1	S	Fan, 10 Blade Cooling
20	736-0105	1	/P	Washer, Bell, .380 x .88 x .063
21	736-0119	4	S	Washer, Lock, 5/16
22	736-0270	1	/P	Washer, Bell, .265 x .75 x .062
23	736-3008	2	S	Washer, Flat, .312 x .750 x .119
24	736-3099	1	S	Washer, Spring Wave, 1.96 x 2.44 x .06 1
25	737-0296	1	/P	Vent
26	737-0299	1		Fitting, Elbow
27	747-3228	1		Rod, Hydro Disengagement
28	748-3037	4	S	Nut, Fan, 1/4-20
29	748-3052	1		Adapter, Pump
30		1		Line, Fuel, 7 in. Lg (Order bulk fuel line part no. 759-3330 10 Ft. long)
	759-3330	1	/P	Bulk Fuel Line, 10 Ft. Lg

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Electric Starter

Page 24 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Electric Starter

Page 25 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-M-0841080	1	S	Nut, Hex Flange M8 x 1.25
2	KH-M-0839080	2		Screw, Hex Flange M8 x 1.25 x 80
3	KH-24-098-01	1	S	Starter, Solenoid Shift Assy (Includes Ref #4-18)
4	KH-24-081-04	1		Drive, End Cap
5	KH-52-100-10	2		Nut, Starter
6	KH-12-090-10	1		Lever, Starter Drive
7	KH-24-755-84	1	/P	Kit, Starter Repair
8	KH-12-239-01	1		Drive, Pinion
9	KH-52-435-02	1	/P	Solenoid
10	KH-52-100-09	1		Nut, Starter
11	KH-12-170-04	1		Armature, Starter
12	KH-12-471-01	1		Frame
13	KH-52-221-01	1		Kit, Brush and Spring (Includes 15)
14	KH-52-323-03	1		Holder, Brush
15	KH-52-089-09	4		Spring, Brush
16	KH-52-168-01	1		Insulator
17	KH-52-211-05	2		Bolt, Thru
18	KH-24-301-01	1		Commutator, End Cap
	KH-M-839080	2	S	Screw, hex. flange M8x1.25x80 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-M-0841080	1	S	Nut, hex. flange M8x1.25 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-25-098-08-S	1	S	Starter assembly solenoid shift (Delco) Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-25-755-33-S	1		Kit, pinion drive Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-25-141-05-S	1		Ring Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-25-221-01-S	1		Kit, brush Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-25-435-04-S	1	/P	Kit, solenoid (Plunger not part of solenoid); Not: Solenoid secured to starter with 3 Philips head screws; Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	~N/A	3		Screw, external Philips head (Purchase locally); Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)
	KH-M-839080	2	S	Screw, hex. flange M8x1.25x80 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-M-0841080	1	S	Nut, hex. flange M8x1.25 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Electric Starter

Page 26 of 79

Ref #	Part Number	Qty	S/P/F	Description
	KH-25-098-09-S	1	S	Starter assembly solenoid shift (Delco) Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-25-755-33-S	1		Kit, pinion drive Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-25-141-05-S	1		Ring Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-25-221-01-S	1		Kit, brush Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-25-435-05-S	1	S	Kit (Includes 3 Torx head screws), solenoid (plunger is part of the solenoid); Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)
	KH-25-086-113-S	3		Screw, external Torx head M4x0.7x26 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 09-S)

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Engine Controls

Page 27 of 79





2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Engine Controls

Page 28 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-M-0547050	1	/P	Nut, Hex Lock M5 x 0.8
2	KH-24-089-03	1		Spring, Choke Return
3	KH-M-0645016	4	S	Screw, Hex Flange M6 x 1.0 x 16
4	KH-24-126-56	1	S	Bracket, Control
5	KH-24-468-01	3		Washer, Plain 5.5mm
6	KH-24-090-07	1	/P	Lever, Throttle Actuator
7	KH-12-237-01	2		Clamp, Cable
8	KH-M-0545016	3	S	Screw, Hex Flange M5 x 0.8 x 16
9	KH-24-090-13	1		Lever, Throttle Control
10	KH-M-0446030	1	S	Nut, Hex M4 x 0.7
11	KH-M-0401030	1	S	Screw, Hex Cap M4 x 0.7 x 30
12	KH-24-079-02	1	S	Linkage, Choke
13	KH-24-090-05	1		Lever, Choke
14	KH-41-468-03	1		Washer, Spring 1/4"
15	KH-M-0545020	1	/P	Screw, Hex Flange M5 x 0.8 x 20
16	KH-24-089-38	1	S	Spring, Throttle Limiter
17	KH-24-089-15	1	/P	Spring, Governor
18	KH-SM-0642025	1	S	Screw, Hex Flange M6 x 1.0 x 25
19	KH-24-090-14	1	/P	Lever, Governor
20	KH-M-0641060	1	S	Nut, Hex Flange M6 x 1.0
21	KH-24-089-01	1		Spring, Linkage
22	KH-25-158-08	1	/P	Bushing, Linkage Retaining
23	KH-24-079-01	1		Linkage, Throttle
24	KH-25-158-11	1	/P	Bushing, Linkage Retaining
25	KH-24-126-04	2	S	Bracket, Support

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Engine Mounting And Muffler

Page 29 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Engine Mounting And Muffler

Page 30 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	951-3000A	1		Muffler Assy (Mfg Date Before H147)
	651-3001	1	S	Muffler Assy (Mfg Date After H157; Replaces 951-3000A by Ordering P/N 751-0654 & 703-3099)
2	703-2631	1	S	Baffle, LH Heat
3	703-2632	1	S	Baffle, RH Heat
4	703-2845	1		Shield, Exh. (Mfg Date Before H147)
	703-3099	1	S	Shield, Exh. (Mfg Date After H157)
5	703-2847	1		Shield, Exhaust Tube Rear
6	710-0351	1	/P	Screw, Truss Hd Tapp, #10 x .50
7	710-0539	4	/P	Bolt, Eng. Mounting, 3/8-24 x 1.75 GR5
8	710-1268	6	/P	Screw, Hex Wash Hd Tapp, #10-16 x .38
9	710-3209	4		Screw, Hex Cap, M6 x 1.0 x 10mm
10	712-3004A	3	/P	Nut, Hex Flange Lock, 5/16-18
11	712-3054	4	/P	Nut, Hex Lock, 3/8-24
12	736-0105	4	/P	Washer, Bell, .380 x .88 x .062
13	736-0142	5	S	Washer, Flat, .281 x .50 x .06
14	751-3138	1		Tube, Exhaust (Mfg Date Before H147)
	751-0654	1		Tube, Exhaust (Mfg Date After H157)
15	759-3744	1	S	Arrestor, Spark
16	KH-24-041-02	2	S	Gasket, Exhaust
17	KH-M-0841080	4	S	Nut, Hex Flange
	751-0654	1		PIPE-EXHAUST

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Exhaust

Page 31 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Exhaust

Page 32 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-M-0841080	4	S	Nut, Muffler Mounting, M8 x 1.25
2	KH-24-041-02	2	S	Gasket, Exhaust
3	KH-25-072-04	4	/P	Stud, Exhaust, M8 x 1.25 x 33

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fender and Running Board

Page 33 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fender and Running Board

Page 34 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	731-3212	1	S	Cup Holder
2	631-3002	1		Cover, Implement Lift
3	703-2278B-0498	1		Fender
4	710-0751	6	/P	Screw, Hex Cap, 1/4-20 x .62 GR5
5	710-0597	6	/P	Screw, Hex Cap, 1/4-20 x 1.0
6	710-1268	6	/P	Screw, Hex Tapp, #10 x .38 Lg
7	712-3027	12	S	Nut, Hex Flange Lock, 1/4-20
8	722-0258	6	S	Grommet, Insulater
9	723-3042	1	/P	Bushing, Snap, 7/8 ID
10	735-3046A	1	/P	Pad, RH Foot
11	735-3047	1		Pad, LH Foot
12	736-3090	6	/P	Washer, Flat, .255 x .72 x .06
13	750-3169	6	S	Spacer, .28 ID x .40 OD x .42 Lg
14	759-3738-0498	1	S	Running Board w/Graphic
	777S30171	1	/P	Graphic, Warning
15	777D00430	1	S	Graphic, Rear Fender
16	703-2628	2		Bracket, Fender Reinforcement

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Frame And Drawbar

Page 35 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Frame And Drawbar

Page 36 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0132-0498	1	S	Rod, Quick Attach
2	603-0329-0498	1		Frame (Mfg Date H155 to H316)
	603-0329A-0498	1		Frame (Mfg Date 1016 and After)
3	703-2257-0498	1	S	Drawbar
	777I20296	1		Graphic, Trans Release Lever
4	703-2577-0498	1	S	Bumper
5	710-0597	6	/P	Screw, Hex Cap, 1/4-20 x 1.0
6	710-0623	2	/P	Screw, Hex Wash Hd Tap, 3/8-16 x .75
7	710-1260A	4	/P	Screw, Hex Wsh Hd Tap, 5/16-18 x .75
8	710-3261	1		Screw, Hex Cap, 3/8-16 x 7.0
9	712-0431	1	S	Nut, Hex Flanged Lock, 3/8-16
10	712-3027	8	S	Nut, Hex Flange Lock, 1/4-20
11	722-0258	6	S	Grommet, Insolator
12	732-3002	1	S	Spring, Latch
13	736-3090	6	/P	Washer, Flat, .255 x .72 x 60
14	738-0255	2	S	Bolt, Shoulder
15	750-3114	1	S	Spacer, Idler, .407 x .62 x 4.38
16	750-3169	6	S	Spacer, .28 x .40 x .42 Lg
17	756-3045	2	S	Pulley, Idler

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Front Axle and Connections

Page 37 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Front Axle and Connections

Page 38 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0066	2		Knuckle Assembly, Steering
2	710-3066	2	/P	Screw, Hex Cap, 3/8-16 x 2.75 GR8
3	710-3103	2	/P	Screw, Hex Cap, 5/16-18 x 2 GR5
4	712-3054	2	/P	Nut, Hex Lock, 3/8-24 GR5
5	712-0431	2	S	Nut, Hex Flanged Lock, 3/8-16
6	712-3001	4	S	Nut, Hex Jam, 3/8-24 GR5
7	712-3004A	2	/P	Nut, Hex Flange Top Lock, 5/16-18
8	712-3083	1	/P	Nut, Hex Top Nylon Lock, 1/2-13
9	719-3095	1		Axle, Front Pivot
10	723-0156	4	S	Joint, Ball, 3/8-24
11	736-0188	2	/P	Washer, Flat, .760 x 1.49 x .06 Thk.
12	737-3000	3	S	Fitting, Lube, 3/16 Drive Type
13	738-3110	1	S	Bolt, Pivot Shoulder, 3/4 Dia x 2.23
14	747-3171	2		Rod, Tie
15	748-3049	2		Arm, Steering

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Front Wheel

Page 39 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Front Wheel

Page 40 of 79

Ref #	Part Number	Qty	S/P/F	Description
	734-3105A	2	S	Tire, Cub Tread, 16 x 6.5 x 8 (S/N 359000 & Below)
	734-3187	2	S	Tire, Cub Tread, 16 x 6.5 x 8 (S/N 359001 & Above)
1	634-3016-0499	2	/P	Rim Assembly, Front
2	710-3119	2	/P	Bolt, Hex Patch, 3/8-16 x .75 GR5
3	731-3020	2	S	Cap, Hub
4	734-0255	2	S	Valve, Tubeless Air
5	736-3039	2	S	Washer, Flat, .406 x 1.5 x .110
6	736-3040	2	/P	Washer, Flat, .406 x 1.92 x .06
7	737-0224	2		Fitting, Grease
8	741-3032	4	S	Bearing, Ball

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fuel System

Page 41 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fuel System

Page 42 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-52-353-20	1	S	Line, Fuel 10"
2	KH-X-426-9	4	S	Clamp, Hose
3	KH-24-853-35	1	/P	Kit, Carburetor (Incl 4-6 & 11-31)
4	KH-24-086-05	1		Screw, Throttle Stop
5	KH-24-041-06	1	/P	Gasket, Air Cleaner Base
6	KH-24-041-17	1	/P	Gasket, Carburetor
7	KH-M-0651030	2	/P	Screw, Hex Flange
8	KH-24-050-02	1	S	Filter, Fuel
9	KH-24-353-12	1		Line, Fuel 11"
10	KH-24-757-07	1		Kit, Choke Repair (Includes 12)
11	KH-24-173-02	1		Cap, Choke Lever
12	KH-24-154-01	1		Clip, Inlet Needle Valve
13	KH-24-462-01	1		Valve, Inlet Needle
14	KH-24-086-09	4		Screw, Carburetor Body
15	KH-24-041-09	1		Gasket, Carburetor
16	KH-24-153-02	2	/P	O-Ring, Slow Jet
17	KH-24-337-01	1	/P	Jet, Slow
18	KH-24-757-02	1	S	Kit, Float Repair
19	KH-24-337-02	1		Jet, Main
20	KH-24-089-10	1		Spring, Idle Adjust Screw
21	KH-24-086-10	1		Screw, Idle Adjusting
22	KH-24-757-01	1	/P	Kit, Solenoid (Includes 24-29)
23	KH-24-153-06	1		O-Ring
24	KH-24-521-01	1		Seat, Solenoid
25	KH-24-153-05	1		O-Ring
26	KH-24-153-04	1		O-Ring
27	KH-24-435-01	1	S	Solenoid
28	KH-24-086-07	2		Screw, Solenoid
29	KH-24-368-01	1		Needle, Idle
30	KH-24-089-11	1		Spring, Idle Needle
31	723-3066-14	1	S	Insulation, Fuel Line
	KH-24-757-03	1	S	Kit, Carburetor Repair
	KH-24-755-01	1		Kit, High Altitude (1500 Meters)
	KH-24-755-02	1		Kit, High Altitude (3000 Meters)

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fuel Tank

Page 43 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Fuel Tank

Page 44 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	722-3020	AR		Foam, 1.25 Sq x .62 Thk As Required
2	722-3022	AR	S	Tape, Foam, .625 Wide x .25 Thk As Required
3	726-0205	2	/P	Clamp, Hose
4		1		Line, Fuel, 55 in. Lg (Order bulk fuel line part no. 759-3330 10 ft Lg)
5	751-3112	1	S	Tank, Fuel
6	751-3124B	1	S	Cap, Fuel
	723-3066	1	S	Insulator, Foam Fuel Line Not shown

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Grille, Hood and Side Panels

Page 45 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Grille, Hood and Side Panels

Page 46 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0211	1		Bracket, Grille LH
2	603-0212	1	S	Bracket, Grille RH
3	603-0583-0499	1	S	Bracket, Upper Hood
4	703-2396-0499	1	/P	Panel, RH Side
5	703-2397-0499	1	/P	Panel, LH Side
6	703-2398-0499	1	/P	Grille
7	703-2465	2	/P	Link, Short Hood
8	703-2466A	2	S	Link, Long Hood
9	703-2495-0499	1	/P	Screen, LH Panel
10	703-2496-0499	1	/P	Screen, RH Panel
11	703-2612	1		Guide, Hood (Mfg Date G317 and Before)
12	710-0351	8	/P	Screw, Truss Mach Tapp, #10 x .50
13	710-0599	6	/P	Screw, Hex Wash Hd Tapp, 1/4 x .50
14	712-3027	8	S	Nut, Hex Flange Lock, 1/4-20
15	712-3087	2	/P	Nut, Wing, 1/4-20
16	723-3059	1	/P	Seal, Heat Baffle
17	726-0139	2	/P	Nut, U-Type Speed, #10
18	726-3047	6	S	Retainer, Push Nut (S/N 359000 and Below)
19	725-3257A	1	S	Headlight Assembly (Lens Glued to Reflector on Units Built After Mfg Date H018)
	759-3693	2	S	Bulb Assembly Only, Headlamp
	731-3138A	1	S	Lens, Cub Cadet
20	731-3150A	1	S	Reflector, Headlight
21	732-0334	4	S	Spring, Compression, .50 OD x .50 Lg
22	732-3116	1		Spring, Hood Latch (Mfg Date G317 and Before)
	732-0855	1	S	Spring, Hood Latch (Mfg Date H017 and After)
23	736-0175	8	S	Washer, Spring, .265 x .562 x .025
24	736-0400	2	S	Washer, Flat, .218 x .62 x .063
25	738-3141	2	S	Bolt, Shoulder, .31 Dia x .75 Lg
26	748-3055	4	S	Bushing, Tapered
27	759-3747-0499	1	S	Hood, Series 2000
28	777-1702	1		Graphic, Hood, RH
	777-1701	1		Graphic, Hood, LH (S/N 359000 and Below)
	777D02198	1	/P	Graphic, Hood, RH
	777D02199	1	/P	Graphic, Hood, LH (S/N 359001 and Above)
29	777-4541	2	S	Graphic, HDS 2185 (S/N 359000 and Below)
	777D00556	2	/P	Graphic, HGS 2185 (S/N 359001 and Above)
30	777X40079	2	/P	Strip, Protective
31	777I20314	1	/P	Graphic, Warning HOT
32	779-3536	2	S	Script w/Studs, Cub Cadet (S/N 359000 and Below)

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Hydro Transmission

Page 47 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Hydro Transmission

Page 48 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	611-3008	1		Axle Assy, LH, 11.9" Lg
2	716-3015	2		Ring, Inverted Retainer
3	721-3020A	2	S	Seal, Oil
4	741-3033A	2	S	Bearing
5	716-3018	2		Ring, External Retaining
6	619-3025	1		Housing, LH Axle
	759-3746	1		Sealant, Ultra Grey, 2 oz Tube
7	710-1008	16		Screw, Hex L-Wash Tapp, 3/8-16 x 1.88
8	727-3085	1	S	Dipstick, Oil
9	715-3045	4	S	Bushing, Dowel
10	619-3037B	1	S	Housing, LH Differential Replaces 619-3037 by also ordering: (2) 715-3045 dowel bushing; 710-1346 plug & 736-0600 washer.
	759-3746	1		Sealant, Ultra Grey, 2 oz Tube
11	710-0606	2	/P	Screw, Hex Cap, 1/4-20 x 1.5
12	736-0463	4	S	Washer, Flat, .25 x .62 x .052
13	710-0788	15	/P	Screw, Hex Wash Hd Tapp, 1/4-20 x 1.0
14	737-0177	1	/P	Plug, 1/2-14 NPTF Used with 619-3037 LH differential housing
	710-1346	1	/P	Screw, Plug, M14 x 1.5 x .827 Used with 736-0600 Flat Washer for 619-3037B differential housing
15	715-3038	2		Pin, Slotted Spring, 7/16-1.0 Used with 619-3037 and 619-3038 LH and RH differential housings
	715-3045	2	S	Bushing, Dowel Used with 619-3037B and 619-3038A LH and RH differential housings
16	741-0361	3	S	Bearing, Ball
17	750-3133	1		Spacer, .757 ID x 1.0 OD x 1.46
18	717-3388	1		Gear, 27T Drive
19	717-3374	1		Shaft, Drive
20	717-3347	1		Gear, 36T Bevel
21	717-3391	1		Gear, 16T Spur
22	750-3134	1		Spacer, .885 ID x 1.125 OD x 1.4
23	717-3387	1		Gear, 1ST Shift
24	718-3039	1		Collar, Drive
25	732-3113	1		Spring, Compression 1.015 ID x 1.6 Lg
26	711-3379A	1		Shaft, Shifter
27	741-3057	3	S	Bearing, Ball, .787 x 1.85 x .551
28	717-3392	1		Gear, 42T Spur
29	717-3346	1		Shaft, 9T Output
30	741-3037	2	S	Bearing, Ball.
31	710-0151	4	/P	Screw, Hex Cap, 3/8-24 x 2.0
32	619-3013	2		Cover, Differential
33	736-0423	AR		Washer, Flat, 1.0 x 1.56 x .010 Thk As Required
34	736-0431	AR	S	Washer, Flat, 1.0 x 1.56 x .015 Thk As Required

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Hydro Transmission


Page 49 of 79

Ref #	Part Number	Qty	S/P/F	Description
35	736-0424	AR	S	Washer, Flat, 1.0 x 1.56 x .020 Thk As Required
36	736-0420	AR	S	Washer, Flat, 1.0 x 1.56 x .040 Thk As Required
37	717-1159	1		Gear, 60T Bull
38	717-1119	2		Gear, 14T Differential Side
39	717-1190	4		Block, Differential Thrust
40	717-1120	4		Gear, 10T Differential Pinion
41	717-1178	2		Shaft, Cross
42	717-1173	1		Shaft, Cross, .50 OD x 3.485 Lg
43	712-3054	4	/P	Nut, Hex Lock, 3/8-24
44	721-3008	1	/P	O-Ring, 3/8 ID x 1/2 OD
45	618-3084	1	S	Yoke Assy, Shift (Includes Ref No. 44)
46	619-3036A	1		Housing, RH Differential Replaces 619-3036 by also ordering (2) 715-3045 Dowel Bushings.
	759-3746	1		Sealant, Ultra Grey, 2 oz Tube
47	712-0291	2	S	Nut, Hex Center Lock, 1/4-20
48	721-3029	1	S	Seal, Shift Shaft
49	761-3019	1		Drum, Brake
50	732-3077	1		Spring, Brake
51	761-3020	2	S	Shoe, Brake
52	732-0152	1		Spring, Compression
53	703-2191	1		Arm, Brake
54	618-3060	1	S	Plate, Brake
55	761-3028	1		Actuator, Brake Shoe
56	710-3262	1		Screw, Low Hd Cap, 3/8-16 x .75
57	611-3009	1		Axle Assy, RH, 15.6 Lg
58	619-3024	1		Housing, Axle - RH
	759-3746	1		Sealant, Ultra Grey, 2 oz tube
59	717-1180	1		Block, Differential Pinion

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Hydrostatic Pump

Page 50 of 79

MODEL NO. BDU-10L-221




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Hydrostatic Pump

Page 51 of 79

Ref #	Part Number	Qty	S/P/F	Description
A	HG-2510050	1	/P	Kit, Check Valve
B	HG-2510034	1	/P	Kit, Orificed Check Valve
C	HG-2513009	2	S	Kit, Cylinder Block
D	HG-2510011	1	/P	Kit, Charge Relief Valve
E	HG-2513027	1	/P	Kit, Charge Pump
1	HG-50185	1		Shaft, Pump
2	HG-2003016	2	/P	Ring, Retaining (Included in Overhaul Kit)
3	HG-2003043	1	S	Bearing, Ball
4	HG-2003018	1	/P	Spacer (Included in Overhaul Kit)
5	HG-9008000-0128	1	/P	Seal, Lip (Included in Overhaul Kit)
6	HG-2003052	1	/P	Ring, Retaining (Included in Overhaul Kit)
7	HG-2513036	1	/P	Housing Assy (Includes 8, 14, & 18)
8	HG-2003009	1		Bearing, Journal
9	HG-9008000-0126	1	/P	Seal, Lip (Included in Overhaul Kit)
10	HG-2003005	1	/P	Arm, Trunnion
11	HG-2000015	1	/P	Guide, Slot
12	HG-2003087	1	/P	Swashplate
13	HG-2003023	2	S	Bearing, Cradle
14	HG-9004820-2536	1		Pin, Leveler
15	HG-2003091	1		Leveler, Swashplate
16	HG-2003092	1		Spring, Leveler
17	HG-2003044	2	S	Bearing, Thrust
18	HG-2003071	1		Bearing, Journal
19	HG-9005110-4400	1		Plug
20	HG-9004800-2506	2	/P	Pin
21	HG-9005110-8700	1	/P	Plug
22	HG-2003034	1		Shaft, Motor
23	HG-2003060	1	/P	Gasket, Center Section (Included in Overhaul Kit)
24	HG-2513037	1		Center Section Assy (Includes 25, 26)
25	HG-2003071	1		Bearing, Journal
26	HG-2003045	1		Bearing, Needle
27	HG-9005001-0600	1	/P	Plug, Pipe
28	HG-9004201-3700	3	/P	O-Ring (Included in Overhaul Kit)
29	HG-9007314-0808	8	/P	Screw, Socket Hd
30	HG-9005110-5600	2	/P	Plug w/Ring
31	HG-9004101-1340	1	/P	O-Ring (Included in Overhaul Kit)
32	HG-J1041008	1	S	Gerotor Assy
33	HG-9007375-0038	2		Screw, Socket Hd
34		1		Not Used In This Application
	HG-2513013	1	/P	Kit, Overhaul Seal (Incl. items 2, 4-6, 9, 23, 28, 31)

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Ignition, Electrical, And Flywheel

Page 52 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Ignition, Electrical, And Flywheel

Page 53 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-54-755-09	1	S	Stator Kit, 15 Amp (Includes KH-24-126-71 Bracket)
2	KH-M-0548025	2		Screw, Stator Mtg. M5 x .8 x 25
3	KH-24-584-01	2	S	Module, Ignition
4	KH-SM-0545020	4	S	Screw, Module M5 x .8 x 20
5	KH-24-025-01	1	S	Flywheel Assembly
6	KH-25-155-06	1		Connector
7	KH-X-67-3	2	S	Screw, Hex Sems #10-16 x 1/2
8	KH-X-42-15	1	/P	Key
9	KH-12-468-03	1	/P	Washer, Flywheel Mtg. Screw
10	KH-12-086-14	1		Screw, Flywhl Mtg, M10 x 1.5 x 46
11	KH-24-157-01	1	S	Fan
12	KH-25-086-47	4	/P	Bolt, Shoulder
13	KH-24-162-02	1		Screen, Grass
14	KH-24-018-03	3	S	Retainer
15	KH-24-086-18	2		Screw Phillips Hd., #11-16 x .875
16	KH-X-25-92	2		Washer, Plain
17	KH-25-403-03	1	S	Regulator - Rectifier
18	KH-236602	1	S	Connector, Regulator - Rectifier
19	759-3336	2	/P	Spark Plug
20	KH-235173	1		Clip, Cable
21	KH-X-25-63	1	/P	Washer, Plain 1/4"
22	KH-48-154-02	1		Clip, Cable
	KH-24-176-01	1		Harness, Wire
	KH-24-518-28	1		Lead
	KH-24-126-71	1		Bracket, Stator

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Implement Lift Handle

Page 54 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Implement Lift Handle

Page 55 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0057A	1	S	Handle Assy, Lift
2	603-0059	1	S	Shaft Assy, Lift
3	603-0136	1		Fork, Lift
4	703-2239	2	S	Bracket, Lift Index
5	703-2558	1		Indicator, Lift Height
6	710-0451	2	/P	Bolt, Carriage, 5/16 - 18 x .75 Lg
7	710-0599	1	/P	Screw, Hex Wash Tapp, 1/4 x .50 Lg
8	710-3144	1	/P	Screw, Hex Cap, 3/8 - 16 x 2.0 Lg GR5
9	710-3279	1	/P	Screw, Hex Cap, 3/8 - 16 x 4.25 Lg GR5
10	711-0635	1	/P	Insert, Spring
11	711-0642A	1	/P	Button, Handle
12	711-3350	1		Ferrule, Adjustment
13	712-0262	1	/P	Nut, Hex Center Lock, Jam, 3/8 - 24
14	712-0431	2	S	Nut, Hex Flanged Lock, 3/8 - 16
15	712-3004A	2	/P	Nut, Hex Flanged Top Lock, 5/16 - 18
16	715-0114A	2	S	Pin, Spiral Spring, 1/4 Dia x 1.50 Lg
17	716-0116	1	/P	Ring, Snap, 1.25 Dia Shaft
18	731-3158	1	/P	Grip, Lift Handle
19	732-3093	1		Spring, Extension
20	732-3097	1		Spring, Compression
21	736-0267	1	S	Washer, Flat, .385 x .87 x .06 Thk
22	738-0145	1	S	Bolt, Shoulder
23	747-3175	1	S	Rod, Index
24	748-3051	2	S	Bearing, Hex Flange, 1.25 ID
25	750-3131	1		Spacer, 1.28 ID x 1.5 OD x .335 Lg

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Implement Lift Hanger

Page 56 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Implement Lift Hanger

Page 57 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0058	1		Bracket, LH Hanger Moved to RH side - Mfg. Date F027G3 (6-02-'97) & After
2	703-2234	1		Bracket, RH Hanger Moved to LH side - Mfg. Date F027G3 (6-02-'97) & After
3	703-2804	2		Plate, Bearing Mounting
4	703-2832	1		Link,RH Lift
5	703-2833	1		Link, LH Lift
6	710-3000	2	S	Screw, Hex Cap,3/8 - 16 x.75 GR5
7	711-3319	1	S	Ferrule, Adjustment
8	712-0431	8	S	Nut,Hex Flange Lock,3/-16
9	712-3048	1	S	Nut,Hex Jam, 1/2 - 13 GR5
10	712-3083	1	/P	Nut,Hex Insert Lock, 1/2 - 13
11	714-0145	2	S	Pin,Internal Cotter
12	732-3094	1	S	Spring, Compression, .63 ID x 2.0
13	732-3120A	1	/P	Spring, Extension, 1.0 OD x 6.42 Lg, 43 Coils, Light Duty 46" Deck
	732-3126	1	S	Spring, Extension, .91 OD x 7.33 Lg, 46 Coils, Heavy Duty 48" Deck
14	736-3125	3	/P	Washer, Flat,.50 x 1.5 x .15 Mfg. Date F017G3 & Before
	736-0326	3	S	Washer, Flat,51 x 1.0 x .125 Mfg. Date F027G3 & After
15	736-3069	2		Washer, Flat,.531 x .875 x .15 Mfg. Date F027G3 & After
16	738-0129	1	/P	Bolt, Shoulder
17	738-0430	2		Bolt, Shoulder
18	738-0507B	3	S	Bolt, Shoulder
19	747-3236	1	S	Rod, RH Lift Assist

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Labels

Page 58 of 79

PAGE 1 OF 2

13A-288-100

LABEL SPECIFICATIONS SHEET

☐ IND. PLASTICS ☐ BROWNSVILLE ☐ INDIANOLA ☐ SHELBY ☐ WILLARD ☐ OTHER _____
☐ CLEVELAND ☐ CANADA ☐ MARTIN ☐ TUPELO ☐ PURCHASING ☐ AUDIT

MODEL NO. 13A-288-100

DATE

DEC.11,96

CUSTOMER CUB CADET

HP/CUT

18.0/46 or 48

13A-288-100

777-4571
CENTER ON BACK OF SEAT





777-1716



777-2656



777-1712



777-4541

HDS 2185

777-4485

TO BE PLACED WITH # 777-4542 & # 777-4511



777-4542
LEFT SIDE OF HOOD

777-4511
RIGHT SIDE OF HOOD



777-1915A
TO BE PLACED ON REAR FENDER



REVISIONS

DATE

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Labels

Page 59 of 79

Ref #	Part Number	Qty	S/P/F	Description
777-1712	777-1712	1	S	LABEL-FRAME COVER
777-4571	777-4571	1	S	LABEL-CUB W/SPRIG
777-1716	777-1716	1		LABEL-SEAT ADJ RELEA
777-2656	777-2656	1	S	LABEL-DASH
777-4541	777-4541	1	S	LABEL-HDS 2185
777-4511	777-4511	1	S	LABEL-CUB BY MTD RH
777-4485	777-4485	1		LETTERS W/SPRIG-CUB
777-4542	777-4542	1		LABEL-CUB BY MTD LH
777-1915A	777-1915A	1	S	LABEL-REAR FENDER

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Labels (Cont.)

Page 60 of 79

PAGE 2 OF 2

13A-288-100

13A-288-100

LABEL SPECIFICATIONS SHEET

☐ IND. PLASTICS ☐ BROWNSVILLE ☐ INDIANOLA ☐ SHELBY ☐ WILLARD ☐ OTHER _____
☐ CLEVELAND ☐ CANADA ☐ MARTIN ☐ TUPELO ☐ PURCHASING ☐ AUDIT

MODEL NO. 13A-288-100

DATE

DEC.11,96

CUSTOMER CUB CADET


HP/CUT

18.0/46 or 48

777-2276A


TO BE PLACED ON UPPER PART
OF SIDE PANEL - BOTH SIDES
(COVERED BY HOOD SIDE)

777-4317



777-1714


UPPER RIGHT SIDE
REAR HITCH PLATE



777-2283

TO BE PLACED ON FRONT GRILL
ABOVE LOWER RIGHT OPENING

WARNING HOT AREAS



777-3947

LOWER RIGHT SIDE
REAR HITCH PLATE

CAUTION

- UNDER SPRING TENSION
- HOLD LEVER SECURELY
- REFER TO OPERATOR'S MANUAL

LABEL # 777-2041 "MADE IN
THE USA" LABEL NOT SHOWN
CENTER ON BACK OF SEAT
UNDER #777-4571

LABEL # 777-2456 I.D. PLATE
LABEL NOT SHOWN TO BE
PLACED ON REAR LEFT
SIDE OF DECK

LABEL # 777-6181 DATE/CODE LABEL
NOT SHOWN TO BE PLACED ON LEFT
SIDE OF FRAME UNDER HOOD SIDE
AND LEFT REAR OF DECK
(NEXT TO 777-5371)

LABEL # 777-5371 MODEL/SERIAL #
LABEL NOT SHOWN TO BE PLACED
ON LEFT SIDE OF FRAME UNDER
HOOD SIDE AND LEFT REAR OF
DECK (NEXT TO 777-6181)


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Labels (Cont.)

Page 61 of 79

Ref #	Part Number	Qty	S/P/F	Description
777-3947	777-3947	1	S	GRAPHIC-TENSION LEVER
777-1714	777-1714	1		GRAFIC-RELEASE LEVER
777-2276A	777-2276A	1	S	STRIP, PROTECTIVE PO
777-4317	777-4317	1	S	LABEL-IGNITION
777-2283	777-2283	1	S	GRAPHIC,WARNING HOT
777-2456	777-2456	1		LABEL-I.D. PLATE
777-5371	777-5371	1		LABEL-MODEL/SERIAL #
777-2041	777-2041	1	S	GRAFIC-MADE IN USA
777-6181	777-6181	1		LABEL-DATE/CODE

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Neutral Linkage, Hydraulic Pickup And Return Tubes

Page 62 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Neutral Linkage, Hydraulic Pickup And Return Tubes

Page 63 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0160	1		Arm Assy, Control
2	703-2440	1		Bracket, Hydro Neutral
3	703-2441	2		Arm, Neutral
4	710-0106	1	/P	Screw, Hex Cap, 1/4-20 x 1.25 Lg
5	710-0788	2	/P	Screw, Hex Wash TT-Tap, 1/4-20 x 1.0 Lg
6	710-3242	1		Screw w/Patch,Set
7	712-0324	1	/P	Nut, Hex Top Lock, 1/4-20
8	716-0111	1	/P	Ring, Snap, .875 Shaft
9	723-3014	1	S	Filter, Oil
10	727-3002	1	S	Connector, Tube 37 Deg w/O-Ring
	721-3001	1	/P	O-Ring, 3/8 OD Tube,
11	727-3088	1		Elbow, Adjustable w/O-Ring
	721-3002	1	/P	O-Ring, 1/4 OD Tube
12	727-3088	1		Tube, Pickup
13	732-3119	1	S	Spring, Extension, .50 OD x 1.97 Lg
14	736-0176	2	S	Washer, Flat, .25 x .93 x .120 Thk
15	737-3022	1	S	Nipple, Oil Filter
16	750-0918	1		Spacer, Centering

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Oil Pan & Lubrication Engine Spec. #62509

Page 64 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Oil Pan & Lubrication Engine Spec. #62509

Page 65 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-009-87	1	S	Plate, Closure
	KH-24-153-08	1		O-Ring, Oil Passage
2	KH-24-038-01	1	S	Dipstick
3	KH-24-123-04	1	S	Tube, Dipstick
4	KH-12-144-02	1		Shaft, Governor Gear
5	KH-52-448-02	1	S	Tab, Locking
6	KH-24-043-06	1	S	Governor Gear Assembly
7	KH-12-380-01	1	/P	Pin, Governor Regulating
8	KH-M-0645025	2	S	Screw, Hex Flange, M6 x 1.0 x 25
9	KH-M-0631005	2	S	Washer, Plain
10	KH-24-393-10	1	S	Oil Pump Assembly (Incl. 11, 12)
11	KH-24-153-01	1	/P	O-Ring, Oil Pick-up
12	KH-24-381-03	1	/P	Pick-Up, Oil
13	KH-12-050-08	1	S	Filter, Oil
14	KH-24-136-01	1		Nipple, Oil Filter
15	KH-25-099-24	1	S	Switch, Pressure
16	KH-52-032-08	1	S	Seal, Oil (PTO End)
17	KH-SM-839045	10	S	Screw, Closure Plate M8 x 1.25 x 45
18	KH-25-155-02	1	/P	Connector, 90° Hose


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Oil Pan & Lubrication Engine Spec. #62588

Page 67 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	KH-24-009-83	1	S	Plate Assembly, Closure (Incl. 2-12)
2	KH-24-038-06	1	S	Dipstick
3	KH-24-123-08	1		Tube, Dipstick
4	KH-24-043-12	1	/P	Kit, Governor Gear (Includes 5)
5	KH-12-380-01	1	/P	Pin, Governor Regulating
6	KH-52-448-02	1	S	Tab, Locking
7	KH-12-144-02	1		Shaft, Governor Gear
8	KH-52-032-08	1	S	Seal, Oil (PTO end)
9	KH-24-153-08	1		O-Ring
10	KH-24-393-10	1	S	Oil Pump Assembly (Incl. 11, 12)
11	KH-24-153-01	1	/P	O-Ring, Oil Pick-up
12	KH-24-381-04	1		Pick-up, Oil
13	KH-M-0631005	2	S	Washer, Plain
14	KH-M-0645025	2	S	Screw, Hex Flange, M6 x 1.0 x 25
15	KH-12-050-08	1	S	Filter, Oil
16	KH-24-136-01	1		Nipple, Oil Filter
17	KH-X-75-23	2	S	Plug, Pipe 1/8
18	KH-24-086-16	10	S	Screw, Hex Flange, M8 x 1.25 x 45
19	KH-25-099-24	1	S	Switch, Pressure

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
PTO Clutch

Page 68 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
PTO Clutch

Page 69 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	710-0757	1	/P	Screw, Hex Cap, 7/16-20 x 1.50 GR5
2	711-1083	1	S	Stud, Clutch Stop
3	711-3396	1	S	Spacer
4	717-3403	1	S	Clutch Assy, PTO
5	736-0171	1	S	Washer, Lock, 7/16
6	736-3082A	1	/P	Washer, Flat, .45 x 1.5 x .172

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Rear Wheel

Page 70 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Rear Wheel

Page 71 of 79

Ref #	Part Number	Qty	S/P/F	Description
	734-3106	2	S	Tire, Cub Tread, 23 x 9.5 x 12 (S/N 359000 & Below)
	734-3190	2	S	Tire, Cub Tread, 23 x 9.5 x 12 (S/N 359001 & Above)
1	634-3014-0499	2	S	Rim Assembly, Rear (S/N 359000 & Below)
	634-3178-0499	2	S	Rim Assembly, Rear (S/N 359001 & Above)
2	712-3050	8	/P	Nut, Lug, 7/16-14
3	734-0255	2	S	Valve, Tubeless Air

2185 Tractor S/N 326,006 - 389,000 & 11017G - 11310G
Seat and Support

Page 72 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Seat and Support

Page 73 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	703-2394-0498	1		Bracket, RH Seat Pivot
2	703-2395-0498	1	S	Seat, Base
3	703-2477-0498	1	S	Bracket, LH Seat Pivot
4	710-0451	6	/P	Bolt, Carriage, 5/16-18 x .75
5	710-1260	4	S	Screw, Hx Wsh Hd Tap 5/16-18 x .75
6	712-3004A	8	/P	Nut, Hex Flange Lock, 5/16-18
7	720-0190	1	S	Knob, Seat Adjuster
8	731-3154	4		Slide, Seat
9	731-3162	1	S	Tray, Tool
10	732-3080	2	S	Spring, Comp, 1.9 OD x 2.4 Lg
11	732-3098	1		Adjuster, Seat
12	738-0140	2	S	Bolt, Shoulder
13	738-0372	4	S	Spacer, Shoulder
14	757-3004	1	S	Seat, High Back
15	777-1713	1	S	Graphic, Seat Back Script (S/N 359000 & Below)
	777D00550	1	S	Graphic, Seat Back w/MTD Logo
	777D02200	1	S	Graphic, Seat Back w/out MTD Logo
16	777D20310	1		Graphic, Seat Adjuster
17	777D01782	1	/P	Graphic, Made in USA


2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Steering

Page 75 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0250	1	/P	Segment Assy, 18T Steering
2	603-0064	1		Arm Assy, Lower Steering
3	603-0236	1	S	Housing Assy, (Incl. 25, 29, 30)
4	631-0005	1	S	Wheel, Steering
5	710-0751	2	/P	Screw, Hex Cap, 1/4 - 20 x .62, GR5
6	710-1260	4	S	Screw, Hx Wsh Hd-TPTT, 5/16-18 x .75
7	712-0237	1	S	Nut, Hex Center Lock, 5/16-24
8	712-3001	4	S	Nut, Hex Jam, 3/8-24 GR5
9	712-3012	1	S	Nut, Hex Slotted, 1/2-20 GR5
10	712-3027	2	S	Nut, Hex Flange Lock, 1/4-20
11	712-3054	4	/P	Nut, Hex Lock, 3/8-24 GR5
12	714-0115	1	S	Pin, Cotter, 1/8 Dia x 1
13	714-3004	1		Pin, Cotter, 3/32 Dia x 1.25
14	717-3382	1		Pinion, Steering
15	722-3019	1		Gasket, Steering
16	723-0156	4	S	Joint, Ball, 3/8-24
17	731-3139	1		Insert, Steering Wheel
18	736-0242	1	/P	Washer, Bell, .340 x .88 x .06 Thk
19	736-0272	1	S	Washer, Flat, .510 x 1 x .06 Thk
20	736-0351	1	S	Washer, Flat, .760 x 1.5 x .03 Thk
21	736-0355	1	/P	Washer, Flat, .56 x 1 x .04 Thk
22	736-0921	1	S	Washer, Lock, 1/2
23	736-3013	2	S	Washer, Flat, .531 x 1 x .027 Thk
24	736-3132	1		Wshr, Rubber Flat, .50 x 1.12 x .125 Thk
25	737-3000	2	S	Fitting, Grease, 3/16 Drive Type
26	738-3105	1		Shaft, Steering
27	741-3025	1		Bearing, Flange
28	747-3171	2		Rod, Tie
29	748-0108	1	S	Bearing, Flange, .503 ID
30	748-3007A	2	S	Bearing, Bronze Flange, .75 ID

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Transmission Controls S/N 359,000 & Below

Page 76 of 79




2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Transmission Controls S/N 359,000 & Below

Page 77 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0252	1		Bracket, Cruise Return
2	603-0272	1		Pivot Assy, Sleeve
3	631-0009	1	S	Knob, Shifter
4	703-2488	1		Bracket, Cruise Pivot
5	703-2635	1		Cam, Hydro Cruise
6	710-0262	1	/P	Bolt, Carriage, 5/16-18 x 1.5
7	710-0451	2	/P	Bolt, Carriage, 5/16-18 x .75
8	710-0599	1	/P	Screw, Hex Wash Hd Tap 1/4-20 x .50
9	710-3170	1		Screw, Ball, 5/16-18
10	711-3397	1		Ferrule, Adjustment
11	712-0271	1	/P	Nut, Hex Sems, 1/4-20
12	712-3053	1	S	Nut, Hex Top Lock, 1/2-20
13	712-3001	1	S	Nut, Hex Jam, 3/8-24 GR5
14	712-3004A	5	/P	Nut, Hex Flange Lock, 5/16-18
15	712-3008	1	S	Nut, Hex Jam, 3/8-16 GR5
16	712-3027	1	S	Nut, Hex Flange Lock, 1/4-20
17	712-0333	1	S	Nut, Hex, 1/2-20
18	714-0104	3	S	Pin, Internal Cotter
19	723-3013	1	S	Washer Friction
20	727-3090	1	/P	Cylinder, Damper
21	732-3094	1	S	Spring, Compression, .63 ID x 2.0
22	732-3118	1		Spring, Extension, .38 OD x 1.44
23	736-0185	1	S	Washer, Flat, .406 x .75 x .063
24	736-0262	2	/P	Washer, Flat, .375 x .870 x .090
25	736-0275	1	S	Washer, Flat, 5/16
26	736-3022	4	S	Washer, Bell
27	736-3092	1	/P	Washer, Flat, .265 x 1.0 x .03 Hd
28	738-0140	1	S	Bolt, Shoulder, .437 Dia x .180 Lg
29	738-0560	1	S	Bolt, Shoulder, .347 Dia x 1.375
30	747-3234	1		Rod, Hydro Adjustment
31	747-3251	1		Rod, Shift
32	747-3252	1		Rod, Gear Selector
33	747-3257	1		Link, Front Hydro Shifter
34	747-3258	1		Link, Rear Hydro Shifter
35	748-3057	1		Bushing, Shoulder
36	748-3058	1	S	Hub, Shift
37	750-0252	1	S	Spacer, .377 ID x .50 OD x .830
38	750-0434	1	/P	Spacer, Tubing, .375 x .52 x 1.04

2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Transmission Controls S/N 359,001 And Above

Page 78 of 79



2185 Tractor S/N 326,006 - 389,000 & 1I017G - 1I310G
Transmission Controls S/N 359,001 And Above

Page 79 of 79

Ref #	Part Number	Qty	S/P/F	Description
1	603-0272	1		Pivot Assembly
2	710-0599	2	/P	Screw, Hex Wash Hd Tapp 1/4-20 x .5
3	710-3170	1		Screw, Ball, 5/16-18 x .56
4	712-0271	1	/P	Nut, Hex Sems, 1/4-20
5	712-3004A	1	/P	Nut, Hex Flange Lock, 5/16-18 GR5
6	712-3027	1	S	Nut, Hex Flange Lock, 1/4-20
7	714-0104	2	S	Pin, Internal Cotter
8	727-3090	1	/P	Cylinder, Damper
9	732-3094	1	S	Spring, Compression, .63 ID x 2.0 Lg
10	732-3118	1		Spring, Extension, 3/8 OD x 1.44
11	736-3092	1	/P	Washer, Flat, .265 x 1.0 x .030
12	738-0560	1	S	Bolt, Shoulder, .374 Dia x 1.375
13	747-3304	1		Rod, Front Control
14	747-3309	1		Rod, Rear Hydro Control
15	748-3070	1		Plate, Cruise
16	750-0434	1	/P	Spacer, Split Tubing, .375 ID x 1.04