







2186 Tractor  
Air Intake And Filtration Aluminum

Page 1 of 80




2186 Tractor  
Air Intake And Filtration Aluminum

Page 2 of 80

| Ref # | Part Number  | Qty | S/P/F | Description                           |
|-------|--------------|-----|-------|---------------------------------------|
| 1     | KH-54-755-01 | 1   | S     | Kit, Knob w/Seal (Incl. Ref #2,3)     |
| 2     | KH-25-341-03 | 1   | /P    | Knob, Cover                           |
| 3     | KH-24-153-15 | 1   |       | Seal, Air Cleaner Cover Knob          |
| 4     | KH-24-096-31 | 1   | S     | Cover, Air Cleaner                    |
| 5     | KH-12-100-01 | 1   | /P    | Wing Nut                              |
| 6     | KH-24-096-01 | 1   | /P    | Cover, Inner Air Cleaner              |
| 7     | KH-24-032-03 | 1   | /P    | Seal, Inner Air Cleaner               |
| 8     | KH-24-083-02 | 1   | S     | Precleaner, Element                   |
| 9     | KH-47-083-03 | 1   | S     | Element, Air Cleaner                  |
| 10    | KH-M-0639016 | 3   | S     | Screw, Hex Flange, M6 x 1.0 x 16      |
| 11    | KH-24-126-21 | 1   |       | Bracket, Air Cleaner Base             |
| 12    | KH-24-094-03 | 1   | S     | Base, Air Cleaner                     |
| 13    | KH-M-0651055 | 4   |       | Screw, Hex Flange, M6 x 1.0 x 55      |
| 14    | KH-24-164-29 | 1   |       | Manifold, Intake                      |
| 15    | KH-24-041-01 | 2   | /P    | Gasket, Intake Manifold               |
| 16    | KH-24-041-06 | 1   | /P    | Gasket, Air Cleaner Base              |
| 17    | KH-24-743-08 | 1   |       | Kit, Air Cleaner Cover (Incl 1-4, 11) |

2186 Tractor  
Air Intake And Filtration Plastic

Page 3 of 80




2186 Tractor  
Air Intake And Filtration Plastic

Page 4 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                                                                                 |
|-------|-----------------|-----|-------|---------------------------------------------------------------------------------------------|
| 1     | KH-54-755-01    | 1   | S     | Kit, Knob w/Seal (Incl. Ref #2,3)                                                           |
| 2     | KH-25-341-03    | 1   | /P    | Knob, Cover                                                                                 |
| 3     | KH-24-153-20-S  | 1   |       | Seal, Air Cleaner Cover Knob                                                                |
| 4     | KH-24-096-69-S  | 1   | /P    | Cover, Air Cleaner                                                                          |
| 5     | KH-12-100-01    | 1   | /P    | Wing Nut                                                                                    |
| 6     | KH-24-096-01    | 1   | /P    | Cover, Inner Air Cleaner                                                                    |
| 7     | KH-24-032-03    | 1   | /P    | Seal, Inner Air Cleaner                                                                     |
| 8     | KH-24-083-02    | 1   | S     | Precleaner, Element                                                                         |
| 9     | KH-47-083-03    | 1   | S     | Element, Air Cleaner                                                                        |
| 10    | KH-M-0639016    | 3   | S     | Screw, Hex Flange, M6 x 1.0 x 16                                                            |
| 11    | KH-24-126-21    | 1   |       | Bracket, Air Cleaner Base                                                                   |
| 12    | KH-24-094-24-S  | 1   | S     | Base, Air Cleaner                                                                           |
| 13    | KH-24-041-06    | 1   | /P    | Gasket, Air Cleaner Base                                                                    |
| 14    | KH-M-0651040-S  | 4   |       | Screw, Hex Flange, M6 x 1.0 x 40                                                            |
| 15    | KH-24-164-54-S  | 1   | S     | Manifold, Intake (Includes Carb Gasket<br>KH-24-041-53-S and (2) O-Rings<br>KH-24-153-27-S) |
| 16    | KH-24-153-27-S  | 2   | /P    | O-Ring, Intake Manifold                                                                     |
| 17    | KH-24-743-08    | 1   |       | Kit, Air Cleaner Cover (Incl 1-4, 11)                                                       |
| 18    | KH-24-041-53-S  | 1   |       | Gasket, Carburetor                                                                          |
| 19    | KH-M-0545010    | 2   | /P    | Screw, Hex Flng, M5 x 0.8 x 10                                                              |
| 20    | KH-24-126-130-S | 1   |       | Bracket, Air Cleaner Base                                                                   |

2186 Tractor  
Battery, Electrical Components And Switches

Page 5 of 80




2186 Tractor  
Battery, Electrical Components And Switches

Page 6 of 80

| Ref # | Part Number | Qty | S/P/F | Description                                                      |
|-------|-------------|-----|-------|------------------------------------------------------------------|
| 1     | 629-3068A   | 1   | S     | Wire Harness, Main Includes Ref. Nos. 7, 13, 14 (2) and 15       |
|       | 725-0157    | 4   | /P    | Tie, Self-Clinch Cable                                           |
|       | 726-0154    | 5   | S     | Tie, Pushmount                                                   |
|       | 726-3055    | 9   |       | Clip, Cable                                                      |
|       | 726-0161    | 2   |       | Clip, Wire                                                       |
| 2     | 783-0462    | 1   | /P    | Bracket, PTO Switch Retainer                                     |
| 3     | 710-0936    | 2   |       | Screw, Truss Hd Tapp, #6 x .62                                   |
| 4     | 711-1094    | 1   |       | Stud, Ground                                                     |
| 5     | 712-3010    | 1   | S     | Nut, Hex, 5/16-18 GR5                                            |
| 6     |             | 1   |       | Battery Cable Hardware                                           |
|       | 710-3015    | 2   | /P    | Screw                                                            |
|       | 712-0271    | 2   | /P    | Sems Nut                                                         |
| 7     | 721-0342    | 1   | S     | Gasket, Silicone                                                 |
| 8     | 723-0445A   | 1   | /P    | Strap, Battery Retainer                                          |
| 9     | 759-3476A   | 1   | S     | Key, Ignition (Set of 2)                                         |
| 10    | 725-0340    | 1   |       | Cover, Terminal Black                                            |
| 11    | 725-1346    | 1   | S     | Nut, Ignition Switch                                             |
| 12    | 725-1347    | 1   | /P    | Cap, Ignition Switch                                             |
| 13    | 725-1365    | 1   | S     | Bulb, Indicator                                                  |
| 14    | 725-3243    | 2   |       | Fuse, 25 Amp                                                     |
| 15    | 725-1648    | 1   | S     | Relay                                                            |
| 16    | 725-3007A   | 1   | /P    | Cover, Terminal Red                                              |
| 17    | 725-3159    | 1   | S     | Hour Meter                                                       |
| 18    | 725-3163    | 1   | S     | Switch, Ignition                                                 |
| 19    | 725-3164A   | 1   | S     | Switch, Interlock (Brake)                                        |
| 20    | 725-3166    | 1   | S     | Switch, Snap Mount - Normally Closed Used from November 11, 2002 |
| 21    | 725-3233    | 1   | S     | Switch, PTO                                                      |
| 22    | 725-3234    | 1   | S     | Switch, Seat                                                     |
| 23    | 725-3237    | 1   |       | Cover, Terminal Red                                              |
| 24    | 736-0607    | 1   | /P    | Washer, External Lock, 5/16                                      |
| 25    | 729-0357    | 2   |       | Holder, Fuse w/Mounting Clip                                     |
| 26    | 725-1707C   | 1   | S     | Battery                                                          |
| 27    | 732-0696    | 1   |       | Hook, Wire Rectangular                                           |

2186 Tractor  
Blower Housing And Baffles

Page 7 of 80



2186 Tractor  
Blower Housing And Baffles


Page 8 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                       |
|-------|----------------|-----|-------|-----------------------------------|
| 1     | KH-24-027-20   | 1   | S     | Housing, Blower (Incl. Ref #2-4)  |
| 2     | KH-24-100-02   | 2   |       | Nut, Plastic                      |
| 3     | KH-25-139-16   | 1   |       | Plug, Button, 9/16                |
| 4     | KH-24-100-01   | 3   |       | Nut, Plastic                      |
| 5     | KH-M-0551016   | 1   |       | Screw, Hex Flange, M5 x 0.8 x 16  |
| 6     | KH-M-0545016   | 5   | S     | Screw, Hex Flange, M5 x 0.8 x 16  |
| 7     | KH-M-0545020   | 2   | /P    | Screw, Hex Flange, M5 x 0.8 x 20  |
| 8     | KH-24-146-02   | 1   | S     | Plate, Backing - #2 Side          |
| 9     | KH-M-0645016   | 6   | S     | Screw, Hex Flange, M6 x 1.0 x 16  |
| 10    | KH-24-063-20   | 1   | /P    | Baffle, Cylinder Barrel - #2 Side |
| 11    | KH-24-063-17   | 1   | /P    | Baffle, Valley - #2 Side          |
| 12    | KH-M-0545010   | 2   | /P    | Screw, Hex Flange, M5 x 0.8 x 10  |
| 13    | KH-24-063-24   | 1   | S     | Baffle, Valley - #1 Side          |
| 14    | KH-24-063-08   | 1   | S     | Baffle, Cylinder Barrel - #1 Side |
| 15    | KH-24-146-20-S | 1   | /P    | Plate, Backing - #1 Side          |



2186 Tractor  
Brake And Control Pedals

Page 9 of 80



2186 Tractor  
Brake And Control Pedals

Page 10 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                                                 |
|-------|----------------|-----|-------|-------------------------------------------------------------|
| 1     | 603-0321A      | 1   |       | Shaft Assy, Brake                                           |
| 2     | 603-0412       | 1   |       | Pedal Assy, Reverse                                         |
| 3     | 603-0697       | 1   |       | Shaft Assy, Forward/Reverse                                 |
| 4     | 603-0419       | 1   |       | Cam Assy, Control                                           |
| 5     | 603-0421A      | 1   | /P    | Plate Assy, Disengagement                                   |
| 6     | 703-2570A-0498 | 1   | S     | Pedal, Forward                                              |
| 7     | 703-2573A-0498 | 1   | S     | Pedal, Brake                                                |
| 8     | 703-2804       | 2   |       | Plate, Bearing Mounting                                     |
| 9     | 703-2938       | 1   |       | Bracket, Reverse Pivot                                      |
| 10    | 703-2941       | 1   |       | Bracket, Cruise                                             |
| 11    | 703-2942       | 1   |       | Plate, Rod Adjustment                                       |
| 12    | 703-2962       | 1   |       | Lever, Cruise                                               |
| 13    | 703-2963       | 1   | S     | Lever, Brake Lock                                           |
| 14    | 703-2965       | 1   | S     | Actuator, Reverse Switch                                    |
| 15    | 710-0106       | 1   | /P    | Screw, Hex Cap, 1/4-20 x 1.25                               |
| 16    | 710-0599       | 1   | /P    | Screw, Hex Wshr Tap 1/4-20 x .5                             |
| 17    | 710-0623       | 2   | /P    | Screw, Hex Wshr Tap 3/8-16 x .75                            |
| 18    | 710-0642       | 6   | /P    | Screw, Hex Wshr Tap 1/4-20 x .75                            |
| 19    | 710-0796       | 1   | /P    | Screw, Truss Mach, #12 x 1.5                                |
| 20    | 710-0216       | 2   | /P    | Screw, Hex Cap, 3/8-16 x .75 GR5                            |
| 21    | 710-3009       | 2   | /P    | Screw, Phil Hd Pan, #10-24 x .75                            |
| 22    | 711-0415       | 1   | S     | Pin, Clevis, 3/8 x 1.62                                     |
| 23    | 711-0736       | 1   | /P    | Ferrule, Adjustment, 1/4-20 Thrd                            |
| 24    | 711-1138       | 1   |       | Stud, Actuator                                              |
| 25    | 711-3295       | 1   | S     | Pin, Clevis, .25 x 2.38 Lg                                  |
| 26    | 712-0271       | 1   | /P    | Nut, Hex Sems, 1/4-20                                       |
| 27    | 712-0431       | 3   | S     | Nut, Hex Flange Lock, 3/8-16                                |
| 28    | 712-3004A      | 1   | /P    | Nut, Hex Flange Lock, 5/16-18                               |
| 29    | 712-3027       | 1   | S     | Nut, Hex Flange Lock, 1/4-20                                |
| 30    | 714-0104       | 9   | S     | Pin, Int Cotter, 5/16 Dia x 1.12 Lg                         |
| 31    | 714-0145       | 6   | S     | Pin, Int Cotter, 3/8 Dia x 1.62                             |
| 32    | 715-0114       | 1   | S     | Pin, Spiral Spring, 1/4 x 1.5                               |
| 33    | 731-3205       | 1   | S     | Pedal, Reverse                                              |
| 34    | 731-3206       | 1   |       | Knob, Cruise                                                |
| 35    | 731-3207       | 1   |       | Knob, Brake Lock                                            |
| 36    | 732-0418       | 1   |       | Spring, Extension, .38 OD x 2.1                             |
| 37    | 732-0463       | 1   | S     | Spring, Extension Used March 2, 2003 and prior              |
|       | 732-0463A      | 1   | /P    | Spring, Extension Used March 3, 2003 and after              |
| 38    | 732-0756A      | 1   | S     | Spring, Torsion                                             |
| 39    | 732-0824       | 1   | S     | Spring, Ext, .437 OD x 1.32 Used January 13, 2002 and prior |
|       | 732-04006      | 1   | S     | Spring, Ext, .437 OD x 1.32 Used January 14, 2002 and after |
| 40    | 732-3099       | 1   |       | Spring, Compression, .50 x 2.23                             |
| 41    | 732-3117       | 1   |       | Spring, Switch Actuator                                     |
| 42    | 735-3048       | 1   |       | Pad, Forward Foot Control                                   |
| 43    | 735-3049       | 1   | S     | Pad, Brake Foot                                             |
| 44    | 736-0174       | 1   | /P    | Washer, Wave, .625 x .885 x .015                            |
| 45    | 736-0349       | 1   | S     | Washer, Flat, .635 x 1.0 x .020                             |


2186 Tractor  
Brake And Control Pedals

Page 11 of 80

| Ref # | Part Number | Qty | S/P/F | Description                        |
|-------|-------------|-----|-------|------------------------------------|
| 46    | 736-0463    | 1   | S     | Washer, Flat, 1/4 x .63 x .051     |
| 47    | 738-0145    | 1   | S     | Shoulder Bolt, .50 OD x .840       |
| 48    | 741-3065B   | 4   | /P    | Bearing, Hex Flange Split          |
| 49    | 741-3073    | 2   | S     | Bearing, Flange, .375 x .58 x .25  |
| 50    | 741-3074    | 3   |       | Bearing, Flange, .626 x .93 x .344 |
| 51    | 747-3216    | 1   |       | Rod, Brake                         |
| 52    | 747-3219    | 1   |       | Rod, Parking Brake                 |
| 54    | 747-3307    | 1   |       | Rod, Cruise                        |
| 55    | 748-3060    | 1   |       | Latch, Cruise                      |
| 56    | 618-3060    | 1   | S     | Plate, Brake                       |
| 57    | 703-2191    | 1   |       | Arm, Brake                         |
| 58    | 710-3262    | 1   |       | Screw, Low Hd Cap, 3/8-16 x .75    |
| 59    | 732-0152    | 1   |       | Spring, Compression                |
| 60    | 732-3077    | 1   |       | Spring, Brake                      |
| 61    | 761-3019    | 1   |       | Drum, Brake                        |
| 62    | 761-3020    | 1   | S     | Shoe, Brake                        |
| 63    | 761-3028    | 1   |       | Actuator, Brake Shoe               |
| 64    | 747-3341A   | 1   | /P    | Rod, Rear Connecting               |
| 65    | 747-3383    | 1   | /P    | Rod, Front Connecting              |

2186 Tractor  
Bulkhead, Dash Panel And Engine Controls


Page 12 of 80



2186 Tractor  
Bulkhead, Dash Panel And Engine Controls

Page 13 of 80


| Ref # | Part Number | Qty | S/P/F | Description                        |
|-------|-------------|-----|-------|------------------------------------|
| 1     | 703-2557    | 1   | S     | Screen, Intake Dash                |
| 2     | 703-3108B   | 1   | S     | Bulkhead, Lower                    |
| 3     | 710-0751    | 2   | /P    | Screw, Hex Cap, 1/4-20 x .625      |
| 4     | 710-0597    | 4   | /P    | Screw, Hex Cap, 1/4-20 x 1.0       |
| 5     | 710-3217    | 3   | /P    | Screw, Cross Rec Trus, #8-32 x .38 |
| 6     | 712-0142    | 1   | /P    | Nut, #8-32                         |
| 7     | 712-0397    | 2   | S     | Nut, Wing w/Bell Washer 1/4-20     |
| 8     | 720-3024    | 1   | S     | Seal, Push On Trim                 |
| 9     | 723-3042    | 1   | /P    | Bushing, Snap, 7/8 ID              |
| 10    | 726-3048    | 2   |       | Nut, U-Type Speed, 1/4-20          |
| 11    | 726-3054    | 4   |       | Nut, U-Clip, 1/4-20                |
| 12    | 731-3137A   | 1   | /P    | Panel, Dash                        |
|       | 777I20306   | 1   | /P    | Graphic, Ignition Switch           |
| 13    | 731-3161    | 1   | S     | Knob, Throttle                     |
| 14    | 723-3062    | 1   |       | Seal Ring, Foam                    |
| 15    | 736-3128    | 4   |       | Washer, Flat, .285 x 1.75 x .10    |
| 16    | 746-3049    | 1   | S     | Control, Throttle                  |
| 17    | 746-3050A   | 1   | S     | Control, Choke                     |
| 18    | 747-3226    | 1   |       | Rod, RH Mounting                   |
| 19    | 747-3227    | 1   |       | Rod, LH Mounting                   |
| 20    | 777I20312   | 1   | /P    | Label, Dash                        |
| 21    | 710-0136    | 1   | /P    | Screw, Hex Cap, 1/4-20 x 1.75 GR5  |
| 22    | 736-0342    | 1   |       | Washer, Flat, .283 x .75 x .030    |
| 23    | 731-3232    | 1   |       | Roller, Hood Latch                 |
| 24    | 712-0271    | 1   | /P    | Nut, Hex Sems, 1/4-20              |



2186 Tractor  
Crankcase

Page 15 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                       |
|-------|-----------------|-----|-------|-----------------------------------|
|       | KH-62588        | 1   | /P    | Complete Engine                   |
|       | KH-24-522-04    | 1   | S/F   | Short Block (6mm)                 |
|       | KH-24-522-130   | 1   | /P/F  | Short Block (8mm)                 |
| 1     | KH-24-782-01    | 1   | S/F   | Cylinder Block, (Miniblock) (6mm) |
|       | KH-24-782-15    | 1   | /P/F  | Cylinder Block, (Miniblock) (8mm) |
| 2     | KH-X-75-10      | 1   | S     | Plug, Hex Hd, 3/8                 |
| 3     | KH-24-032-01    | 1   | S     | Seal, Front Oil                   |
| 4     | KH-12-380-17    | 6   | S     | Pin, Locating Dowel               |
| 5     | KH-24-067-13    | 2   | S     | Rod, Connecting, Std              |
|       | KH-24-067-14    | 2   |       | Rod, Connection, .010 / .25mm     |
| 6     | KH-24-874-01    | 2   | S     | Piston w/Ring Set, Std            |
|       | KH-24-874-02    | 2   | S     | Piston w/Ring Set, .010 / .25mm   |
|       | KH-24-874-03    | 2   | S     | Piston w/Ring Set, .020 / .50mm   |
|       | KH-24-874-14-S  | 2   |       | Piston w/Ring Set, .08mm          |
| 7     | KH-12-422-09    | AR  | S     | Shim, Camshaft, .0320 (Red)       |
|       | KH-12-422-13    | AR  | S     | Shim, Camshaft, .0400 (Black)     |
|       | KH-12-422-07    | AR  | S     | Shim, Camshaft, .0280 (White)     |
|       | KH-12-422-08    | AR  | S     | Shim, Camshaft, .0300 (Blue)      |
|       | KH-12-422-10    | AR  | S     | Shim, Camshaft, .0340 (Yellow)    |
|       | KH-12-422-11    | AR  | S     | Shim, Camshaft, .0360 (Green)     |
|       | KH-12-422-12    | AR  | S     | Shim Camshaft .0380 (Gray)        |
| 8     | KH-24-018-01    | 4   | S     | Retainer, Piston Pin              |
| 9     | KH-24-108-01    | 2   | S     | Ring Set, Std                     |
|       | KH-24-108-02    | 2   | S     | Ring Set, .010 / .25mm            |
|       | KH-24-108-03    | 2   |       | Ring Set, .020 / .50mm            |
| 10    | KH-24-012-10-S  | 1   | /P    | Camshaft Assembly                 |
| 11    | KH-12-380-04    | 1   | F     | Pin, Hitch (6mm)                  |
|       | KH-24-018-09    | 1   | F     | Ring, Retainer (8mm)              |
| 12    | KH-M-0631005    | 1   | S/F   | Washer, Plain (6mm)               |
|       | KH-M-931010     | 1   | F     | Washer, Nylon (Top) (8mm)         |
| 13    | KH-12-032-01    | 1   | F     | Seal, Gov. Cross Shaft (6mm)      |
|       | KH-28-032-09    | 1   | F     | Seal, Gov. Cross Shaft (8mm)      |
| 14    | KH-X-25-102     | 1   | S/F   | Washer (Bottom) (6mm)             |
|       | KH-24-468-15    | 1   | F     | Washer (Bottom) (8mm)             |
| 15    | KH-24-144-01    | 1   | F     | Shaft, Gov. Cross (6mm)           |
|       | KH-24-144-33    | 1   | F     | Shaft, Gov. Cross (8mm)           |
| 16    | KH-52-139-09    | 1   | S     | Plug, Cup                         |
| 17    | 751-3140        | 1   | S     | Drain, Oil                        |
|       | 751-3142        | 1   |       | Cap                               |
| 18    | 751-3141-12     | 1   | S     | Hose, Oil Drain                   |
|       | KH-24-755-107-S | 1   | /P    | Gasket Set                        |






2186 Tractor  
Crankshaft

Page 17 of 80

| Ref # | Part Number  | Qty | S/P/F | Description               |
|-------|--------------|-----|-------|---------------------------|
| 1     | KH-24-014-06 | 1   | S     | Crankshaft (Incl. Ref #2) |
| 2     | KH-52-139-09 | 1   | S     | Plug, Cup                 |

2186 Tractor  
Cylinder Head, Valves, And Breather

Page 18 of 80




2186 Tractor  
Cylinder Head, Valves, And Breather

Page 19 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                             |
|-------|----------------|-----|-------|-----------------------------------------|
| 1     | KH-24-755-74   | 1   | S     | Kit, Valve Cover (Incl. Ref #2, 3)      |
| 2     | KH-24-086-32   | 4   |       | Screw, Shoulder                         |
| 3     | KH-24-153-16   | 1   | S     | O-Ring, Valve Cover                     |
| 4     | KH-24-445-01   | 1   | S     | Strap, Lifting                          |
| 5     | KH-12-755-03   | 4   | /P    | Kit, Retainer                           |
| 6     | KH-12-173-01   | 4   | /P    | Cap, Valve Spring                       |
| 7     | KH-24-089-02   | 4   | /P    | Spring, Valve                           |
| 8     | KH-235011      | 4   | S     | Retainer, Spring                        |
| 9     | KH-24-032-05   | 2   | S     | Seal, Valve Stem                        |
| 10    | KH-24-318-09   | 1   | S     | Head Assembly, #1 Cylinder              |
| 11    | KH-24-017-01   | 2   | /P    | Valve, Intake Std                       |
|       | KH-24-017-02   | 2   |       | Valve, Intake, .25mm                    |
| 12    | KH-24-016-01   | 2   | /P    | Valve, Exhaust Std                      |
|       | KH-24-016-02   | 2   |       | Valve, Exhaust, .25mm                   |
| 13    | KH-24-755-66   | 1   | /P    | Kit, Valve Train (Incl Ref #15, 18, 19) |
| 14    | KH-12-351-02   | 4   | S     | Lifter, Valve                           |
| 15    | KH-24-411-05   | 4   | /P    | Rod, Push                               |
| 16    | KH-24-041-08   | 2   | S     | Gasket, Cylinder Head                   |
| 17    | KH-24-318-10   | 1   | S     | Head Assembly, #2 Cylinder              |
| 18    | KH-25-186-01   | 4   | /P    | Arm, Rocker                             |
| 19    | KH-24-599-01   | 4   | S     | Pivot, Rocker Arm                       |
| 20    | KH-M-0640034   | 1   | /P    | Screw, Hex Flng, M6 x 1.0 x 34          |
| 21    | KH-12-086-16   | 8   | S     | Screw, Hex Flng, M10 x 1.5 x 90         |
| 22    | KH-24-153-16   | 1   | S     | O-Ring, Valve Cover                     |
| 23    | KH-24-393-14   | 1   | S     | Cover, Fuel Pump Vlv (Incl. 24)         |
| 24    | KH-25-155-02   | 2   | /P    | Connector, 90°.                         |
| 25    | KH-24-086-34   | 4   | /P    | Screw, Shoulder                         |
| 26    | KH-24-227-02   | 1   | S     | Cap Assembly, Oil Fill (Incl. 27)       |
| 27    | KH-24-153-09   | 1   | S     | O-Ring                                  |
| 28    | KH-24-402-03   | 1   | /P    | Reed, Breather                          |
| 29    | KH-12-018-01   | 1   | S     | Retainer, Breather Reed                 |
| 30    | KH-M-0545010   | 1   | /P    | Screw, Hex Flng, M5 x 0.8 x 10          |
| 31    | KH-24-050-01   | 1   | S     | Filter, Breather                        |
| 32    | KH-24-033-01   | 1   | /P    | Kit, Breather (Includes 33-35)          |
| 33    | KH-X-75-23     | 1   | S     | Plug, Allen Hd 1/8 Pipe                 |
| 34    | KH-24-041-23   | 1   | S     | Gasket, Breather                        |
| 35    | KH-24-096-58-S | 1   |       | Cover, Breather                         |
| 36    | KH-M-0645020   | 4   | S     | Screw, Hex Flng M6 x 1.0 x 20           |
| 37    | KH-X-426-9     | 1   | S     | Clamp, Breather                         |
| 38    | KH-24-326-26   | 1   | S     | Hose, Breather                          |

2186 Tractor  
Drive Line 27.87 Lg

Page 20 of 80




2186 Tractor  
Drive Line 27.87 Lg

Page 21 of 80

| Ref # | Part Number  | Qty | S/P/F | Description                                                     |
|-------|--------------|-----|-------|-----------------------------------------------------------------|
| 1     | 603-0191     | 1   | /P    | Shaft Assembly, Drive, 27.87 Lg                                 |
|       | 759-3764     | 2   | /P    | Kit, Drive Barrel                                               |
| 2     | 618-3231     | 1   | S     | Transmission Assembly, Hydro Replaces<br>618-3085 and 618-3085A |
|       | 618-0579     | 2   | S     | Hub Assy, Wheel (Not Incl. w/#2)                                |
|       | 712-1329     | 2   | /P    | Nut, Hex, 3/4-16 (Not Incl. w/#2)                               |
|       | 732-0152     | 1   |       | Spring, Comp. (Not Incl. w/#2)                                  |
| 3     | 618-3088     | 1   |       | Pinion Assembly, Input                                          |
| 4     | 618-3111     | 1   | S     | Pump, Hydrostatic                                               |
| 5     | 703-2568     | 1   |       | Arm, Hydro Dump                                                 |
| 6     | 710-1260A    | 2   | /P    | Screw, Hex Wsh Tap, 5/16-18 x .75                               |
| 7     | 710-0642     | 1   | /P    | Screw, Hex Wsh Tap, 1/4-20 x .75                                |
| 8     | 710-3180     | 2   | /P    | Screw, Hex Cap, 5/16-18 x 1.75 GR5                              |
| 9     | 710-3195     | 2   |       | Screw, Hex Cap, 5/16-18 x 4.5 GR5                               |
| 10    | 710-1062     | 4   |       | Screw, Hex Patch, 1/4-20 x 1.25 GR5                             |
| 11    | 710-3288     | 8   |       | Screw, Hex Patch, 1/4-20 x 1.62 GR5                             |
| 12    | 710-3290     | 5   |       | Screw, Hex Wsh Tap, 3/8-16 x 1.25                               |
| 13    | 712-0262     | 1   | /P    | Nut, Hex Center Lock Jam, 3/8-24                                |
| 14    | 714-0104     | 1   | S     | Pin, Internal Cotter, 5/16 Dia x 1.12                           |
| 15    | 748-3099     | 1   |       | Adapter, Pump Tapered                                           |
| 16    | 721-0261     | 1   |       | O-Ring, 2.75 x .103                                             |
| 17    | 725-0157     | 1   | /P    | Tie, Self-Clinch Cable                                          |
| 18    | 726-0205     | 1   | /P    | Clamp, Hose                                                     |
| 19    | 731-3297     | 1   |       | Fan, 10 Blade Cooling                                           |
| 20    | 736-0105     | 1   | /P    | Washer, Bell, .380 x .88 x .063                                 |
| 21    | 736-0119     | 4   | S     | Washer, Lock, 5/16                                              |
| 22    | 736-0270     | 1   | /P    | Washer, Bell, .265 x .75 x .062                                 |
| 23    | 759-3330     | 1   | /P    | Line, Fuel, 7in (10ft Bulk)                                     |
| 24    | 736-3099     | 1   | S     | Washer, Wave, 1.96 x 2.44 x .06                                 |
| 25    | 737-0296     | 1   | /P    | Vent                                                            |
| 26    | 737-0299     | 1   |       | Fitting, Elbow                                                  |
| 27    | 747-3228     | 1   |       | Rod, Hydro Disengagement                                        |
| 28    | KH-24-086-16 | 2   | S     | Bolt                                                            |
| 29    | 719-3096     | 1   | /P    | Engine/Driveshaft Coupler                                       |

2186 Tractor  
Drive Line 28.25 Lg


Page 22 of 80



2186 Tractor  
Drive Line 28.25 Lg

Page 23 of 80

| Ref # | Part Number  | Qty | S/P/F | Description                                                                                            |
|-------|--------------|-----|-------|--------------------------------------------------------------------------------------------------------|
| 1     | 718-3147     | 1   |       | Shaft Assembly, Drive, 28.25 Lg                                                                        |
|       | 759-3764     | 2   | /P    | Kit, Drive Barrel                                                                                      |
| 2     | 618-3231     | 1   | S     | Transmission Assembly, Hydro Does NOT include wheel hub assemblies and 3/4" hex nuts, and brake spring |
| 3     | 618-3088     | 1   |       | Pinion Assembly, Input                                                                                 |
| 4     | 618-3233     | 1   | S     | Pump, Hydrostatic                                                                                      |
| 5     | 703-2568     | 1   |       | Arm, Hydro Dump                                                                                        |
| 6     | 710-1260A    | 2   | /P    | Screw, Hex Wsh Tap, 5/16-18 x .75                                                                      |
| 7     | 710-0642     | 1   | /P    | Screw, Hex Wsh Tap, 1/4-20 x .75                                                                       |
| 8     | 710-3180     | 2   | /P    | Screw, Hex Cap, 5/16-18 x 1.75 GR5                                                                     |
| 9     | 710-3195     | 2   |       | Screw, Hex Cap, 5/16-18 x 4.5 GR5                                                                      |
| 10    | 710-1062     | 4   |       | Screw, Hex Patch, 1/4-20 x 1.25 GR5                                                                    |
| 11    | 710-3288     | 4   |       | Screw, Hex Patch, 1/4-20 x 1.62 GR5                                                                    |
| 12    | 710-3290     | 5   |       | Screw, Hex Wsh Tap, 3/8-16 x 1.25                                                                      |
| 13    | 712-3059     | 1   | /P    | Nut, Hex Top Lock Jam GR5, 1/2-20                                                                      |
| 14    | 714-0104     | 1   | S     | Pin, Internal Cotter, 5/16 Dia x 1.12                                                                  |
| 15    | 748-3093     | 1   |       | Adapter, Pump Splined                                                                                  |
| 16    | 721-0261     | 1   |       | O-Ring, 2.75 x .103                                                                                    |
| 17    | 725-0157     | 1   | /P    | Tie, Self-Clinch Cable                                                                                 |
| 18    | 726-0205     | 1   | /P    | Clamp, Hose                                                                                            |
| 19    | 731-3297     | 1   |       | Fan, 10 Blade Cooling                                                                                  |
| 20    | 736-0253     | 1   | S     | Washer, Bell, 1/2 ID                                                                                   |
| 21    | 736-0119     | 4   | S     | Washer, Lock, 5/16                                                                                     |
| 22    | 736-0270     | 1   | /P    | Washer, Bell, .265 x .75 x .062                                                                        |
| 23    | 759-3330     | 1   | /P    | Line, Fuel, 7in (10ft Bulk)                                                                            |
| 24    | 736-3099     | 1   | S     | Washer, Wave, 1.96 x 2.44 x .06                                                                        |
| 25    | 737-0296     | 1   | /P    | Vent                                                                                                   |
| 26    | 737-0299     | 1   |       | Fitting, Elbow                                                                                         |
| 27    | 747-3228     | 1   |       | Rod, Hydro Disengagement                                                                               |
| 28    | KH-24-086-16 | 2   | S     | Screw, Hex Patch, M10-1.50x 90mm                                                                       |
| 29    | 719-3096     | 1   | /P    | Adapter, Drive Shaft                                                                                   |
| 30    | 711-0146     | 1   |       | Spacer, 1/2 x 1.0 x .32                                                                                |





2186 Tractor  
Electric Start (KH-24-098-01)

Page 25 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                                                                                                                                                               |
|-------|-----------------|-----|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | KH-M-0841080    | 1   | S     | Nut, Hex Flange M8 x 1.25                                                                                                                                                 |
| 2     | KH-M-839080     | 2   | S     | Screw, Hex Flange M8 x 1.25 x 80                                                                                                                                          |
| 3     | KH-24-098-01    | 1   | S     | Starter Assembly, Nippondenso (Incl. Ref #4-18)                                                                                                                           |
| 4     | KH-24-081-04    | 1   |       | Drive, End Cap                                                                                                                                                            |
| 5     | KH-52-100-10    | 2   |       | Nut, Starter                                                                                                                                                              |
| 6     | KH-12-090-10    | 1   |       | Lever, Starter Drive                                                                                                                                                      |
| 7     | KH-24-755-84    | 1   | /P    | Kit, Starter Repair                                                                                                                                                       |
| 8     | KH-12-239-01    | 1   |       | Drive, Pinion                                                                                                                                                             |
| 9     | KH-52-435-02    | 1   | /P    | Solenoid                                                                                                                                                                  |
| 10    | KH-52-100-09    | 1   |       | Nut, Starter                                                                                                                                                              |
| 11    | KH-12-170-04    | 1   |       | Armature, Starter                                                                                                                                                         |
| 12    | KH-12-471-01    | 1   |       | Frame                                                                                                                                                                     |
| 13    | KH-52-221-01    | 1   |       | Kit, Brush and Spring (Incl. Ref 15)                                                                                                                                      |
| 14    | KH-52-323-03    | 1   |       | Holder, Brush                                                                                                                                                             |
| 15    | KH-52-089-09    | 4   |       | Spring, Brush                                                                                                                                                             |
| 16    | KH-52-168-01    | 1   |       | Insulator                                                                                                                                                                 |
| 17    | KH-52-211-05    | 2   |       | Bolt, Thru                                                                                                                                                                |
| 18    | KH-24-301-01    | 1   |       | Commutator, End Cap                                                                                                                                                       |
| 19    | KH-25-098-09-S  | 1   | S     | Starter assembly, solenoid shift (Delco) (Includes 20-23)                                                                                                                 |
| 20    | KH-25-435-05-S  | 1   | S     | Kit, solenoid (Includes 3 Torx head screws)                                                                                                                               |
|       | KH-25-086-113-S | 3   |       | Screw, external Torx head M4x0.7x26 (Not shown)                                                                                                                           |
| 21    | KH-25-755-33-S  | 1   |       | Kit, Pinion Drive (Includes 21)                                                                                                                                           |
| 22    | KH-25-141-05-S  | 1   |       | Ring, Retainer                                                                                                                                                            |
| 23    | KH-25-221-01-S  | 1   |       | Kit, Brush                                                                                                                                                                |
|       | KH-M-0841080    | 1   | S     | Nut, hex. flange M8x1.25 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                                                       |
|       | KH-M-839080     | 2   | S     | Screw, hex. flange M8x1.25x80 Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                                                  |
|       | KH-25-098-08-S  | 1   | S     | Starter assembly, solenoid shift (Delco) Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                                       |
|       | KH-25-435-04-S  | 1   | /P    | Kit, solenoid (Plunger is part of the solenoid); Note: Solenoid secured to starter with 3 Philips head screws; Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S) |
|       | ~N/A            | 3   |       | Screw, external Philips head M4x0.7x26 (Purchase locally); Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                     |
|       | KH-25-755-33-S  | 1   |       | Kit, pinion drive Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                                                              |
|       | KH-25-141-05-S  | 1   |       | Ring, retainer Not shown; Delco-Remy SOLENOID SHIFT STARTER (25 098 08-S)                                                                                                 |


2186 Tractor  
Electric Start (KH-24-098-01)

Page 26 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                                                              |
|-------|----------------|-----|-------|--------------------------------------------------------------------------|
|       | KH-25-221-01-S | 1   |       | Kit, brush Not shown; Delco-Remy<br>SOLENOID SHIFT STARTER (25 098 08-S) |

2186 Tractor  
Electric Start (KH-25-098-09-S)


Page 27 of 80



2186 Tractor  
Electric Start (KH-25-098-09-S)

Page 28 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                                     |
|-------|-----------------|-----|-------|-------------------------------------------------|
| 1     | KH-M-0841080    | 1   | S     | Nut, Hex Flange M8 x 1.25"                      |
| 2     | KH-M-839080     | 2   | S     | Screw, Hex Flange M8 x 1.25 x 80                |
| 3     | KH-25-098-09-S  | 1   | S     | Starter, Solenoid Shift Assembly (Includes 4-6) |
| 4     | KH-25-435-04-S  | 1   | /P    | Kit, Solenoid                                   |
| 5     | KH-25-755-33-S  | 1   |       | Kit, Pinion Drive (Includes 6)                  |
| 6     | KH-25-221-01-S  | 1   |       | Kit, Brush                                      |
| 7     | KH-25-141-05-S  | 1   |       | Ring, Retainer                                  |
| 8     | KH-25-086-113-S | 3   |       | Screw, External Torx Hd.                        |
|       | KH-25-098-09-S  | 1   | S     | Electric Start                                  |




2186 Tractor  
Engine Controls

Page 30 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                      |
|-------|----------------|-----|-------|----------------------------------|
| 1     | KH-M-0547050   | 1   | /P    | Nut, Hex Lock M5 x 0.8           |
| 2     | KH-24-089-03   | 1   |       | Spring, Choke Return             |
| 3     | KH-M-0645016   | 4   | S     | Screw, Hex Flange M6 x 1.0 x 16  |
| 4     | KH-24-126-56   | 1   | S     | Bracket, Control                 |
| 5     | KH-24-468-01   | 3   |       | Washer, Plain 5.5mm              |
| 6     | KH-24-090-07   | 1   | /P    | Lever, Throttle Actuator         |
| 7     | KH-12-237-01   | 2   |       | Clamp, Cable                     |
| 8     | KH-M-0545016   | 3   | S     | Screw, Hex Flange M5 x 0.8 x 16  |
| 9     | KH-24-090-13   | 1   |       | Lever, Throttle Control          |
| 10    | KH-M-0446030   | 1   | S     | Nut, Hex M4 x 0.7                |
| 11    | KH-M-401030    | 1   | /P    | Screw, Hex Cap M4 x 0.7 x30      |
| 12    | KH-24-079-02   | 1   | S     | Linkage, Choke                   |
| 13    | KH-24-090-05   | 1   |       | Lever, Choke                     |
| 14    | KH-41-468-03   | 1   |       | Washer, Spring 1/4"              |
| 15    | KH-M-0545020   | 1   | /P    | Screw, Hex Flange M5 x 0.8 x 20  |
| 16    | KH-24-089-51   | 1   |       | Spring, Throttle Limiter         |
| 17    | KH-24-089-15   | 1   | /P/F  | Spring, Governor (6mm)           |
|       | KH-24-089-48-S | 1   | F     | Spring, Governor (8mm)           |
| 18    | KH-SM-0642025  | 1   | S/F   | Screw, Hex Flange (6mm)          |
|       | KH-24-211-03   | 1   | F     | Bolt, Round Head, Sq. Neck (8mm) |
| 19    | KH-24-090-14   | 1   | /P/F  | Lever, Governor (6mm)            |
|       | KH-24-090-33   | 1   | F     | Lever, Governor (8mm)            |
| 20    | KH-M-0641060   | 1   | S     | Nut, Hex Flange M6 x 1.0         |
| 21    | KH-24-089-01   | 1   |       | Spring, Linkage                  |
| 22    | KH-25-158-08   | 1   | /P    | Bushing, Linkage Retaining       |
| 23    | KH-24-079-01   | 1   |       | Linkage, Throttle                |
| 24    | KH-25-158-11   | 1   | /P    | Bushing, Linkage Retaining       |
| 25    | KH-24-126-04   | 2   | S     | Bracket, Support                 |

## 2186 Tractor Engine Mounting And Muffler

Page 31 of 80




2186 Tractor  
Engine Mounting And Muffler

Page 32 of 80

| Ref # | Part Number  | Qty | S/P/F | Description                         |
|-------|--------------|-----|-------|-------------------------------------|
| 1     | 651-3001     | 1   | S     | Muffler Assembly                    |
| 2     | 703-3099     | 1   | S     | Sheild, Muffler Tube                |
| 3     | 703-2632     | 1   | S     | Baffle, RH Heat                     |
| 4     | 710-1268     | 2   | /P    | Screw, Hex Wsh Hd Tap, #10-16 x .38 |
| 5     | 710-0539     | 4   | /P    | Bolt, Eng Mount, 3/8-24 x 1.75 GR5  |
| 6     | KH-M-0841080 | 4   | S     | Nut, Hex Flange                     |
| 7     | 712-3004A    | 3   | /P    | Nut, Hex Flange Lock, 5/16-18       |
| 8     | 712-3054     | 4   | /P    | Nut, Hex Lock, 3/8-24               |
| 9     | 736-0105     | 4   | /P    | Washer, Bell, .380 x .88 x .062     |
| 10    | 751-0654     | 1   |       | Tube, Exhaust                       |
| 11    | 759-3744     | 1   | S     | Arrestor, Spark                     |
| 12    | KH-24-041-02 | 2   | S     | Gasket, Exhaust                     |
| 13    | 710-3209     | 4   |       | Screw, Hex Cap, M6 x 1 x 10         |
| 14    | 736-0142     | 5   | S     | Washer, Flat, .281 x .5 x .06       |
| 15    | 710-0351     | 1   | /P    | Screw, Truss Hd Tapp, #10 x .5      |
| 16    | 703-2631     | 1   | S     | Baffle, LH Heat                     |






2186 Tractor  
Exhaust

Page 34 of 80

| Ref # | Part Number  | Qty | S/P/F | Description                      |
|-------|--------------|-----|-------|----------------------------------|
| 1     | KH-M-0841080 | 4   | S     | Nut, Muffler Mounting, M8 x 1.25 |
| 2     | KH-24-041-02 | 2   | S     | Gasket, Exhaust                  |
| 3     | KH-25-072-04 | 4   | /P    | Stud, Exhaust, M8 x 1.25 x 33    |

2186 Tractor  
Fender And Running Board

Page 35 of 80




2186 Tractor  
Fender And Running Board

Page 36 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                            |
|-------|----------------|-----|-------|----------------------------------------|
| 1     | 731-3212       | 1   | S     | Cup Holder                             |
| 2     | 631-3002       | 1   |       | Cover, Implement Lift                  |
| 3     | 703-2278B-0716 | 1   |       | Fender                                 |
| 4     | 710-0751       | 6   | /P    | Screw, Hex Cap, 1/4-20 x .62 GR5       |
| 5     | 710-1260A      | 6   | /P    | Screw, Hex Wash Hd Tapp 5/16-18 x .750 |
| 6     | 710-1268       | 2   | /P    | Screw, Hex Tapp, #10 x .38 Lg          |
| 7     | 712-3027       | 6   | S     | Nut, Hex Flange Lock, 1/4-20           |
| 8     | 723-3042       | 1   | /P    | Bushing, Snap, 7/8 ID                  |
| 9     | 726-0211       | 6   | S     | U-Nut, 5/16-18                         |
| 10    | 732-3122       | 2   |       | Retainer, Hook                         |
| 11    | 735-3046A      | 1   | /P    | Pad, RH Foot                           |
| 12    | 735-3047       | 1   |       | Pad, LH Foot                           |
| 13    | 703-2279-0716  | 1   | /P    | Running Board w/Graphic                |
|       | 777S30170      | 1   | /P    | Graphic, Warning                       |
|       | 777D04382      | 1   |       | Graphic, Shaft Drive                   |
| 14    | 777D04791      | 1   | S     | Graphic, Rear Fender                   |
| 15    | 703-2628-0716  | 2   | /P    | Bracket, Fender Reinforcement          |
| 16    | 710-0224       | 4   | S     | Screw, Hex Tapp, #10-16 x .5 Lg.       |

2186 Tractor  
Frame And Drawbar

Page 37 of 80




2186 Tractor  
Frame And Drawbar

Page 38 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                         |
|-------|----------------|-----|-------|-------------------------------------|
| 1     | 603-0132-0716  | 1   | S     | Rod, Quick Attach                   |
| 2     | 603-0329B-0716 | 1   |       | Frame                               |
| 3     | 703-2257-0716  | 1   | /P    | Drawbar                             |
|       | 777I20296      | 1   |       | Graphic, Transmission Release Lever |
| 4     | 703-2577-0716  | 1   | S     | Bumper                              |
| 5     | 710-0623       | 2   | /P    | Screw, Hex Wsh Hd Tapp 3/8-16 x .75 |
| 6     | 710-1260A      | 10  | /P    | Screw, Hex Wsh Hd Tap 5/16-18 x .75 |
| 7     | 710-3261       | 1   |       | Screw, Hex Cap, 3/8-16 x 7.0        |
| 8     | 712-0431       | 1   | S     | Nut, Hex Flange Lock, 3/8-16        |
| 9     | 712-3027       | 2   | S     | Nut, Hex Flange Lock, 1/4-20        |
| 10    | 726-0211       | 6   | S     | U-Nut, 5/16-18                      |
| 11    | 732-3002       | 1   | S     | Spring, Latch                       |
| 12    | 738-0255       | 2   | S     | Bolt, Shoulder                      |
| 13    | 750-3114A      | 1   | /P    | Spacer, Idler, .407 x .720 x 4.38   |
| 14    | 756-3045       | 2   | S     | Pulley, Idler                       |
| 15    | 732-0970       | 1   | S     | Belt Guide                          |

2186 Tractor  
Front Axle And Connections

Page 39 of 80




2186 Tractor  
Front Axle And Connections

Page 40 of 80

| Ref # | Part Number | Qty | S/P/F | Description                          |
|-------|-------------|-----|-------|--------------------------------------|
| 1     | 603-0066    | 2   |       | Knuckle Assembly, Steering           |
| 2     | 710-3066    | 2   | /P    | Screw, Hex Cap, 3/8-16 x 2.75 GR8    |
| 3     | 710-3103    | 2   | /P    | Screw, Hex Cap, 5/16-18 x 2 GR5      |
| 4     | 712-3054    | 2   | /P    | Nut, Hex Lock, 3/8-24 GR5            |
| 5     | 712-0431    | 2   | S     | Nut, Hex Flanged Lock, 3/8-16        |
| 6     | 712-0711    | 4   | /P    | Nut, Jam, 3/8-24 GR2                 |
| 7     | 712-3004A   | 2   | /P    | Nut, Hex Flange Top Lock, 5/16-18    |
| 8     | 712-3083    | 1   | /P    | Nut, Hex Top Nylon Lock, 1/2-13      |
| 9     | 719-3095    | 1   |       | Axle, Front Pivot                    |
| 10    | 723-0156    | 4   | S     | Joint, Ball, 3/8-24                  |
| 11    | 736-0188    | 2   | /P    | Washer, Flat, .760 x 1.49 x .06 Thk. |
| 12    | 737-3000    | 3   | S     | Fitting, Lube, 3/16 Drive Type       |
| 13    | 738-3110    | 1   | S     | Bolt, Pivot Shoulder, 3/4 Dia x 2.23 |
| 14    | 747-3171    | 2   |       | Rod, Tie                             |
| 15    | 748-3049    | 2   |       | Arm, Steering                        |






2186 Tractor  
Front Wheel

Page 42 of 80


| Ref # | Part Number   | Qty | S/P/F | Description                       |
|-------|---------------|-----|-------|-----------------------------------|
|       | 734-3187      | 2   | S     | Tire, Cub Tread, 16 x 6.5 x 8     |
| 1     | 634-3016-0499 | 2   | /P    | Rim Assy, Front                   |
| 2     | 710-3119      | 2   | /P    | Bolt, Hex Patch, 3/8-16 x .75 GR5 |
| 3     | 731-3020      | 2   | S     | Cap, Hub                          |
| 4     | 734-0255      | 2   | S     | Valve, Tubeless Air               |
| 5     | 736-3039      | 2   | S     | Washer, Flat, .406 x 1.5 x .110   |
| 6     | 736-3040      | 2   | /P    | Washer, Flat, .406 x 1.92 x .06   |
| 7     | 737-0224      | 2   |       | Fitting, Grease                   |
| 8     | 741-3032      | 4   | S     | Bearing, Ball                     |



2186 Tractor  
Fuel System

Page 44 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                           |
|-------|----------------|-----|-------|---------------------------------------|
| 1     | KH-52-353-20   | 1   | S     | Line, Fuel 10"                        |
| 2     | KH-X-426-9     | 4   | S     | Clamp, Hose                           |
| 3     | KH-24-853-35   | 1   | /P    | Kit, Carb (Incl. Ref #4, 5, 6, 11-31) |
| 4     | 723-3066-14    | 1   | S     | Insulation, Fuel Line                 |
| 5     | KH-24-041-06   | 1   | /P    | Gasket, Air Cleaner Base              |
| 6     | KH-24-041-17   | 1   | /P    | Gasket, Carburetor                    |
| 7     | KH-M-0651030   | 2   | /P    | Screw, Hex Flange M6 x 1.0 x 30       |
|       | KH-M-651025-S  | 1   |       | Screw, Hex Flange M6 x 1.0 x 25       |
| 8     | KH-24-050-02   | 1   | S     | Filter, Fuel                          |
| 9     | KH-24-353-12   | 1   |       | Line, Fuel 11"                        |
| 10    | KH-24-757-07   | 1   |       | Kit, Choke Repair (Incl. Ref #12)     |
| 11    | KH-24-173-02   | 1   |       | Cap, Choke Lever                      |
| 12    | KH-24-154-01   | 1   |       | Clip, Inlet Needle Valve              |
| 13    | KH-24-462-01   | 1   |       | Valve, Inlet Needle                   |
| 14    | KH-24-086-09   | 4   |       | Screw, Carburetor Body                |
| 15    | KH-24-041-09   | 1   |       | Gasket, Carburetor                    |
| 16    | KH-24-153-02   | 2   | /P    | O-Ring, Slow Jet                      |
| 17    | KH-24-337-01   | 1   | /P    | Jet, Slow                             |
| 18    | KH-24-757-02   | 1   | S     | Kit, Float Repair                     |
| 19    | KH-24-337-02   | 1   |       | Jet, Main                             |
| 20    | KH-24-089-10   | 1   |       | Spring, Idle Adjust Screw             |
| 21    | KH-24-086-10   | 1   |       | Screw, Idle Adjusting                 |
| 22    | KH-24-757-01   | 1   | /P    | Kit, Solenoid (Incl. Ref #24-29)      |
| 23    | KH-24-153-06   | 1   |       | O-Ring                                |
| 24    | KH-24-521-01   | 1   |       | Seat, Solenoid                        |
| 25    | KH-24-153-05   | 1   |       | O-Ring                                |
| 26    | KH-24-153-04   | 1   |       | O-Ring                                |
| 27    | KH-24-435-01   | 1   | S     | Solenoid                              |
| 28    | KH-24-086-07   | 2   |       | Screw, Solenoid                       |
| 29    | KH-24-368-01   | 1   |       | Needle, Idle                          |
| 30    | KH-24-089-11   | 1   |       | Spring, Idle Needle                   |
| 31    | KH-24-086-05   | 1   |       | Screw, Throttle Stop                  |
|       | KH-24-757-03   | 1   | S     | Kit, Carburetor Repair                |
|       | KH-24-518-24-S | 1   |       | Lead, Ground (Not Shown)              |




2186 Tractor  
Fuel Tank

Page 46 of 80

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 722-3020    | AR  |       | Foam, 1.25 Sq x .62 Thk                 |
| 2     | 722-3022    | AR  | S     | Tape, Foam, .625 Wide x .25 Thk         |
| 3     | 726-0205    | 2   | /P    | Clamp, Hose                             |
| 4     | 759-3330    | 1   | /P    | Line,Fuel, 72" (Shipped In 10ft Length) |
| 5     | 751-3112B   | 1   | /P    | Tank, Fuel                              |
| 6     | 751-3124B   | 1   | S     | Cap, Fuel                               |
|       | 723-3066    | 1   | S     | Insulator, Foam Fuel Line Not Shown     |

2186 Tractor  
Grille, Hood And Side Panels

Page 47 of 80




2186 Tractor  
Grille, Hood And Side Panels

Page 48 of 80

| Ref # | Part Number   | Qty | S/P/F | Description                                           |
|-------|---------------|-----|-------|-------------------------------------------------------|
| 1     | 603-0211      | 1   |       | Bracket, Grille LH                                    |
| 2     | 603-0212      | 1   | S     | Bracket, Grille RH                                    |
| 3     | 603-0583-0499 | 1   | S     | Bracket, Upper Hood Used September 14, 2002 and prior |
|       | 603-04063     | 1   | S     | Bracket, Upper Hood Used September 15, 2002 and after |
| 4     | 703-2396-0499 | 1   | /P    | Panel, RH Side                                        |
| 5     | 703-2397-0499 | 1   | /P    | Panel, LH Side                                        |
| 6     | 703-2398-0499 | 1   | /P    | Grille                                                |
| 7     | 703-2465      | 2   | /P    | Link, Short Hood                                      |
| 8     | 703-2466A     | 2   | S     | Link, Long Hood                                       |
| 9     | 703-2495-0499 | 1   | /P    | Screen, LH Panel                                      |
| 10    | 703-2496-0499 | 1   | /P    | Screen, RH Panel                                      |
| 12    | 710-0351      | 8   | /P    | Screw, Truss Mach Tapp, #10 x .50                     |
| 13    | 710-0599      | 6   | /P    | Screw, Hex Wash Hd Tapp, 1/4 x .50                    |
| 14    | 712-3027      | 8   | S     | Nut, Hex Flange Lock, 1/4-20                          |
| 15    | 712-3087      | 2   | /P    | Nut, Wing, 1/4-20                                     |
| 16    | 723-3059      | 1   | /P    | Seal, Heat Baffle                                     |
| 17    | 726-0139      | 2   | /P    | Nut, U-Type Speed, #10                                |
| 19    | 625-0053      | 1   | S     | Headlight Assy (Includes Lamp and Socket)             |
|       | 725-0963      | 2   | S     | Lamp, 12V                                             |
|       | 725-1649      | 2   | S     | Socket, Lamp                                          |
| 20    | 777I20314     | 1   | /P    | Graphic, Warning HOT                                  |
| 21    | 732-0334      | 4   | S     | Spring, Compression, .50 OD x .50 Lg                  |
| 22    | 732-0855A     | 1   | /P    | Spring, Hood Latch Used March 4, 2002 and prior       |
|       | 732-1178      | 1   |       | Spring, Hood Latch Used March 5, 2002 and after       |
| 23    | 736-0175      | 8   | S     | Washer, Spring, .265 x .562 x .025                    |
| 24    | 736-0400      | 2   | S     | Washer, Flat, .218 x .62 x .063                       |
| 25    | 738-3141      | 2   | S     | Bolt, Shoulder, .31 Dia x .75 Lg                      |
| 26    | 748-3055      | 4   | S     | Bushing, Tapered                                      |
| 27    | 959-3747-0499 | 1   | S     | Hood, Series 2000 Used September 14, 2002 and before  |
|       | 959-3747B     | 1   |       | Hood, Series 2000 Used September 15, 2002 and after   |
| 28    | 777D03263     | 1   |       | Graphic, Hood RH                                      |
|       | 777D03264     | 1   |       | Graphic, Hood LH                                      |
| 29    | 777D03272     | 2   |       | Graphic, 2186                                         |
| 30    | 777X40079     | 2   | /P    | Strip, Protective                                     |





2186 Tractor  
Hydro Transmission (P/N 618-3085A)

Page 50 of 80

| Ref # | Part Number | Qty | S/P/F | Description                          |
|-------|-------------|-----|-------|--------------------------------------|
| 1     | 611-3008    | 1   |       | Axle Assy, LH, 11.9" Lg              |
| 2     | 716-3015    | 2   |       | Ring, Inverted Retainer              |
| 3     | 721-3020A   | 2   | S     | Seal, Oil                            |
| 4     | 741-3033A   | 2   | S     | Bearing                              |
| 5     | 716-3018    | 2   |       | Ring, External Retaining             |
| 6     | 619-3025    | 1   |       | Housing, LH Axle                     |
| 7     | 710-1008    | 16  |       | Screw, Hex L-Wash Tap, 3/8-16 x 1.88 |
| 8     | 727-3085    | 1   | S     | Dipstick, Oil                        |
| 9     | 715-3045    | 4   | S     | Bushing, Dowel                       |
| 10    | 619-3037B   | 1   | S     | Housing, LH Differential             |
| 11    | 710-0606    | 2   | /P    | Screw, Hex Cap, 1/4-20 x 1.5         |
| 12    | 736-0463    | 4   | S     | Washer, Flat, .25 x .62 x .052       |
| 13    | 710-0788    | 15  | /P    | Screw, Hex Wash Hd Tap, 1/4-20 x 1.0 |
| 14    | 710-1346    | 1   | /P    | Screw, Plug, M14 x 1.5 x .827        |
| 15    | 715-3045    | 2   | S     | Bushing, Dowel                       |
| 16    | 741-0361    | 3   | S     | Bearing, Ball                        |
| 17    | 750-3133    | 1   |       | Spacer, .757 ID x 1.0 OD x 1.46      |
| 18    | 717-3388    | 1   |       | Gear, 27T Drive                      |
| 19    | 711-3374    | 1   | S     | Shaft, Drive                         |
| 20    | 717-3347    | 1   |       | Gear, 36T Bevel                      |
| 21    | 717-3391    | 1   |       | Gear, 16T Spur                       |
| 22    | 750-3134    | 1   |       | Spacer, .885 ID x 1.125 OD x 1.4     |
| 23    | 717-3387    | 1   |       | Gear, 18T Shift                      |
| 24    | 718-3039    | 1   |       | Collar, Drive                        |
| 25    | 732-3113    | 1   |       | Spring, Compression, 1.015 ID x 1.6  |
| 26    | 711-3379A   | 1   |       | Shaft, Shifter                       |
| 27    | 741-3057    | 3   | S     | Bearing, Ball, .787 x 1.85 x .551    |
| 28    | 717-3392    | 1   |       | Gear, 42T Spur                       |
| 29    | 717-3346    | 1   |       | Shaft, 9T Output                     |
| 30    | 741-3037    | 2   | S     | Bearing, Ball                        |
| 31    | 710-0151    | 4   | /P    | Screw, Hex Cap, 3/8-24 x 2.0         |
| 32    | 619-3013    | 2   |       | Cover, Differential                  |
| 33    | 736-0423    | AR  |       | Washer, Flat, 1.0 x 1.56 x .010 Thk  |
| 34    | 736-0431    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .015 Thk  |
| 35    | 736-0424    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .020 Thk  |
| 36    | 736-0420    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .040 Thk  |
| 37    | 717-1159    | 1   |       | Gear, 60T Bull                       |
| 38    | 717-1119    | 2   |       | Gear, 14T Differential Side          |
| 39    | 717-1190    | 4   |       | Block, Differential Thrust           |
| 40    | 717-1120    | 4   |       | Gear, 10T Differential Pinion        |
| 41    | 717-1178    | 2   |       | Shaft, Cross                         |
| 42    | 717-1173    | 1   |       | Shaft, Cross, .50 OD x 3.485 Lg      |
| 43    | 712-3054    | 4   | /P    | Nut, Hex Lock, 3/8-24                |
| 44    | 721-3008    | 1   | /P    | O-Ring, 3/8 ID x 1/2 OD              |
| 45    | 618-3084    | 1   | S     | Yoke Assy, Shift (Incl. Ref #44)     |
| 46    | 619-3036A   | 1   |       | Housing, RH Differential             |
| 47    | 712-0291    | 2   | S     | Nut, Hex Center Lock, 1/4-20         |
| 48    | 721-3029    | 1   | S     | Seal, Shift Shaft                    |
| 49    | 761-3019    | 1   |       | Drum, Brake                          |
| 50    | 732-3077    | 1   |       | Spring, Brake                        |
| 51    | 761-3020    | 2   | S     | Shoe, Brake                          |
| 52    | 732-0152    | 1   |       | Spring, Compression                  |
| 53    | 703-2191    | 1   |       | Arm, Brake                           |


2186 Tractor  
Hydro Transmission (P/N 618-3085A)

Page 51 of 80

| Ref # | Part Number | Qty | S/P/F | Description                                                              |
|-------|-------------|-----|-------|--------------------------------------------------------------------------|
| 54    | 618-3060    | 1   | S     | Plate, Brake                                                             |
| 55    | 761-3028    | 1   |       | Actuator, Brake Shoe                                                     |
| 56    | 710-3262    | 1   |       | Screw, Low Hd Cap, 3/8-16 x .75                                          |
| 57    | 611-3009    | 1   |       | Axle Assy, RH, 15.6 Lg                                                   |
| 58    | 619-3024    | 1   |       | Housing, Axle, RH                                                        |
| 59    | 717-1180    | 1   |       | Block, Differential Pinion                                               |
|       | 618-3085A   | 1   | S     | Hydro Transmission (Transmission Serial Number Begins with the Number 1) |

2186 Tractor  
Hydro Transmission (P/N 618-3231)

Page 52 of 80



2186 Tractor  
Hydro Transmission (P/N 618-3231)


Page 53 of 80

| Ref # | Part Number | Qty | S/P/F | Description                          |
|-------|-------------|-----|-------|--------------------------------------|
| 1     | 618-0579A   | 2   | /P    | Hub Assembly, Wheel                  |
| 2     | 618-3060    | 1   | S     | Plate Assembly, Brake                |
| 3     | 618-3084    | 1   | S     | Shift Yoke Assembly                  |
| 4     | 619-0056    | 1   |       | Axle Housing, RH                     |
| 5     | 619-0057    | 1   |       | Axle Housing, LH                     |
| 6     | 719-3171    | 1   |       | Transmission Housing, RH             |
|       | 759-3746    | AR  |       | Sealant, Ultra Grey                  |
| 7     | 719-3170    | 1   | /P    | Transmission Housing, LH             |
| 8     | 703-2191    | 1   |       | Brake Arm                            |
| 9     | 710-0606    | 2   | /P    | Screw, Hex Cap, 1/4-20 x 1.5         |
| 10    | 710-0788    | 13  | /P    | Screw, Hex Wash Hd Tap, 1/4-20 x 1.0 |
| 11    | 721-3029    | 1   | S     | Seal, Shift Shaft                    |
| 12    | 710-1008    | 16  |       | Screw, TT, 3/8-16 x 1.875            |
| 13    | 710-1346    | 1   | /P    | Screw, Plug, M14 x 1.5 x .827        |
| 14    | 710-1670    | 4   |       | Screw, Hex Hd Cap, 3/8-24 x 2.0 GR5  |
| 15    | 710-3262    | 1   |       | Screw, Cap, 3/8-16 x .750            |
| 16    | 711-1052A   | 2   |       | Shaft, Cross, .500 x 3.005           |
| 17    | 711-1320    | 1   |       | Shaft, Axle, 1.00 x 12.90            |
| 18    | 711-1566    | 1   |       | Shaft, Axle, 1.00 x 16.62            |
| 19    | 711-3374    | 1   | S     | Shaft, Drive                         |
| 20    | 711-3379A   | 1   |       | Shaft, Shifter                       |
| 21    | 712-0291    | 2   | S     | Nut, Hex Center Lock, 1/4-20         |
| 22    | 712-1329    | 2   | /P    | Nut, Hex, 3/4-16                     |
| 23    | 715-3045    | 6   | S     | Dowel Bushing                        |
| 24    | 716-0172    | 4   | S     | Ring, Retaining, .750                |
| 25    | 716-0204    | 2   |       | Ring, Retaining,                     |
| 26    | 717-1446    | 4   | S     | Gear, Miter, 10T                     |
| 27    | 717-1447    | 2   |       | Gear, Miter, 14T                     |
| 28    | 717-1568    | 1   | S     | Gear, Differential Spur, 60T         |
| 29    | 717-3346    | 1   |       | Shaft Output, 9T                     |
| 30    | 717-3347    | 1   |       | Gear, Bevel, 36T                     |
| 31    | 717-3387    | 1   |       | Gear, Spur, 18T                      |
| 32    | 717-3388    | 1   |       | Gear, Spur, 27T                      |
| 33    | 717-3391    | 1   |       | Gear, Spur, 16T                      |
| 34    | 717-3392    | 1   |       | Gear, Spur, 42T                      |
| 35    | 718-3039    | 1   |       | Collar, Drive                        |
| 36    | 719-0375    | 1   |       | Housing, Differential, RH            |
| 37    | 719-0378    | 1   |       | Housing, Differential, LH            |
| 38    | 721-0520    | 2   |       | Seal, Oil, 25.4mm x 54mm x 7mm       |
| 39    | 721-3008    | 1   | /P    | O-Ring, 3/8 1 D x 1/2 OD x 1/16 Thk  |
| 40    | 727-3085    | 1   | S     | Dipsick, Oil                         |
| 41    | 732-0152    | 1   |       | Spring, Compression                  |
| 42    | 732-3077    | 1   |       | Spring, Brake Shoe                   |
| 43    | 732-3113    | 1   |       | Spring, Compression, 1.015 ID x 1.6  |
| 44    | 736-0423    | AR  |       | Washer, Flat, 1.0 x 1.56 x .010 Thk  |
|       | 736-0431    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .015 Thk  |
|       | 736-0424    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .020 Thk  |
|       | 736-0420    | AR  | S     | Washer, Flat, 1.0 x 1.56 x .040 Thk  |
|       | 736-0600    | 1   |       | Washer, Flat, .558 x .866 x .078 Thk |
| 45    | 736-0463    | 4   | S     | Washer, Flat, .25 x .630 x .0515     |
| 46    | 741-0361    | 4   | S     | Bearing, Ball, 17 ID x 40 OD x 12    |
| 47    | 741-3057    | 2   | S     | Bearing, Ball, 6204                  |
| 48    | 741-3114    | 4   |       | Bearing, Ball, 6205-1                |

2186 Tractor  
Hydro Transmission (P/N 618-3231)

Page 54 of 80

| Ref # | Part Number | Qty | S/P/F | Description                                                                       |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------|
| 49    | 750-3133    | 1   |       | Spacer, .757 x 1.0 x 1.460                                                        |
| 50    | 750-3134    | 1   |       | Spacer, .885 x 1.125 x 1.40                                                       |
| 51    | 761-3019    | 1   |       | Drum, Brake                                                                       |
| 52    | 761-3020    | 2   | S     | Brake, Shoe                                                                       |
| 53    | 761-3028    | 1   |       | Brake, Actuator                                                                   |
| 54    | 736-0745    | 4   | /P/F  | Washer, Flat, 1.010 x .56 x .060                                                  |
|       | 618-3231    | 1   | S     | Hydro Transmission (Transmission Serial Number Begins with the Number 2, 3, or 4) |




2186 Tractor  
Hydrostatic Pump (618-3233)

Page 56 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                   |
|-------|-----------------|-----|-------|-------------------------------|
| 1     | HG-50158        | 1   |       | Shaft, Pump (Splined)         |
| 2     | HG-2003016      | 2   | /P    | Ring, Retaining               |
| 3     | HG-2003043      | 1   | S     | Bearing, Ball                 |
| 4     | HG-2003018      | 1   | /P    | Spacer                        |
| 5     | HG-9008000-0128 | 1   | /P    | Seal, Lip                     |
| 6     | HG-2003052      | 1   | /P    | Ring, Retaining               |
| 7     | HG-2003023      | 2   | S     | Bearing, Cradle               |
| 8     | HG-9008000-0126 | 1   | /P    | Seal, Lip                     |
| 9     | HG-2003005      | 1   | /P    | Arm, Trunnion                 |
| 10    | HG-2000015      | 1   | /P    | Guide, Slot                   |
| 11    | HG-2513036      | 1   | /P    | Housing Kit                   |
| 12    | HG-2003044      | 2   | S     | Bearing Assembly, Thrust Ball |
| 13    | HG-2513037      | 1   |       | Center Section Kit            |
| 14    | HG-2003034      | 1   |       | Shaft, Motor                  |
| 15    | HG-2003017      | 2   | /P    | Washer, Block Thrust          |
| 16    | HG-2003087      | 1   | /P    | Swash Plate                   |
| 17    | HG-70079        | 2   | S     | Block Assembly                |
| 18    | HG-9004800-2506 | 2   | /P    | Pin                           |
| 19    | HG-2003060      | 1   | /P    | Gasket, Center Section        |
| 20    | HG-2510027      | 1   |       | Kit, Check Valve              |
| 21    | HG-2510034      | 1   | /P    | Kit, Orificed Check Valve     |
| 22    | HG-2510011      | 1   | /P    | Kit, Charge Relief Valve      |
| 23    | HG-9007314-0808 | 8   | /P    | Screw, Socket Hd              |
| 24    | HG-2003014      | 1   | /P    | Spring, Block                 |
| 25    | HG-9004101-1340 | 1   | /P    | O-Ring                        |
| 26    | HG-2513027      | 1   | /P    | Kit, Charge Pump              |
| 27    | HG-J1041008     | 1   | S     | Gerotor Assy                  |
| 28    | HG-50095        | 2   |       | Screw, Socket Hd              |
| 29    | HG-2003091      | 1   |       | Leveler                       |
| 30    | HG-2003092      | 1   |       | Spring, Compression           |
| 31    | HG-9005110-8700 | 1   | /P    | Plug                          |
| 32    | HG-9005110-4400 | 1   |       | Plug                          |
| 33    | HG-9004201-3700 | 3   | /P    | O-Ring                        |
| 34    | HG-9005110-5600 | 2   | /P    | Plug w/O-Ring                 |
|       | HG-2513013      | 1   | /P    | Kit, Overhaul Seal            |





2186 Tractor  
Hydrostatic Pump (P/N 618-3231)


Page 58 of 80

| Ref # | Part Number     | Qty | S/P/F | Description                                                |
|-------|-----------------|-----|-------|------------------------------------------------------------|
| A     | HG-2510050      | 1   | /P    | Kit, Check Valve                                           |
| B     | HG-2510034      | 1   | /P    | Kit, Orificed Check Valve                                  |
| C     | HG-2513009      | 2   | S     | Kit, Cylinder Block                                        |
| D     | HG-2510011      | 1   | /P    | Kit, Charge Relief Valve                                   |
| E     | HG-2513027      | 1   | /P    | Kit, Charge Pump                                           |
| 1     | HG-50185        | 1   |       | Shaft, Pump                                                |
| 2     | HG-2003016      | 2   | /P    | Ring, Retaining In Overhaul Seal Kit P/N HG-2513013        |
| 3     | HG-2003043      | 1   | S     | Bearing, Ball                                              |
| 4     | HG-2003018      | 1   | /P    | Spacer In Overhaul Seal Kit P/N HG-2513013                 |
| 5     | HG-9008000-0128 | 1   | /P    | Seal, Lip In Overhaul Seal Kit P/N HG-2513013              |
| 6     | HG-2003052      | 1   | /P    | Ring, Retaining In Overhaul Seal Kit P/N HG-2513013        |
| 7     | HG-2513036      | 1   | /P    | Housing Assy (Incl. Ref #8, 14, & 18)                      |
| 8     | ~NLA            | 1   |       | Bearing, Journal (Use HG-2513036)                          |
| 9     | HG-9008000-0126 | 1   | /P    | Seal, Lip In Overhaul Seal Kit P/N HG-2513013              |
| 10    | HG-2003005      | 1   | /P    | Arm, Trunnion                                              |
| 11    | HG-2000015      | 1   | /P    | Guide, Slot                                                |
| 12    | HG-2003087      | 1   | /P    | Swashplate                                                 |
| 13    | HG-2003023      | 2   | S     | Bearing, Cradle                                            |
| 14    | ~NLA            | 1   |       | Pin, Leveler (Use HG-2513036)                              |
| 15    | HG-2003091      | 1   |       | Leveler, Swashplate                                        |
| 16    | HG-2003092      | 1   |       | Spring, Leveler                                            |
| 17    | HG-2003044      | 2   | S     | Bearing, Thrust                                            |
| 18    | ~NLA            | 1   |       | Bearing, Journal (Use HG-2513036)                          |
| 19    | HG-9005110-4400 | 1   |       | Plug                                                       |
| 20    | HG-9004800-2506 | 2   | /P    | Pin                                                        |
| 21    | HG-9005110-8700 | 1   | /P    | Plug                                                       |
| 22    | HG-2003034      | 1   |       | Shaft, Motor                                               |
| 23    | HG-2003060      | 1   | /P    | Gasket, Center Section In Overhaul Seal Kit P/N HG-2513013 |
| 24    | HG-2513037      | 1   |       | Center Section Assy (Incl. Ref #25, 26)                    |
| 25    | ~NLA            | 1   |       | Bearing, Journal (Use HG-2513037)                          |
| 26    | ~NLA            | 1   |       | Bearing, Needle (Use HG-2513037)                           |
| 27    | HG-9005001-0600 | 1   | /P    | Plug, Pipe                                                 |
| 28    | HG-9004201-3700 | 3   | /P    | O-Ring In Overhaul Seal Kit P/N HG-2513013                 |
| 29    | HG-9007314-0808 | 8   | /P    | Screw, Socket Hd                                           |
| 30    | HG-9005110-5600 | 2   | /P    | Plug w/Ring                                                |
| 31    | HG-9004101-1340 | 1   | /P    | O-Ring In Overhaul Seal Kit P/N HG-2513013                 |
| 32    | HG-J1041008     | 1   | S     | Gerotor Assy                                               |
| 33    | HG-9007375-0038 | 2   |       | Screw, Socket Hd                                           |
| 34    |                 | 1   |       | WHEEL-4.80/4.00 Not Used In This Application               |
|       | HG-2513013      | 1   | /P    | Kit, Overhaul Seal Includes items 2 - 6, 9, 23, 28 & 31    |
|       | 618-3231        | 1   | S     | Hydrostatic Pump                                           |

## 2186 Tractor

### Ignition, Electrical, And Flywheel

Page 59 of 80




2186 Tractor  
Ignition, Electrical, And Flywheel

Page 60 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                        |
|-------|----------------|-----|-------|------------------------------------|
| 1     | KH-54-755-09   | 1   | S     | Stator Kit, 15 Amp (Incl. Ref #22) |
| 2     | KH-M-0548025   | 2   |       | Screw, Stator Mtg. M5 x .8 x 25    |
| 3     | KH-24-584-01   | 2   | S     | Module, Ignition                   |
| 4     | KH-SM-0545020  | 4   | S     | Screw, Module M5 x .8 x 20         |
| 5     | KH-24-025-04   | 1   | S     | Flywheel Assembly                  |
| 6     | KH-25-155-06   | 1   |       | Connector                          |
| 7     | KH-X-67-3      | 2   | S     | Screw, Hex Sems #10-16 x 1/2       |
| 8     | KH-X-42-15     | 1   | /P    | Key                                |
| 9     | KH-12-468-03   | 1   | /P    | Washer, Flywheel Mtg. Screw        |
| 10    | KH-12-086-14   | 1   |       | Screw, Flywhl Mtg, M10 x 1.5 x 46  |
| 11    | KH-24-157-01   | 1   | S     | Fan                                |
| 12    | KH-25-086-47   | 4   | /P    | Bolt, Shoulder                     |
| 13    | KH-24-162-02   | 1   |       | Screen, Grass                      |
| 14    | KH-24-018-03   | 3   | S     | Retainer                           |
| 15    | KH-24-086-18   | 2   |       | Screw Phillips Hd., #11-16 x .875  |
| 16    | KH-X-25-92     | 2   |       | Washer, Plain                      |
| 17    | KH-25-403-03   | 1   | S     | Regulator - Rectifier              |
| 18    | KH-236602      | 1   | S     | Connector, Regulator-Rectifier     |
| 19    | 759-3336       | 2   | /P    | Spark Plug                         |
| 20    | KH-235173      | 1   |       | Clip, Cable                        |
| 21    | KH-X-25-63     | 1   | /P    | Washer, Plain 1/4"                 |
| 22    | KH-24-126-71   | 1   |       | Bracket, Stator Wire               |
| 23    | KH-48-154-02   | 1   |       | Clip, Cable                        |
|       | KH-24-176-08   | 1   | S     | Harness, Wire                      |
|       | KH-24-518-12-S | 1   | /P    | Lead                               |

2186 Tractor  
Implement Lift Handle


Page 61 of 80



2186 Tractor  
Implement Lift Handle

Page 62 of 80

| Ref # | Part Number    | Qty | S/P/F | Description                                           |
|-------|----------------|-----|-------|-------------------------------------------------------|
| 1     | 603-0057A-0716 | 1   | S     | Handle Assembly, Lift Used February 2, 2003 and prior |
|       | 603-0057B-0716 | 1   | S     | Handle Assembly, Lift Used February 3, 2003 and after |
| 2     | 603-0059A      | 1   | S     | Shaft Assembly, Lift                                  |
| 3     | 603-0136       | 1   |       | Fork, Lift                                            |
| 4     | 703-2239       | 2   | S     | Bracket, Lift Index                                   |
| 5     | 703-2558       | 1   |       | Indicator, Lift Height                                |
| 6     | 710-0451       | 2   | /P    | Bolt, Carriage, 5/16-18 x .75                         |
| 7     | 710-0599       | 1   | /P    | Screw, Hex Wash Tapp, 1/4 x .5                        |
| 8     | 710-3144       | 1   | /P    | Screw, Hex Cap, 3/8-16 x 2 GR5                        |
| 9     | 710-3279       | 1   | /P    | Screw, Cap, 3/8-16 x 4.25 GR5                         |
| 10    | 711-0635       | 1   | /P    | Insert, Spring                                        |
| 11    | 711-0642A      | 1   | /P    | Button, Handle                                        |
| 12    | 711-3350       | 1   |       | Ferrule, Adjustment                                   |
| 13    | 712-0262       | 1   | /P    | Nut, Center Lock, Jam, 3/8-24                         |
| 14    | 712-0431       | 2   | S     | Nut, Hex Flanged Lock, 3/8-16                         |
| 15    | 712-3004A      | 2   | /P    | Nut, Flanged Top Lock, 5/16-18                        |
| 16    | 715-0114A      | 2   | S     | Pin, Spiral Spring, 1/4 Dia x 1.5                     |
| 17    | 716-0116       | 1   | /P    | Ring, Snap, 1.25 Dia Shaft                            |
| 18    | 731-3158       | 1   | /P    | Grip, Lift Handle                                     |
| 19    | 732-3093       | 1   |       | Spring, Extension                                     |
| 20    | 732-3097       | 1   |       | Spring, Compression                                   |
| 21    | 736-0267       | 1   | S     | Washer, Flat, .385 x .87 x .06                        |
| 22    | 738-0145       | 1   | S     | Bolt, Shoulder                                        |
| 23    | 747-3175       | 1   | S     | Rod, Index                                            |
| 24    | 748-3051       | 2   | S     | Bearing, Hex Flange, 1.25 ID                          |
| 25    | 750-3131       | 1   |       | Spacer, 1.28 ID x 1.5 OD x .335                       |



2186 Tractor  
Implement Lift Hanger


Page 64 of 80

| Ref # | Part Number | Qty | S/P/F | Description                      |
|-------|-------------|-----|-------|----------------------------------|
| 1     | 603-0058    | 1   |       | Bracket, RH Hanger               |
| 2     | 703-2234    | 1   |       | Bracket, LH Hanger               |
| 3     | 703-2804    | 2   |       | Plate, Bearing Mounting          |
| 4     | 703-2832    | 1   |       | Link, RH Lift                    |
| 5     | 703-2833    | 1   |       | Link, LH Lift                    |
| 6     | 710-3000    | 2   | S     | Screw, Hex Cap, 3/8-16 x .75 GR5 |
| 7     | 711-3319    | 1   | S     | Ferrule, Adjustment              |
| 8     | 712-0431    | 8   | S     | Nut, Hex Flange Lock, 3/8-16     |
| 9     | 712-3048    | 1   | S     | Nut, Hex Jam, 1/2-13 GR5         |
| 10    | 712-3083    | 1   | /P    | Nut, Hex Insert Lock, 1/2-13     |
| 11    | 714-0145    | 2   | S     | Pin, Internal Cotter             |
| 12    | 736-0326    | 3   | S     | Washer, Flat, .5 x 1.5 x .15     |
| 13    | 736-3069    | 2   |       | Washer, Flat, .531 x .875 x .15  |
| 14    | 738-0430    | 2   |       | Bolt, Shoulder                   |
| 15    | 738-0507B   | 3   | S     | Bolt, Shoulder                   |
| 16    | 738-0129    | 2   | /P    | Bolt, Shoulder                   |
| 17    | 732-3126    | 2   | S     | Spring, Ext., .91" OD x 7.33     |
| 18    | 747-3236    | 1   | S     | Rod, RH Lift Assist              |
| 19    | 732-3094    | 2   | S     | Spring, Compression, .63 ID x 2  |



2186 Tractor  
Neutral Linkage, Hydraulic Pickup And Return Tubes

Page 65 of 80



2186 Tractor


Page 66 of 80

Neutral Linkage, Hydraulic Pickup And Return Tubes

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 603-0160    | 1   |       | Arm Assembly, Control                 |
| 2     | 703-2440    | 1   |       | Bracket, Hydro Neutral                |
| 3     | 703-2441    | 2   |       | Arm, Neutral                          |
| 4     | 710-0106    | 1   | /P    | Screw, Hex Cap, 1/4-20 x 1.25         |
| 5     | 710-0809    | 2   |       | Screw, Hex Wash TT-Tap, 1/4-20 x 1.25 |
| 6     | 710-3242    | 1   |       | Screw w/Patch, Set                    |
| 7     | 712-0324    | 1   | /P    | Nut, Hex Top Lock, 1/4-20             |
| 8     | 716-0111    | 1   | /P    | Ring, Snap, .875 Shaft                |
| 9     | 723-3014    | 1   | S     | Filter, Oil                           |
| 10    | 727-3002    | 1   | S     | Connector, Tube 37 Deg. w/O-Ring      |
|       | 721-3001    | 1   | /P    | O-Ring, 3/8 OD Tube                   |
| 11    | 727-3086    | 1   |       | Elbow, Adjustable w/O-Ring            |
|       | 721-3002    | 1   | /P    | O-Ring, 1/4 OD Tube                   |
| 12    | 727-3088    | 1   |       | Tube, Pickup                          |
| 13    | 732-3119    | 1   | S     | Spring, Extension, .5 OD x 1.97 Lg    |
| 14    | 736-0176    | 2   | S     | Washer, Flat, .25 x .93 x .120 Thk    |
| 15    | 737-3022    | 1   | S     | Nipple, Oil Filter                    |
| 16    | 750-0918    | 1   |       | Spacer, Centering                     |

2186 Tractor  
Oil Pan And Lubrication


Page 67 of 80



2186 Tractor  
Oil Pan And Lubrication

Page 68 of 80


| Ref # | Part Number     | Qty | S/P/F | Description                               |
|-------|-----------------|-----|-------|-------------------------------------------|
| 1     | KH-54-009-07    | 1   |       | Plate Assy, Closure (Incl. Ref #2-12, 17) |
| 2     | KH-24-038-10-S  | 1   | /P    | Dipstick                                  |
| 3     | KH-24-755-121-S | 1   | /P/F  | Tube Kit, Dipstick (Includes 2)           |
| 4     | KH-24-043-12    | 1   | /P    | Kit, Governor Gear (Incl. Ref #5)         |
| 5     | KH-12-380-01    | 1   | /P    | Pin, Governor Regulating                  |
| 6     | KH-52-448-02    | 1   | S     | Tab, Locking                              |
| 7     | KH-12-144-02    | 1   |       | Shaft, Governor Gear                      |
| 8     | KH-52-032-08    | 1   | S     | Seal, Oil (PTO end)                       |
| 9     | KH-24-153-08    | 1   |       | O-Ring                                    |
| 10    | KH-24-393-10    | 1   | S     | Oil Pump Assy (Incl. Ref #11-12)          |
| 11    | KH-24-153-01    | 1   | /P    | O-Ring, Oil Pick-up                       |
| 12    | KH-24-381-04    | 1   |       | Pick-up, Oil                              |
| 13    | KH-M-0631005    | 2   | S     | Washer, Plain                             |
| 14    | KH-M-0645025    | 2   | S     | Screw, Hex Flange, M6 x 1.0 x 25          |
| 15    | KH-12-050-08    | 1   | S     | Filter, Oil                               |
| 16    | KH-24-136-01    | 1   |       | Nipple, Oil Filter                        |
| 17    | KH-24-139-60-S  | 2   | F     | Plug, Pipe 1/8                            |
| 18    | KH-24-086-16    | 9   | S     | Screw, Hex Flange, M8 x 1.25 x 45         |
| 19    | KH-25-099-24    | 1   | S     | Switch, Pressure                          |
| 20    | KH-24-086-71    | 1   |       | Screw, Hex Flange, M8 x 1.25 x 45         |




2186 Tractor  
PTO Clutch

Page 70 of 80

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 710-0757    | 1   | /P    | Screw, Hex Cap, 7/16-20 x 1.5 GR5         |
| 2     | 711-1083    | 1   | S     | Stud, Clutch Stop                         |
| 3     | 717-3403    | 1   | S     | Clutch Assy, PTO                          |
| 4     | 736-0171    | 1   | S     | Washer, Lock, 3/8                         |
| 5     | 736-3082A   | 1   | /P    | Washer, Flat, .445 x 1.5 x 1.72 Hdn       |
| 6     | 711-3396    | 1   | S     | Spacer Used September 14, 2001 and before |
|       | 750-3356    | 1   |       | Spacer Used September 15, 2001 and after  |



Mfg Code K050 and Before




Mfg Code K060 and After

2186 Tractor  
Rear Wheel

Page 72 of 80

| Ref # | Part Number   | Qty | S/P/F | Description                               |
|-------|---------------|-----|-------|-------------------------------------------|
|       | 734-3190      | 2   | S     | Tire, Cub Tread, 23 x 9.5 x 12            |
| 1     | 634-3178-0499 | 2   | S/F   | Rim Assy, Rear (Mfg Code H050 and Before) |
|       | 634-3189-0499 | 2   | F     | Rim Assy, Rear (Mfg Code H060 and After)  |
| 2     | 712-3050      | 8   | /P    | Nut, Lug, 7/16-14                         |
| 3     | 734-0255      | 2   | S     | Valve, Tubeless Air                       |






2186 Tractor  
Seat And Support (October 29, 2002 And Prior)

Page 74 of 80

| Ref # | Part Number | Qty | S/P/F | Description                        |
|-------|-------------|-----|-------|------------------------------------|
| 1     | 703-2394    | 1   |       | Bracket, RH Seat Pivot             |
| 2     | 703-2395    | 1   | S     | Seat, Base                         |
| 3     | 703-2477    | 1   |       | Bracket, LH Seat Pivot             |
| 4     | 710-0451    | 6   | /P    | Bolt, Carriage, 5/16-18 x .75      |
| 5     | 710-1260    | 4   | S     | Screw, Hx Wsh Hd Tap 5/16-18 x .75 |
| 6     | 712-3004A   | 8   | /P    | Nut, Hex Flange Lock, 5/16-18      |
| 7     | 720-0190    | 1   | S     | Knob, Seat Adjuster                |
| 8     | 731-3154    | 4   |       | Slide, Seat                        |
| 9     | 731-3162    | 1   | S     | Tray, Tool                         |
| 10    | 732-3080    | 2   | S     | Spring, Comp, 1.9 OD x 2.4         |
| 11    | 732-3098    | 1   |       | Adjuster, Seat                     |
| 12    | 738-0140    | 2   | S     | Bolt, Shoulder                     |
| 13    | 738-0372    | 4   | S     | Spacer, Shoulder                   |
| 14    | 757-3004    | 1   | S     | Seat, High Back                    |
| 15    | 777D04541   | 1   |       | Graphic, Seat Back                 |
| 16    | 777I20310   | 1   |       | Graphic, Seat Adjuster             |
| 17    | 777D01782   | 1   | /P    | Graphic, Made in USA               |

2186 Tractor  
Seat And Support October 30, 2002 And After


Page 75 of 80



2186 Tractor  
Seat And Support October 30, 2002 And After

Page 76 of 80


| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 1     | 703-2394    | 1   |       | Bracket, RH Seat Pivot                |
| 2     | 703-2395A   | 1   | /P    | Seat, Base                            |
|       | 777I20310   | 1   |       | Graphic, Seat Adjuster                |
| 3     | 703-2477    | 1   |       | Bracket, LH Seat Pivot                |
| 4     | 703-2628    | 2   |       | Bracket, Fender Reinforcement         |
| 5     | 710-0451    | 6   | /P    | Bolt, Carriage, 5/16-18 x .75         |
| 6     | 710-3123    | 4   |       | Screw, Hx Cap Lock, 3/8-16 x 1.25 GR5 |
| 7     | 712-3004A   | 8   | /P    | Nut, Hex Flange Lock, 5/16-18         |
| 8     | 720-0190    | 1   | S     | Knob, Seat Adjuster                   |
| 9     | 731-3154    | 4   |       | Slide, Seat                           |
| 10    | 731-3162    | 1   | S     | Tray, Tool                            |
| 11    | 732-3080A   | 2   | /P    | Spring, Comp, 1.9 OD x 2.4            |
| 12    | 732-04100   | 1   | S     | Adjuster, Seat                        |
| 13    | 736-3052    | 4   | /P    | Washer, Flat, .406 x 1.0 x .105       |
| 14    | 738-0140    | 2   | S     | Bolt, Shoulder                        |
| 15    | 738-04013A  | 4   | S     | Spacer, Seat Slide Shoulder           |
| 16    | 757-3004    | 1   | S     | Seat, High Back                       |
|       | 777D04541   | 1   |       | Graphic, Seat Back                    |
|       | 777D01782   | 1   | /P    | Graphic, Made in USA                  |



2186 Tractor  
Steering

Page 78 of 80

| Ref # | Part Number | Qty | S/P/F | Description                                                  |
|-------|-------------|-----|-------|--------------------------------------------------------------|
| 1     | 603-0250    | 1   | /P    | Segment Assy, 18T Steering                                   |
| 2     | 603-0064    | 1   |       | Arm Assy, Lower Steering                                     |
| 3     | 603-0236B   | 1   | /P/F  | Housing Assy (Incl. 25, 29-30); Mfg Date I240 and before.    |
|       | 603-0236B   | 1   | /P/F  | Housing Assy (Incl. Ref #25, 29-30); Mfg Date I250 and After |
| 4     | 731-3209    | 1   |       | Steering Wheel, Soft Grip                                    |
| 5     | 710-0751    | 2   | /P    | Screw, Hex Cap, 1/4 - 20 x .62, GR5                          |
| 6     | 710-1260A   | 4   | /P    | Screw, Hex Washer Hd, 5/16-18 x .75                          |
| 7     | 712-0237    | 1   | S     | Nut, Hex Center Lock, 5/16-18                                |
| 8     | 712-0711    | 4   | /P    | Nut, Jam, 3/8-24 GR2                                         |
| 9     | 712-3012    | 1   | S     | Nut, Hex Slotted, 1/2-20 GR5                                 |
| 10    | 712-3027    | 2   | S     | Nut, Hex Flange Lock, 1/4-20                                 |
| 11    | 712-3054    | 4   | /P    | Nut, Hex Lock, 3/8-24 GR5                                    |
| 12    | 714-0115    | 1   | S     | Pin, Cotter, 1/8 Dia x 1                                     |
| 13    | 714-3004    | 1   |       | Pin, Cotter, 3/32 Dia x 1.25                                 |
| 14    | 717-3382    | 1   |       | Pinion, Steering                                             |
| 15    | 722-3019    | 1   |       | Gasket, Steering                                             |
| 16    | 723-0156    | 4   | S     | Joint, Ball, 3/8-24                                          |
| 17    | 731-3210    | 1   |       | Insert, Steering Wheel                                       |
| 18    | 736-0242    | 1   | /P    | Washer, Bell, .340 x .88 x .06 Thk                           |
| 19    | 736-0272    | 1   | S     | Washer, Flat, .510 x 1 x .06 Thk                             |
| 20    | 736-0351    | 1   | S     | Washer, Flat, .760 x 1.5 x .03 Thk                           |
| 21    | 736-0355    | 1   | /P    | Washer, Flat, .56 x 1 x .04 Thk                              |
| 22    | 736-0921    | 1   | S     | Washer, Lock, 1/2                                            |
| 23    | 736-3013    | 2   | S     | Washer, Flat, .531 x 1 x .027 Thk                            |
| 24    | 736-3132    | 1   |       | Wshr, Rubber Flat, .50 x 1.12 x .125 Thk                     |
| 25    | 737-3000    | 2   | S     | Fitting, Grease, 3/16 Drive Type                             |
| 26    | 738-3105    | 1   |       | Shaft, Steering                                              |
| 27    | 741-3025    | 1   |       | Bearing, Flange                                              |
| 28    | 747-3171    | 2   |       | Rod, Tie                                                     |
| 29    | 748-0108    | 1   | S     | Bearing, Flange, .503 ID                                     |
| 30    | 748-3007A   | 2   | S     | Bearing, Bronze Flange, .75 ID                               |
| 31    | 712-3009    | 4   | S     | Nut, Hex Center Lock, 5/16-18 Mfg Date I240 and before       |



2186 Tractor  
Transmission Controls

Page 80 of 80

| Ref # | Part Number | Qty | S/P/F | Description                          |
|-------|-------------|-----|-------|--------------------------------------|
| 1     | 603-0272    | 1   |       | Pivot Assembly                       |
| 2     | 710-0599    | 2   | /P    | Screw, Hex Wsh Hd Tapp, 1/4-20 x .5  |
| 3     | 710-3170    | 1   |       | Screw, Ball, 5/16-18 x .56           |
| 4     | 712-0271    | 1   | /P    | Nut, Hex Sems, 1/4-20                |
| 5     | 712-3004A   | 1   | /P    | Nut, Hex Flange Lock, 5/16-18 GR5    |
| 6     | 712-3027    | 1   | S     | Nut, Hex Flange Lock, 1/4-20         |
| 7     | 714-0104    | 2   | S     | Pin, Internal Cotter                 |
| 8     | 727-3090    | 1   | /P    | Cylinder, Damper                     |
| 9     | 732-3094    | 1   | S     | Spring, Compression, .63 ID x 2      |
| 10    | 732-3118    | 1   |       | Spring, Extension, 3/8 OD x 1.44     |
| 11    | 736-3092    | 1   | /P    | Washer, Flat, .265 x 1 x .030        |
| 12    | 738-0560    | 1   | S     | Bolt, Shoulder, .374 Dia x 1.375     |
| 13    | 747-3304    | 1   |       | Rod, Front Control                   |
| 14    | 747-3309    | 1   |       | Rod, Rear Hydro Control              |
| 15    | 748-3070    | 1   |       | Plate, Cruise                        |
| 16    | 750-0434    | 1   | /P    | Spacer, Split Tubing, .375 ID x 1.04 |