




 DANA CORPORATION  
 FREDERICKTOWN, OHIO  
 MODEL 4360-105  
 JOHN DEERE HORICON WORKS #JAM125083  
 DATE ISSUED: 1-28-97  
 REVISION "A": 7-31-97  
 REVISION "B": 2-5-98  
 REVISION "C": 11-10-98

SPICER OUTDOOR POWER EQUIPMENTDANA CORPFREDERICKTOWNSERVICE PARTS REPLACEMENT LISTMODEL NO.: 4360-105DATE ISSUED: 1/28/1997REVISION 'A' - 7/31/97REVISION 'B' - 2/5/98REVISION 'C' - 11/11/98DESCRIPTION: Five Speed Linear Shift TransaxleCUSTOMER NAME & PART NO.: John Deere Horicon Works #AM125083

Key No.	Dana Part No.	John Deere Part No.	No. Req'd.	Description
1	5305-P		1	Housing, Upper
2	1919		16	Screw, Tapping, 1/4-20 X .734
3	6196		1	Assy, Kit, Detent
4	3843		2	Pin, Dowel
5	3789		1	V-Ring
6	4604		1	Assy, Kit, Shifter
7	1106		1	Ring, Retaining
8	3876		2	Washer, Plain, .632 X 1.38 X .046
9	1746		1	Key, Woodruff, No. 606
10	6205		1	Assy, Kit, Input Shaft
11	4689		3*	Assy, Kit, Shim, .625 Shaft
12	6206		1	Assy, Kit, Pinion & Gear
13	3624		1	Ring, Retaining
14	4829		1	Assy, Kit, Chain & Sprockets
15	5510		3	Bearing, Flange
16	5627		1	Gear, Spur, 12T
17	5303		1	Collar, Clutch
18	6251		1	Assy, Kit, Clutch Keys
19	5404		1	Shaft, Intermediate
20	1375		1	Key, Woodruff, No. 61
21	3627		1	Ring, Retaining
22	3841		1	Spacer, 1.131 X 1.45 X .494
23	4830		1	Assy, Kit, Gear Set, 37T & 12T
24	4831		1	Assy, Kit, Gear Set, 35T & 15T
25	4832		1	Assy, Kit, Gear Set, 30T & 20T
26	4833		1	Assy, Kit, Gear Set, 27T & 23T
27	6074		1	Assy, Kit, Gear Set, 24T & 26T
28	5027		1	Spacer, 1.133 X 1.50 X .375
29	3628		1	Washer, Plain, .640 X 1.37 X .061
30	5511		1	Bearing, Flange
31	5508		1	Seal, Oil
32	1425		1	Washer, Plain, .632 X 1.00 X .046
33	1082		1	Washer, Plain, .632 X 1.00 X .031
34	6153		1	Assy, Gear, Comb., 12T & 30T
35	3967		1	Shaft, Idler
36	3901		1	Spacer, .633 X .87 X .755

Model No. 4360-105

Page 2

Key No.	Dana Part No.	John Deere Part No.	No. Req'd.	Description
37	3882		1	Shaft, Drive
38	3714		1	Spacer, .781 X 1.00 X .375
39	1145		1	Washer, Plain, .632 X 1.00 X .060
40	5130		2	Washer, Neoprene
41	3184		2	Washer, Plain, .758 X 1.25 X .031
42	4997		1	Assy, Kit, Axle, LH
43	4691		2*	Assy, Kit, Shim, .750 Shaft
44	6207		1	Assy, Kit, Gear, Miter
45	5270		2	Ring, Retaining
46	4394		1	Assy, Kit, Gear & Shaft
47	5564		1	Spacer, .604 X 1.076 X .475
48	4999		1	Assy, Kit, Axle, RH
49	5304-M		1	Housing, Lower
50	4836		1	Assy, Kit, Puck Friction
51	3276		1	Disc, Brake
52	3758		1	Spacer, Brake Puck
53	5554		1	Jaw, Brake
54	5369		1	Lever, Actuating
55	3760		2	Washer, Plain, .321 X 1.00 X .055
56	5562		2	Screw, Tapping, 5/16-18 X 2.35
57	3847		1	Nut, Lock, 5/16-24
58	5555		1	Bracket, Anti-Rotation
59	4300		1	Grease

\* Use in various combinations to maintain proper clearances.

\*\* Order Key No. 10.

\*\*\* Silicone Sealant to be applied between Upper and Lower Housings (use Loctite Ultra Gray Silicone 5699 or equivalent).

#### REVISION LOG

'A' - 7/31/97

ITEM #18 WAS 4760

'B' - 2/5/98

ITEM #1 WAS 5305-J

ITEM #49 WAS 5304-E

'C' - 11/11/98

ITEM #49 WAS 5304-K