




  
 DANA CORPORATION
   
 FREDERICTON, OHIO
   
 MODEL 4360-119
   
 FRIGIDAIRE HOME PRODUCTS 161932



SPICER OUTDOOR POWER EQUIP

DANA CORPC

FREDERICKTOW

|                   |               |      |         |            |   |
|-------------------|---------------|------|---------|------------|---|
| Post-it* Fax Note | 7671          | Date | 9/19/01 | # of pages | 3 |
| To                | Gene E. Denny |      | From    | Robin      |   |
| Co./Dept.         |               |      | Co.     | Dana Corp  |   |
| Phone #           |               |      | Phone # |            |   |
| Fax #             |               |      | Fax #   |            |   |

SERVICE PARTS REPLACEMENT LISTING

MODEL NO.: 4360-119

DATE ISSUED: 9/13/1997

DESCRIPTION: Four Speed Linear Shift Transaxle

CUSTOMER NAME & PART NO.: Frigidaire Home Products #161932

| Key No. | Dana Part No. | F.H.P. Part No. | No. Req'd. | Description                       |
|---------|---------------|-----------------|------------|-----------------------------------|
| 1       | 5305-P        |                 | 1          | Housing, Upper                    |
| 2       | 1919          | 2274J           | 16         | Screw, Tapping, 1/4-20 X .734     |
| 3       | 5112          | 134400          | 2          | Ball, Detent                      |
| 4       | 3626          | 105904X         | 2          | Spring, Detent                    |
| 5       | 5584          | 160942          | 1          | Cover, Detent                     |
| 6       | 840052        |                 | 1          | Screw, Tapping, No. 10-24 X .482  |
| 7       | 3789          | 108727X         | 1          | V-Ring                            |
| 8       | 4604          | 134788          | 1          | Assy, Kit, Shifter                |
| 9       | 1106          | 2225J           | 1          | Ring, Retaining                   |
| 10      | 4689          | 134793          | 3*         | Assy, Kit, Shim, .625 Shaft       |
| 11      | 3876          | 120415X         | 2          | Washer, Plain, .632 X 1.38 X .046 |
| 12      | 1746          | 142674          | 1          | Key, Woodruff, No. 606            |
| 13      | 6250          |                 | 1          | Assy, Kit, Input Shaft            |
| 14      | 5620          |                 | 1          | Pinion, Bevel, 12T                |
| 15      | 3624          | 105909X         | 1          | Ring, Retaining                   |
| 16      | 3625          | 105910X         | 1          | Chain, 24 Pitches                 |
| 17      | 5510          | 148266          | 3          | Bearing, Flange                   |
| 18      | 5627          | 160943          | 1          | Gear, Spur, 12T                   |
| 19      | 5303          | 138246          | 1          | Collar, Clutch                    |
| 20      | 4758          | 138236          | 1          | Assy, Kit, Clutch Keys            |
| 21      | 5737          |                 | 1          | Shaft, Intermediate               |
| 22      | 1375          | 2244J           | 1          | Key, Woodruff, No. 61             |
| 23      | 3627          | 105916X         | 1          | Ring, Retaining                   |
| 24      | 3830          | 120470X         | 1          | Sprocket, 18T                     |
| 25      | 3841          | 110070X         | 1          | Spacer, 1.131 X 1.45 X .494       |
| 26      | 5365          | 142677          | 1          | Gear, Spur, 37T                   |
| 27      | 3867          | 124644X         | 1          | Gear, Spur, 30T                   |
| 28      | 3783          | 108980X         | 1          | Gear, Spur, 25T                   |
| 29      | 5202          | 134796          | 1          | Gear, Spur, 19T                   |
| 30      | 5027          | 134797          | 2          | Spacer, 1.133 X 1.50 X .375       |
| 31      | 3628          | 105925X         | 1          | Washer, Plain, .640 X 1.37 X .061 |
| 32      | 5511          | 148268          | 1          | Bearing, Flange                   |
| 33      | 5508          | 148269          | 1          | Seal, Oil                         |
| 34      | 1425          | 2228J           | 1          | Washer, Plain, .632 X 1.00 X .046 |
| 35      | 6358          |                 | 1          | Assy, Gear, Comb., 12T & 30T      |
| 36      | 3967          | 124639X         | 1          | Shaft, Idler                      |

Model No. 4360-119  
Page 2

| Key No. | Dana Part No. | F.H.P. Part No. | No. Req'd. | Description                       |
|---------|---------------|-----------------|------------|-----------------------------------|
| 37      | 1708          | 3422J           | 1          | Washer, Plain, .632 X 1.00 X .015 |
| 38      | 3901          | 120472X         | 1          | Spacer, .633 X .87 X .755         |
| 39      | 3645          | 105928X         | 1          | Sprocket, 9T                      |
| 40      | 5621          |                 | 1          | Gear, Bevel, 36T                  |
| 41      | 4691          | 134394          | 2*         | Assy, Kit, Shim, .750 Shaft       |
| 42      | 3882          | 120473X         | 1          | Shaft, Drive                      |
| 43      | 5364          | 142678          | 1          | Gear, Spur, 12T                   |
| 44      | 3866          | 124641X         | 1          | Gear, Spur, 20T                   |
| 45      | 3719          | 106589X         | 1          | Gear, Spur, 25T                   |
| 46      | 3683          | 105937X         | 1          | Gear, Spur, 31T                   |
| 47      | 3714          | 105936X         | 2          | Spacer, .781 X 1.00 X .375        |
| 48      | 1145          | 2226J           | 1          | Washer, Plain, .632 X 1.00 X .060 |
| 49      | 5130          | 134401          | 2          | Washer, Neoprene                  |
| 50      | 3184          | 2264J           | 2          | Washer, Plain, .758 X 1.25 X .031 |
| 51      | 5528-1        | 160946          | 1          | Axle, LH                          |
| 52      | 5622          |                 | 2          | Gear, Miter, 12T, Splined         |
| 53      | 5270          | 160948          | 2          | Ring, Retaining                   |
| 54      | 3839          | 110071X         | 1          | Gear, Spur, 32T                   |
| 55      | 3919          | 120952X         | 1          | Shaft, Cross                      |
| 56      | 5623          |                 | 2          | Gear, Miter, 12T, Idler           |
| 57      | 5528-2        | 160950          | 1          | Axle, RH                          |
| 58      | 6407          |                 | 1          | Assy, Kit, Housing, Lower         |
| 59      | 4836          |                 | 1          | Assy, Kit, Puck Friction          |
| 60      | 5809          |                 | 1          | Disc, Brake                       |
| 61      | 3758          | 108989X         | 1          | Spacer, Brake Puck                |
| 62      | 5554          | 160952          | 1          | Jaw, Brake                        |
| 63      | 3843          | 120954X         | 2          | Pin, Dowel                        |
| 64      | 5285          | 138244          | 1          | Lever, Actuating                  |
| 65      | 3760          | 108996X         | 1          | Washer, Plain, .321 X 1.00 X .055 |
| 66      | 5555          | 160954          | 1          | Bracket, Anti-Rotation            |
| 67      | 5562          | 160953          | 2          | Screw, Tapping, 5/16-18 X 2.35    |
| 68      | 3847          | 73810500        | 1          | Nut, Lock, 5/16-24                |
| 69      | 4300          | 120416X         | 1          | Grease                            |

\* Use in various combinations to maintain proper clearances.

\*\* Order Key No. 13.

\*\*\* Silicone Sealant to be applied between Upper and Lower Housings (use Loctite Ultra Gray Silicone 5699 or equivalent).