



DANA CORPORATION  
FREDERICKTOWN, OHIO 4900-5  
MURRAY OUTDOOR PRODUCTS #

DANA CORPORATIONSERVICE PARTS REPLACEMENT LISTINGMODEL NO.: 4900-5DATE: 10-6-94DESCRIPTION: HYDROSTATIC TRANSAXLECUSTOMER & PART NO.: MURRAY OUTDOOR PRODUCTS. - #

<u>KEY</u>	<u>DANA</u>	<u>MURRAY</u>	<u>NO.</u>	<u>DESCRIPTION</u>
<u>NO.</u>	<u>PART NO.</u>	<u>PART NO.</u>	<u>REQ'D.</u>	
1	5351-B		1	Housing, Upper
2	3789		1	V-Ring
3	1919		16	Screw, Tapping, 1/4-20 x .734
4	4821		1	Ass'y., Shaft & Cam
5	3758		2	Spacer
6	5338		2	Puck, Friction
7	5336		1	Nut, Locking, Jam
8	5337		1	Stud, Adjustment
9	5037		2	Bearing, Sleeve
10	5356		1	Key, Drive
11	4820		3	Ass'y., Bearing
12	3890		1	Washer, Plain, .505 x .942 x .040
13	5357		1	Shaft, Input
14	5518		1	Disc, Brake
15	5516		1	Gear, Spur, 10T.
16	4690		2*	Ass'y., Kit, Shim, .500 Shaft
17	4819		1	Ass'y., Bearing
18	5353		1	Shaft, Idler
19	1068		1	Washer, Plain, .632 x 1.00 x .041
20	3471		1	Spacer, .630 x 1.00 x .549
21	5517		1	Gear, Spur, 45T.
22	5130		2	Washer, Neoprene
23	3184		2	Washer, Plain, .758 x 1.25 x .031
24	5541-1		1	Axle, L.H.
25	3871		2	Gear, Miter, 15T.
26	5270		2	Ring, Retaining
27	5181		1	Gear, Spur, 41T.
28	3726		2	Gear, Miter, 15T.
29	3919		1	Shaft, Cross
30	5541-2		1	Axle, R.H.
31	4691		1*	Ass'y., Kit, Shim, .750 Shaft

Model #4900-5

Page 2

<u>KEY</u> <u>NO.</u>	<u>DANA</u> <u>PART NO.</u>	<u>MURRAY</u> <u>PART NO.</u>	<u>NO.</u> <u>REQ'D.</u>	<u>DESCRIPTION</u>
32	5350		1	Housing, Lower
33	5366		1	Ring, Retaining
34	5414		1	Ring, Clamp
35	5522		1	Fan
36	5523		1	Hub
37	5521		1	Pulley, 4.12 Dia.
38	3306		4	Screw, Tapping, #10-24 x 1.05
39	5424		1	Hst, CW Control Rotation
40	1375		1	Key, Woodruff, #61
41	5180		1	Gear, Spur, 10T.
42	3884		1	O-Ring
43	4300		1	Grease

\* Use in various combinations to maintain proper clearances.

\*\* Silicone Sealant to be applied between Upper and Lower Housings (use Loctite Ultra Gray Silicone 5699 or equivalent).