




GH24 Hedge Trimmer UT-26152  
Accessories

Page 1 of 16




GH24 Hedge Trimmer UT-26152  
Accessories

Page 2 of 16

| Ref # | Part Number | Qty | S/P/F | Description              |
|-------|-------------|-----|-------|--------------------------|
| 1     | G07830      | 1   |       | EXACT MIX (TM) (16 oz.)  |
| 2     | G08532      | 1   |       | EXACT MIX (TM) (2.6 oz.) |
| 3     | DG07828     | 1   |       | GOGGLES                  |
| 4     | DG07829     | 1   |       | EAR PLUGS                |
| ?5    | UP03080     | 1   |       | DECAL KIT - GH24         |
|       | UP03082     | 1   |       | DECAL KIT - GH30         |

GH24 Hedge Trimmer UT-26152  
Air Filter, Carburetor, Fuel Tank

Page 3 of 16




GH24 Hedge Trimmer UT-26152  
Air Filter, Carburetor, Fuel Tank

Page 4 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                        |
|-------|-------------|-----|-------|--------------------------------------------------------------------|
| 1     | UP00549     | 1   |       | CARBURETOR ASSEMBLY                                                |
| 2     | PS00851     | 1   |       | GASKET-Carburetor                                                  |
| 3     | PS00866     | 1   |       | O-RING                                                             |
| 4     | PS00867     | 1   |       | GASKET                                                             |
| 5     | PS01441     | 1   | S     | PRIMER BULB                                                        |
| 6     | PS00700     | 1   |       | SCREW, COLLAR THROTTLE                                             |
| 7     | PS00868     | 1   |       | SWIVEL                                                             |
| 8     | PS00870     | 1   |       | E-RING                                                             |
| 9     | PS00872     | 1   |       | BRACKET-Cable                                                      |
| 10    | UP00550     | 1   |       | AIR FILTER ASSEMBLY                                                |
| 11    | UP02949     | 1   |       | AIR FILTER                                                         |
| 12    | PS00874     | 2   | /P    | SCREW ASSEMBLY (M5 x 65) (Torque Specs: 18-26 In/Lbs., 2.0-2.9 Nm) |
| 13    | UP00565     | 1   |       | FUEL TANK ASSEMBLY                                                 |
| 14    | UP02946     | 1   | /P    | CAP-Fuel                                                           |
| 15    | PS00522     | 1   | S     | RETAINER-Fuel Cap                                                  |
| 16    | PS00520     | 1   |       | FILTER-Fuel                                                        |
| 17    | PS00957     | 1   | S     | FUEL LINE ASSEMBLY                                                 |
| 18    | PS00958     | 1   |       | BRACKET-Fuel Tank                                                  |
| 19    | PS00959     | 4   |       | SCREW ASSEMBLY (M5 x 16) (Torque Specs: 18-26 In/Lbs., 2.0-2.9 Nm) |
| 20    | PS00956     | 1   |       | CLAMP-Hose                                                         |
| 21    | PS01430     | 1   |       | CLAMP                                                              |

GH24 Hedge Trimmer UT-26152  
Engine Internal


Page 5 of 16



GH24 Hedge Trimmer UT-26152  
Engine Internal

Page 6 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                             |
|-------|-------------|-----|-------|-------------------------------------------------------------------------|
| 1     | UP00543     | 1   |       | CYLINDER KIT                                                            |
| 2     | PS00574     | 1   |       | GASKET-Cylinder                                                         |
| 3     | PS00838     | 1   |       | GASKET-Heat Dam                                                         |
| 4     | PS00839     | 1   |       | GASKET-Muffler                                                          |
| 5     | PS00840     | 2   |       | SCREW-Socket Hd (M5 x 20W SW) (Torque Specs: 62-78 In/Lbs., 7.0-8.8 Nm) |
| 6     | UP00544     | 1   |       | PISTON ASSEMBLY                                                         |
| 7     | PS00842     | 1   |       | RING-Piston                                                             |
| 8     | PS00843     | 2   |       | RETAINER-Wrist Pin                                                      |
| 9     | PS01366     | 1   | S     | BEARING-Wrist Pin                                                       |
| 2     | PS00574     | 1   |       | GASKET-Cylinder                                                         |
| 10    | UP00545     | 1   |       | HEAT DAM ASSEMBLY                                                       |
| 3     | PS00838     | 1   |       | GASKET-Heat Dam                                                         |
| 11    | PS00851     | 1   |       | GASKET-Carburetor                                                       |
| 12    | PS00852     | 1   |       | SCREWS (M5 x 25 W SW) (Torque Specs: 36-44 In/Lbs., 4.1-5.0 Nm)         |
| 13    | UP00541     | 1   |       | CRANKCASE ASSEMBLY                                                      |
| 14    | PS00823     | 1   |       | GASKET-Crankcase                                                        |
| 15    | PS00824     | 3   |       | SCREW                                                                   |
| 16    | PS00548     | 1   |       | CYLINDER COVER ASSEMBLY                                                 |
| 17    | PS00862     | 1   |       | SPACER-Cylinder Cover                                                   |
| 18    | PS00863     | 1   |       | SCREW                                                                   |
| 19    | PS00864     | 1   |       | WASHER                                                                  |
| 20    | PS00818     | 1   |       | CRANKSHAFT & ROD                                                        |



GH24 Hedge Trimmer UT-26152  
Exhaust System


Page 8 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                                                   |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------------------|
| 1     | UP00547     | 1   |       | MUFFLER KIT                                                                                   |
| 2     | PS00858     | 1   |       | GASKET-Muffler                                                                                |
| 3     | PS00859     | 2   |       | SCREW-Socket Hd (M5 x 50) (Torque Specs: 61-69 In/Lbs., 6.9-7.8 Nm)                           |
| 4     | PS01367     | 1   |       | SPARK ARRESTOR SCREEN                                                                         |
| 5     | PS01368     | 1   |       | GASKET-Muffler                                                                                |
| 6     | PS00860     | 1   |       | MUFFLER COVER                                                                                 |
| 7     | PS00861     | 1   |       | SCREW ASSEMBLY (M5 x 16) (Torque Specs: 31-39 In/Lbs., 3.5-4.4 Nm, Loctite Required: Red 262) |



GH24 Hedge Trimmer UT-26152  
Gearcase & Blades

Page 9 of 16





GH24 Hedge Trimmer UT-26152  
Gearcase & Blades

Page 10 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                      |
|-------|-------------|-----|-------|------------------------------------------------------------------|
| 1     | PS01023     | 1   |       | REINFORCING PLATE                                                |
| 2     | PS01016     | 1   |       | DRUM-Clutch                                                      |
| 3     | PS01017     | 1   |       | CASE-Upper                                                       |
| 4     | PS00895     | 2   |       | FLANGE NUT (M5) (Torque Specs: 33-37 In/Lbs., 3.7-4.2 Nm)        |
| 5     | PS00896     | 2   |       | BOLT (M6 x 15 W SW) (Torque Specs: 40-48 In/Lbs., 4.5-5.4 Nm)    |
| 6     | PS00897     | 1   |       | NIPPLE-Grease (M6) (Torque Specs: 26-34 In/Lbs., 2.9-3.8 Nm)     |
| 7     | PS01022     | 1   |       | BEARING                                                          |
| 8     | PS00899     | 3   |       | BEARING                                                          |
| 9     | PS00901     | 1   | S     | GEAR-Pinion                                                      |
| 10    | PS00902     | 1   | S     | GEAR-Crank                                                       |
| 11    | PS00903     | 2   |       | ROD                                                              |
| 12    | PS00904     | 1   |       | SNAP RING                                                        |
| 13    | PS00907     | 2   |       | SCREW (M3 x 5) (Torque Specs: 11-15 In/Lbs., 1.2-1.7 Nm)         |
| 14    | PS00908     | 1   |       | PLATE-Rod Slide                                                  |
| 15    | PS00909     | 1   |       | FELT                                                             |
| 16    | PS00910     | 1   |       | CASE-Lower                                                       |
| 17    | PS00911     | 5   |       | BOLT (M5 x 16 W SW) (Torque Specs: 36-44 In/Lbs., 4.1-5.0 Nm)    |
| 18    | PS00913     | 4   |       | U-NUT (M6) (Torque Specs: 62-78 In/Lbs., 7.0-8.8 Nm)             |
| 19    | PS00916     | 2   |       | SCREW (M5 x 20) (Torque Specs: 36-44 In/Lbs., 4.1-5.0 Nm)        |
| 20    | PS00915     | 4   |       | WASHER-Blade Side                                                |
| 21    | PS00898     | 3   |       | SCREW (L-19)                                                     |
| 22    | PS00917     | 1   |       | GUIDE PLATE                                                      |
| 23    | PS00918     | 1   |       | BLADE-Upper                                                      |
| 24    | PS00919     | 1   |       | BLADE-Lower                                                      |
| 25    | PS00920     | 1   |       | COVER-Blade                                                      |
| 26    | PS00891     | 2   |       | SCREW (M6 x 35 W SW & PW) Torque Specs: 39-47 In/Lbs, 4.4-5.3 Nm |
| 27    | PS01046     | 1   |       | SCREW (L-22)                                                     |
| 28    | PS00888     | 1   |       | SCREW (M6 X 40 W SW & PW) Torque Specs: 39-47 In/Lbs, 4.4-5.3 Nm |

GH24 Hedge Trimmer UT-26152  
Handles

Page 11 of 16




GH24 Hedge Trimmer UT-26152  
Handles

Page 12 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                         |
|-------|-------------|-----|-------|---------------------------------------------------------------------|
| 1     | UP00551     | 1   |       | REAR HANDLE COMPLETE                                                |
| 2     | PS00875     | 1   |       | SWITCH ASSEMBLY                                                     |
| 3     | PS00876     | 1   |       | TRIGGER-Throttle                                                    |
| 4     | PS00877     | 1   |       | LATCH-Throttle                                                      |
| 5     | PS00878     | 1   |       | CASLE - Throttle                                                    |
| 6     | PS00879     | 5   |       | SCREW (M4 x 16 W SW) (Torque Specs: 7-11 In/Lbs., .8-1.2 Nm)        |
| 7     | PS00880     | 1   |       | SCREW (M4 x 30 W SW) (Torque Specs: 7-11 In/Lbs., .8-1.2 Nm)        |
| 8     | PS00881     | 1   |       | NUT (M4)                                                            |
| 9     | PS00882     | 1   |       | LOCK-Throttle Start                                                 |
| 10    | PS00883     | 1   |       | SPRING-Throttle Lock                                                |
| 11    | PS00884     | 1   |       | BUTTON-Throttle Lock                                                |
| 12    | PS00885     | 1   |       | SPRING                                                              |
| 13    | PS00886     | 1   |       | SCREW (M6 x 50 W SW & PW) (Torque Specs: 39-47 In/Lbs., 4.4-5.3 Nm) |
| 14    | PS00887     | 1   |       | NUT (M6)                                                            |
| 15    | PS00888     | 1   |       | SCREW (M6 x 40 W SW & PW) (Torque Specs: 39-47 In/Lbs., 4.4-5.3 Nm) |
| 16    | PS00889     | 1   |       | SCREW (M4 x 10) (Torque Specs: 7-11 In/Lbs., .8-1.2 Nm)             |
| 17    | PS00890     | 1   |       | HOLDER-Cable                                                        |
| 18    | PS00894     | 1   |       | CABLE-Swivel                                                        |
| 19    | PS00893     | 1   |       | SNAP RING                                                           |
| 20    | UP00552     | 1   |       | FRONT HANDLE ASSEMBLY                                               |
| 21    | PS00891     | 2   |       | SCREW (M6 x 35 W SW & PW) (Torque Specs: 39-47 In/Lbs., 4.4-5.3 Nm) |
| 22    | PS00887     | 2   |       | NUT (M6)                                                            |

GH24 Hedge Trimmer UT-26152  
Ignition, Rotor, Clutch

Page 13 of 16




GH24 Hedge Trimmer UT-26152  
Ignition, Rotor, Clutch

Page 14 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                           |
|-------|-------------|-----|-------|-----------------------------------------------------------------------|
| 1     | UP00546     | 1   |       | IGNITION KIT                                                          |
| 2     | PS00853     | 1   |       | WIRE-Ground                                                           |
| 3     | PS00854     | 1   |       | GROMMET                                                               |
| 4     | PS00499     | 1   |       | SPRING-Plug Cap                                                       |
| 5     | PS00856     | 1   |       | CAP-Plug                                                              |
| 6     | PS00857     | 2   |       | SCREW (M5 x 20) (Torque Specs: 62-78<br>In/Lbs., 7.0-8.8 Nm)          |
| 7     | UP02950     | 1   | /P    | SPARK PLUG (Torque Specs: 122-138<br>In/Lbs., 13.8-15.6 Nm)           |
| 8     | PS00815     | 1   |       | ROTOR                                                                 |
| 9     | PS00816     | 1   |       | WASHER                                                                |
| 10    | PS00817     | 1   |       | BOLT ASSEMBLY (M6 x 16) (Torque Specs:<br>79-95 In/Lbs., 8.9-10.7 Nm) |
| 11    | PS00819     | 1   |       | ENGINE BASE                                                           |
| 12    | UP00542     | 1   |       | CLUTCH ASSEMBLY                                                       |
| 13    | PS00826     | 2   |       | BOLT-Clutch                                                           |
| 14    | PS00588     | 2   |       | WASHER                                                                |
| 15    | PS00828     | 2   |       | WASHER                                                                |
| 16    | PS00829     | 2   |       | WASHER                                                                |
| 17    | UP00540     | 1   |       | BLOWER HOUSING ASSEMBLY                                               |
| 18    | PS00814     | 3   |       | SCREW ASSEMBLY                                                        |
| 19    | PS00820     | 4   |       | SCREW ASSEMBLY (M5 x W SW)                                            |
| 20    | PS00822     | 1   |       | BOLT ASSEMBLY (M5 x 16) (Torque Specs:<br>36-44 In/Lbs., 4.1-5.0 Nm)  |
| 21    | PS00821     | 1   |       | HOLDER-Clutch                                                         |

GH24 Hedge Trimmer UT-26152  
Starter

Page 15 of 16



GH24 Hedge Trimmer UT-26152  
Starter

Page 16 of 16

| Ref # | Part Number | Qty | S/P/F | Description                                                        |
|-------|-------------|-----|-------|--------------------------------------------------------------------|
| 1     | UP00539     | 1   |       | STARTER COMPLETE                                                   |
| 2     | PS00802     | 4   |       | SCREW ASSEMBLY (M5 x 14) (Torque Specs: 13-17 In/Lbs., 1.5-1.9 Nm) |
| 3     | PS00803     | 1   |       | SPRING                                                             |
| 4     | PS00804     | 1   |       | PULLEY                                                             |
| 5     | PS00805     | 1   |       | SCREW-Set (Torque Specs: 18-26 In/lbs., 2.0-2.9 Nm)                |
| 6     | PS00475     | 1   |       | ROPE-Starter                                                       |
| 7     | PS00568     | 1   | /P    | GRIP                                                               |
| 8     | PS00808     | 1   |       | SPRING-Return                                                      |
| 9     | PS00809     | 1   |       | RATCHET                                                            |
| 10    | PS00810     | 1   |       | SPRING-Friction                                                    |
| 11    | PS00811     | 1   |       | PLATE-Friction                                                     |
| 12    | PS00812     | 1   |       | DAMPER-Grip                                                        |