





i25mhv Blower UT-08059-B  
Accessories



Page 1 of 18



i25mhv Blower UT-08059-B  
Accessories

Page 2 of 18


| Ref # | Part Number | Qty | S/P/F | Description                        |
|-------|-------------|-----|-------|------------------------------------|
| 1     | A02976A     | 1   |       | GAS CAN 1 1/4 Gallon               |
| 2     | UP06839     | 1   |       | EAR PLUGS                          |
| 3     | UP06835     | 1   | S     | SAFETY GLASSES-Clear               |
| 4     | 01231D      | 1   | S     | EXACT MIX (TM) Oil - 1 pint (50:1) |
| 5     | A06778      | 1   |       | GOGGLES                            |
| 6     | UP07694     | 1   |       | EAR PROTECTORS                     |



i25mhv Blower UT-08059-B  
Carburetor - Fuel Tank

Page 4 of 18


| Ref # | Part Number | Qty | S/P/F | Description                                                                                                                 |
|-------|-------------|-----|-------|-----------------------------------------------------------------------------------------------------------------------------|
| 1     | UP04307     | 2   | S     | Screw, Machine (10-24 x 2.8) Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm; See "Muffler - Air Cleaner" Ref. No.10 for Torque Specs |
| 2     | UP03863     | 1   | S     | Heat Dam                                                                                                                    |
| B     | UP00654     | 1   | /P    | Carburetor Assembly                                                                                                         |
| 3     | UP03916     | 1   | S     | Gasket, Carburetor Also included with Short Block and Cylinder assemblies.                                                  |
| 4     | UP04278     | 1   | /P    | Lever, Choke (Zama)                                                                                                         |
| 5     | UP04140     | 2   | S     | Screw, Sems (10-24 x 1") Also included with Short Block and Cylinder assemblies; Torque Specs 50-60 In/Lbs; 5.6-6.8 Nm      |
| F     | UP00495     | 1   | S/P   | Fuel Tank Assy.                                                                                                             |
| 6     | UP04708     | 1   | S/P   | Fuel Cap                                                                                                                    |
| 7     | UP03871     | 1   | S/P   | Fuel Filter                                                                                                                 |
| 8     | UP04347     | 1   | S     | Tubing, Rubber (3")                                                                                                         |
| 9     | UP04294     | 1   | S     | Tubing, Rubber (5")                                                                                                         |
| 10    | UP04310     | 1   | S     | Fitting, Inlet (Small for 2.5mm ID fuel line)                                                                               |
|       | UP03831     | 1   | S     | Fitting, Inlet (Large for 3mm ID fuel line)                                                                                 |
| 11    | UP03913     | 1   | S     | Clamp, Wire                                                                                                                 |
| 12    | UP03900     | 3   | S/P   | Screw, Thread Forming (10-14 x 3/4) Torque Specs 30-40 In/Lbs; 3.0-4.0 Nm                                                   |
| 13    | UP03867     | 3   | S/P   | Washer                                                                                                                      |
| 14    | UP03907     | 1   | S     | Tape, Aluminum                                                                                                              |
| 15    | UP04308     | 1   | S/P   | Gasket, Heat Dam Also included with Short Block and Cylinder assemblies.                                                    |
| 16    | UP04294     | 1   | S     | Tubing, Rubber (5")                                                                                                         |



| Ref # | Part Number | Qty | S/P/F | Description                                                                                |
|-------|-------------|-----|-------|--------------------------------------------------------------------------------------------|
| 1     | UP04314     | 1   | S/P   | Shroud                                                                                     |
| 2     | UP04322     | 1   | S/P   | Heat Shield, Muffler                                                                       |
| 3     | UP06543     | 1   | S/P   | Crankcase Cover                                                                            |
| 4     | UP04335     | 1   | S     | Gasket, C/Case Also included with Short Block and Cylinder assemblies                      |
| 5     | UP00759     | 1   | /P    | Short Block (Svc)(30cc)                                                                    |
| 6     | UP03366     | 1   | S     | Piston & Rod (30cc)                                                                        |
| 7     | UP03837     | 2   | S     | Piston Ring (30cc) Ring for single ring 30CC piston 04933                                  |
| 8     | UP07146     | 2   | S/P   | Cylinder Kit (30cc)                                                                        |
| 9     | UP03857     | 1   | S/P   | Gasket, Cylinder                                                                           |
| 10    | UP04308     | 1   | S/P   | Gasket, Heat Dam                                                                           |
| 11    | UP04345     | 3   | S/P   | Screw, Sems (12-24 x 3/4) Torque Specs 55-65 In/Lbs; 6.2-7.3 Nm; Red 262 Loctite Required  |
| 12    | UP04350     | 1   | S     | Gasket, Muffler                                                                            |
| 13    | UP03874     | 1   | S     | Key, Woodruff                                                                              |
| 14    | UP04295     | 4   | S/P   | Screw, Sems (10-24 x .560) Torque Specs 35-45 In/Lbs; 4.0-5.1 Nm; Red 262 Loctite Required |
| 5     | UP00756     | 1   | /P    | Short Block (Svc)(25cc)                                                                    |
| 6     | UP00768     | 1   | S/P   | Piston & Rod (25cc)                                                                        |
| 7     | PS01359     | 1   | S/P   | Piston Ring (25cc)                                                                         |
| 8     | UP07145     | 1   | S/P   | Cylinder Kit (25cc)                                                                        |
| 9     | UP03857     | 1   | S/P   | Gasket, Cylinder                                                                           |
| 10    | UP04308     | 1   | S/P   | Gasket, Heat Dam                                                                           |
| 11    | UP04345     | 3   | S/P   | Screw, Sems (12-24 x 3/4) Torque Specs 55-65 In/Lbs; 6.2-7.3 Nm; Red 262 Loctite Required  |
| 12    | UP04350     | 1   | S     | Gasket, Muffler                                                                            |
| 13    | UP03874     | 1   | S     | Key, Woodruff                                                                              |
| 14    | UP04295     | 4   | S/P   | Screw, Sems (10-24 x .560) Torque Specs 35-45 In/Lbs; 4.0-5.1 Nm; Red 262 Loctite Required |
| 15    | UP03895     | 5   | S     | Screw, Thread Forming (10-14 x 7/8) Torque Specs 30-40 In/Lbs; 3.4-4.6 Nm                  |
| 16    | UP03406     | 4   | S     | Taptite, Truss (10-24 x 3/4) Torque Specs 55-60 In/Lbs; 6.2-6.8 Nm                         |

i25mhv Blower UT-08059-B  
Handle

Page 7 of 18



i25mhv Blower UT-08059-B  
Handle


Page 8 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                                               |
|-------|-------------|-----|-------|---------------------------------------------------------------------------|
|       | UP06900     | 1   | S     | Handle Assembly                                                           |
| 1     | UP04320     | 1   | S     | Switch, Rocker(Stop)                                                      |
| 2     | UP04325     | 1   | S     | Handle Cover                                                              |
| 3     | UP03898     | 2   | S     | Screw, Thread Forming (8-16 X 1/2) Torque Specs 10-25 In/Lbs; 1.1-2.8 Nm  |
| 4     | UP03895     | 1   | S     | Screw, Thread Forming (10-14 X 7/8) Torque Specs 30-45 In/Lbs; 3.4-5.1 Nm |
| 5     | UP06901     | 1   | S     | Washer, Flat                                                              |
| 6     | UP04333     | 1   | S     | Kill Switch Lead                                                          |
| 7     | UP04327     | 1   | S     | Cable, Throttle                                                           |
| 8     | UP04326     | 1   | S/P   | Trigger                                                                   |
| 9     |             | 1   |       | UNKNOWN                                                                   |



i25mhv Blower UT-08059-B  
Ignition

Page 9 of 18




i25mhv Blower UT-08059-B  
Ignition

Page 10 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                                                                            |
|-------|-------------|-----|-------|--------------------------------------------------------------------------------------------------------|
| 1     | UP03856     | 1   | S/P   | Rotor & Starter Pawls                                                                                  |
| 2     | UP03855     | 1   | S/P   | Spacer                                                                                                 |
| 3     | UP03906     | 1   | S/P   | Washer, Flat                                                                                           |
| 4     | UP03896     | 2   | S/P   | Screw-Thread Forming (8-32 X 1) Torque<br>Specs 30-40 In/Lbs; 3.4-4.5 Nm; Blue 242<br>Loctite Required |
| C     | UP03858     | 1   | /P    | Ignition Kit                                                                                           |
| 5     | UP03868     | 1   | S/P   | Terminal & Cover                                                                                       |
| 6     | UP03883     | 1   | /P    | Resistor Spark Plug (RDJ-7Y) Torque Specs<br>120-180 In/Lbs; 13.6-20.3 Nm                              |

i25mhv Blower UT-08059-B  
Muffler - Air Cleaner

Page 11 of 18




i25mhv Blower UT-08059-B  
Muffler - Air Cleaner

Page 12 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                                                  |
|-------|-------------|-----|-------|------------------------------------------------------------------------------|
| A     | UP06823     | 1   | S/P   | Muffler Assembly, Crimped                                                    |
| 1     | UP04248     | 2   | S     | Screw, Taptite (8-32 x 3/8) Torque Specs 20-30 In/Lbs; 2.3-3.4 Nm            |
| 2     | UP04249     | 2   | S/P   | Screw, Torx Truss Hd. (10-24 X 2.188") Torque Specs 50-60 In/Lbs; 5.6-6.8 Nm |
| 3     | UP03866     | 2   | S     | Washer, Conical #10                                                          |
| 4     | UP04321     | 1   | S     | Muffler Grommet                                                              |
| 5     | UP04316     | 1   | S     | Screen Assy., Spark                                                          |
| 6     | UP03817     | 1   | S/P   | Gasket, Muffler Also included with Short Block and Cylinder assemblies.      |
| D     | UP06824     | 1   | /P    | Air Filter Assembly                                                          |
| 7     | UP04318     | 1   | S     | Cover, Air Box                                                               |
| 8     | UP04323     | 1   | S     | Filter Element #1                                                            |
| 9     | UP03893     | 4   | S     | Screw, Thread Forming (8-16 X .50) Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm     |
| 10    | UP03885     | 2   | S     | Nut, Lock Hex (10-24) Torque Specs 30-40 In/Lbs; 3.4-4.5 Nm                  |

i25mhv Blower UT-08059-B  
Starter

Page 13 of 18




i25mhv Blower UT-08059-B  
Starter

Page 14 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                                        |
|-------|-------------|-----|-------|--------------------------------------------------------------------|
| E     | UP00497     | 1   | S/P   | Starter (Svc)                                                      |
| 1     | UP04349     | 1   | S     | Pulley, Starter                                                    |
| 2     | UP03917     | 1   | S     | Spring & Container                                                 |
| 3     | UP03912     | 1   | S     | Rope, Starter 42"                                                  |
| 4     | UP04276     | 1   | S/P   | Grip, Starter (Black)                                              |
| 5     | UP03919     | 2   | S     | Bracket-Retaining                                                  |
| 6     | UP03897     | 2   | S     | Screw-Plastite (#10-1/2") Torque Specs<br>30-40 In/Lbs; 3.4-4.5 Nm |
| 7     | UP04319     | 1   | S/P   | Scroll                                                             |

i25mhv Blower UT-08059-B  
Tubes - Straps - Accessories

Page 15 of 18



i25mhv Blower UT-08059-B  
Tubes - Straps - Accessories


Page 16 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                               |
|-------|-------------|-----|-------|-----------------------------------------------------------|
| 1     | UP04317     | 1   | S     | Tube, Blower                                              |
| 2     | UP04324     | 1   | S     | Nozzle, Blower                                            |
| 3     | A09293      | 1   | S/P   | Vacuum Kit                                                |
| 4     | UP04328     | 1   | S/P   | Vac Tube, Upper                                           |
| 5     | UP04329     | 1   | S     | Vac Tube, Lower                                           |
| 6     | UP04548     | 1   | S/P   | Bag                                                       |
| 7     | UP06723     | 1   | S/P   | Shoulder Strap (Optional for UT08107 after S/N MB0660000) |
| 8     | UP06902     | 1   |       | Air Deflector                                             |
| 9     | A02514D     | 1   | S     | Gutter Maintenance Kit                                    |
| 10    | UP06830     | 1   | S     | Full Elbow                                                |
| 11    | UP05618     | 3   | S     | Straight Tube                                             |
| 12    | UP06836     | 1   | S     | Upper Elbow & Swivel Adapter                              |
| 13    | UP03821     | 1   | S/P   | Large Clamp                                               |
| 14    | UP06868     | 1   | S/P   | Adapter                                                   |
| 15    | UP06835     | 1   | S     | Safety Glasses - Clear                                    |
|       | 18416       | 1   |       | Electronic Tachometer Special Tools                       |
|       | 18774       | 1   |       | Fuel Mix Tester Special Tools                             |
|       | 23488C      | 1   |       | Thread Locking Compound Special Tools                     |
|       | 2498203     | 1   | S     | T25 Torx Bit 6" Long Special Tools                        |
|       | 94194       | 1   | /P    | Compression Tester Special Tools                          |
|       | JA313164    | 1   |       | Spark Tester Special Tools                                |



i25mhv Blower UT-08059-B  
Volute - Fan

Page 17 of 18



i25mhv Blower UT-08059-B  
Volute - Fan

Page 18 of 18

| Ref # | Part Number | Qty | S/P/F | Description                                                                  |
|-------|-------------|-----|-------|------------------------------------------------------------------------------|
| 1     | UP04311     | 1   | S     | Fan                                                                          |
| 2     | UP04303     | 1   | S     | Adapter, Fan                                                                 |
| 3     | UP03835     | 1   | S     | Washer, Belleville                                                           |
| 4     | UP03873     | 1   | S     | Washer, Flat                                                                 |
| 5     | UP03884     | 1   | S/P   | Nut (3/8-24) Torque Specs 130-150 In/Lbs;<br>14.7-17.0 Nm                    |
| 6     | UP06899     | 1   | S/P   | Volute W/Door Assembly                                                       |
| 7     | UP06898     | 1   | S     | Volute Door                                                                  |
| 8     | UP03897     | 1   | S     | Screw, Thread Forming (10-14 X 1/2) Torque<br>Specs 30-40 In/Lbs; 3.4-4.5 Nm |
| 9     | UP03909     | 1   | S     | Washer                                                                       |
| 10    | UP04547     | 1   | S     | Screw, Machine (10-24 X 3/4) Torque Specs<br>15-20 In/Lbs; 1.7-2.3 Nm        |
| 11    | UP03895     | 5   | S     | Screw, Plastite (10-14 X 7/8) Torque Specs<br>35-45 In/Lbs; 4.0-5.0 Nm       |