
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H60-75437K



www.mymowerparts.com

5	De d'Al celler	Ot Description
		Qty Description
	33311B	Cylinder (Incl. 2,3,4,5,184) (2-5/8" Bore)
	27652	Pin, Dowel
	27642	Plug, Oil drain, 1/4-18
	27876B	Seal, Oil
	32783	Intake Valve (Std.) (Incl. 9)
	32784	Intake Valve (1/32" OS) (Incl. 9)
	27878A	Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS) (Incl. 9)
	27882	Cap, Upper valve spring
	27881	Spring, Valve
	32581	Cap, Lower valve spring
	31856A	Crankshaft (Incl. 12 & 13)
12	29783	Pin, Crankshaft gear Used in early production. This gear is
		serviceable ONLY when itis pinned to the crankshaft.
13	27884	Gear, Crankshaft Used in early production. This gear is
10	27.00 1	serviceable ONLY when itis pinned to the crankshaft.
		'
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	33312B	Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
	33313B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	34854	Ring Set (Std.) (2-5/8" Bore)
	34855	Ring Set (.010" OS)
	34856	Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
	31380C	Rod Assy., Connecting (Incl. 18)
	30682	Bolt, Connecting rod (Early productio n)
	650662C	Screw, Connecting rod (Late productio n)
19	26073	Connecting rod bolt washer (Early pro duction)
20	28264	Connecting rod nut (Used on early pro duction)
21	33156	Camshaft
22	34034	Lifter, Valve
23	31303B	Cover, Cylinder (Incl. 24, 27 & 105)
24	28427	Seal, Oil
26	30684	* Gasket, Cylinder cover
27	31546	Bushing, Crankshaft
28	650488	Screw, 1/4-20 x 1-1/4"
29	650493	Screw, 1/4-20 x 1-3/4"
30	650489	Screw, 1/4-20 x 5/8"
	30939A	Cover, Cylinder head
	28938C	* Gasket, Cylinder head
	30938A	Head, Cylinder (Incl. 3 of 36)
	33636	Resistor Spark Plug
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
	650597	Screw, 10-24 x 5/8" (Use as required)
38	27896A	* Gasket, Breather cover
39	28423	Body, Breather
40	28424	Element, Breather
41	28425	Cover, Valve spring
43	32447	Tube, Breather
	www.mvmo	werparts.com


D-4#	Dout Novele on	04.	Description
	Part Number	Qty	Description * Cooket Inteles
	27915A		* Gasket, Intake
	30195A		Flange, Carburetor (Incl. 79 & 80)
	30196		Screw, 5/16-18 x 3/4"
	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early production)
52	32326A		Lever, Governor (New lever does not need 1 of Ref
			#49,51,53,54,132,133)
53	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
55	30205		Bracket, Adjusting
56	31710		Link, Throttle
58	29216		Locknut, 10-32
59	29752		Nut & Lockwasher, 1/4-28
60	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
64	30700		Valca Cayarnar
	650494		Yoke, Governor
			Screw, 6-40 x 5/16"
	31297		Dipstick (Incl. 68)  * Cooket Dipstick
	29673 29747B		* Gasket, Dipstick Screw, 5/16-24 x 21/32"
	32158E		
	29536		Blower Hsg. (For elec.starter)(Incl.1 89,190)
	650561		Baffle, Blower housing Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1/2 (Ose as required) Screw, 10-32 x 1-1/8" (Use as require d)
	650152		Screw, 8-32 x 3/8"
	27272A		* Gasket, Air cleaner
	31708		Bracket, Air cleaner
	31715		Body, Air cleaner
	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
00	700127		(Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
00	31342		Compression Spring (Used with 650549 screw) (Use as
90	31342		required)
			required)
	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	30884		Key, Flywheel
	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
	30588A		Spool, Governor
109	29193		Ring, Retaining
	www mymo	XX74	ernarts com

www.mymowerparts.com

111D 112 113 113A 114 115	Part Number 34158 34159 650561 650665 34186A 410144B 33032	Qty	Description Bracket, Lower fuel tank Plate, Upper fuel tank mtg. Screw, 1/4-20 x 5/8" Screw, 1/4-15 x 3/4" Fuel Tank (Incl. 115 & 120) Fuel Cap (White Plastic)(Standard)(As req.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
119 119 120 121 125 126 127 128 132 132 144 146 147 148 186 193 224 225B 226 229 230 232 262 264 265 266 267 298A 298A 298A 298A 298A 298A 298A 298A	29774 30705 30962 26460 32401 27930A 30196 26073 650694A 650548 650139 650542 29538 650128 30622A 27275 29443 610118 31386 31711B 610973 28942 27793 35349 29716 32125 590417 650815 8116 550223 34149 33310 31517 32173 30547A 30548B 631021 631828		Fuel Line (Braided 8.25") (Use as required) Fuel Line (Braided 16") (Use as required) Fuel Line (Braided 32") (Use as required) Clamp, Fuel line (Use as required) Muffler * Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16-18 x 2" Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" (Early production) Screw, 5/16-18 x 3/4" Base, Engine mounting Screw, 10-24 x 1/2" Extension, Blower housing Clip, Wire (Use as required) Clip, Fuel line (Use as required) Cover, Spark plug Spring, Extension Control Bracket (Incl. 98, 99 & 226) Terminal Assy. Screw, 10-32 x 3/8" Clip, Conduit Ground Wire Screw, 1/4-28 x 7/16" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Decal, Name Decal, Instruction Decal, 5 HP Mini-Bike (Use as required) Decal, H.P. (6 H.P.) (Use as required) Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
304	610689A		page 144 for breakdown)  Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1

Ref # Part Number	Qty Description
306 590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310 33235A	* Gasket Set (Incl. items marked *)




www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\mathrm{Page}\,7\,\text{of}\,9}$

Engine Parts List #2

Ref # Part Number Qty Description Washer, Flat (Use as required) 35 26073 Washer, Flat (Use as required) 35 650570

35 36 36 38 43 81 81 81 82 84A 86A 89A	650691 650697A 650695A 650694A 27896A 32447 30196 28820 650521 27272A 31700 34697 730128	Washer, Flat (Use as required) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2" (Use as required) * Gasket, Breather cover Tube, Breather Screw, 5/16-18 x 3/4" (Use as require d) Screw, 10-32 x 1/2" (Use as required) Screw, 10-32 x 1-1/8" (Use as require d) * Gasket, Air cleaner Element, Air cleaner Air Cleaner Elbow Assy.(Use in 730561 only.) Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 & 298B) (Use as req.)
	650665 391026	Screw, 1/4-15 x 3/4" Muffler (Incl. 124, 124A & 124B) (This spark arrester mufflercan be used on any model)
124B 124 125 134 135 136 137 138 233	33171 33185 650578 27930A 31288 730130 6021A 650697A 30196 34819	Muffler Screen (Use as required) Cover & Tube, Muffler (Use as require d) Screw, 8-18 x 3/8"  * Gasket, Exhaust Muf.Adapter Kit(Incl.125,136,137)(As req.) Muf.Adapter Kit(Incl.125 & 138)(As re quired) Screw, 5/16-18 x 1-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 3/4" (Use as required) Screw, 5/16-18 x 3/4" (Use as require d) Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only) Air Cleaner Kit (Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29)
273	650687	(Use only on engines with an externally ventedfully adjustable carburetor.)  Screw, 10-32 x 5/16" (Use as required )



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 9\ of\ 9}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
	650128		Screw, 10-24 x 1/2" (Use as required)
37	650597		Screw, 10-24 x 5/8" (Use as required)
37A	27261		Washer, Flat (Use as required)
41	28425		Cover, Valve spring
44	32446		Grommet, Breather tube
56	31710		Link, Throttle
69	29747B		Screw, 5/16-24 x 21/32"
98	28569		Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
99	29500		Screw, 8-32 x 3/4" (Use as required)
182	32683A		Gasket, Fuel pump cover (Use as requi red)
183	32955		Cover, Fuel pump pad (Use as required )
184	9556		Plug, Pipe 1/8-27 (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	730152		Control Bracket(Incl.91 thru 97)(As r eq.)
	610973		Terminal Assy.
	33177		Terminal (Use as required)
	28942		Screw, 10-32 x 3/8"
	27793		Clip, Conduit
	29716		Screw, 1/4-28 x 7/16"
	650815		Washer, Belleville
	8116		Nut, Hex
	33018		Harness Assy., Adapter (Use as required)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)