
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 H60-75458M Engine Parts List



		ty Description
1	33311B	Cylinder (Incl. 2, 3, 4 & 41)(2-5/8" Bore)
2	27652	Pin, Dowel
	27642	Pipe plug, 1/4-18
	27876B	Seal, Oil
		•
5	29536	Blower Housing Baffle (Without electric starter knock out)
		(Use as required)
5	35256A	Blower Housing Baffle (With electric starter knockout) (As
		req.)(point ign.)
C	050504	
	650561	Screw, 1/4-20 x 5/8"
	29538	Base, Engine mounting
	650542	Screw, 5/16-18 x 3/4"
	31856A	Crankshaft
	29783	Pin, Crankshaft gear (Used on early p rod.)
11	27884	Gear, Crankshaft (Used on early produ ction) This gear is
		serviceable ONLY when it is pinned to the crankshaft.
101	33312B	-
		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14)
	33313B	
	33314B	Piston & Pin Ass'y. (.020" OS) (Incl. 14)
	34531	Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
	34532	Piston, Pin & Ring Set (.010" OS)
	34533	Piston, Pin & Ring Set (.020" OS)
	27888	Ring, Piston pin retaining
15	34854	Ring Set (Std.) (2-5/8" Bore)
15	34855	Ring Set (.010" OS)
15	34856	Ring Set (.020" OS)
16	31380C	Rod Assy., Connecting (Incl. 17)
	650662C	Bolt, Connecting rod (Incl. 2 pieces)
	34034	Lifter, Valve
	30622A	Extension, Blower housing
	650128	Screw, 10-24 x 1/2"
	650561	Screw, 1/4-20 x 5/8" (Use as required )
	30063	Screw, $1/4-20 \times 1/2$ " (Use as required )
	30684	Gasket Cylinder Cover
	31303B	
		Cover, Cylinder (Incl. 26 & 34)
	31546	Bushing, Crankshaft
	28427	Seal, Oil
	650488	Screw, 1/4-20 x 1-1/4"
	650493	Screw, 1/4-20 x 1-3/4"
	30699C	Rod Assy., Governor (Incl. 30 & 31)
	30700	Yoke, Governor
	650494	Screw, 6-40 x 5/16"
	29642	Ring, Retaining
	31845	Shaft, Mechanical governor
	30588A	Spool, Governor
36	35479	Washer, Flat
37	29193	Ring, Retaining
	30591	Gear Assy., Governor
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	32783	Intake Valve (Std.)
	32784	Intake Valve (1/32" OS)
	27878A	
		Exhaust Valve (Std.)
	27880A	Exhaust Valve (1/32" OS)
	27882	Cap, Upper valve spring
	27881	Spring, valve
45	32581	Cap, Lower valve spring

Ref #	Part Number Qt	y Description
	33876	Gasket, Stator
47	650489	Screw, 1/4-20 x 5/8"
48	34240	Ground Wire
49	30884	Key, Flywheel
50	30969	Cap, Oil drain
50A	30968	Nipple, Oil drain 1/4" x 2-1/2"
51	28938C	Gasket, Cylinder head
	30938A	Head, Cylinder
	34251	Resistor Spark Plug (RJ-17LM)
	610118	Cover, Spark plug (Use as required)
	30939A	Cover Assy., Cylinder head
	650691	Washer, Flat (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650690	Washer, Belleville (Use as required)
	29916	Clamp, Governor lever (Use as require d)
	30322	Locknut, 8-32
	32326A	Lever, Governor
	29918	Washer, Lock, No. 8 E.T.
	30205	Bracket, Governor adjusting
	650548	Screw, 8-32 x 5/16"
	29216	Locknut, 10-32
	29826	Screw, 10-32 x 3/4"
	31386	Spring, Extension
	30824	Link, Throttle
	33108A	Control Assy., Remote Speed (Incl. 64 & 72)
	27793	
	28942	Screw, 10-32 x 3/8"
	610973	Terminal Assy. (Use as required)
	27896A	Gasket, Valve chamber cover
	28423	Breather Assy., Valve
	28424 28425	Element, Breather
	650128	Cover, Valve spring box Screw, 10-24 x 1/2"
	35350	Tube Breather
	29752	Nut & Lockwasher, 1/4-28
	27915A	* Gasket, Intake pipe to cylinder
	30195A	Flange, Carburetor (Incl. 81 & 86)
	30196	Screw, 5/16-18 x 3/4"
	31688A	* Gasket, Carburetor
	650572	Screw, 1/4-28 x 1-1/8"
	27272A	* Air Cleaner Gasket (Use as required)
	30767	Spacer, Cleaner (Use as required)
	34819	Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96) (Use in
0 // (		730561 assembly only)
	0.1150	
	34158	Bracket, Fuel tank
	650665	Screw, 1/4-14 x 7/8"
	34159	Plate, Fuel tank mounting
104	34156A	Fuel Tank (Incl. 105 & 107) NOTE: These tanks were built
		with different size fuel inlet openings. Tanks with the 1-3/16"
		I.D. opening use fuel cap 33032 or 34210. Tanks with the
		1-1/2" I.D. opening use fuel cap 35355.
105	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	33032	Fuel Cap (Red Plastic) (Spurt resistant, Low profile) (Use as
		required)

Ref # Part Number	Qty Description
105 34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
	required)
105 35355	Fuel Cap (Red plastic) (Use as requir ed)
106 29774	Fuel Line (Braided, 8 1/4") (Use as r equired)
106 30962	Fuel Line (Braided, 32") (Use as required)
107 26460	Clamp, Fuel line (Use as required)
107 20400 108 32158E	Blower Housing (For electric starter)
109 29747B	Screw, 5/16-24 x 21/32"
110 27930A	* Gasket, Exhaust flange
111 32401	
111D 33714	Opt.Spark Arrest Muf.(Incl.112,143,14 4,144A)
111E 34390	Deflector, Exhaust (Optional)
111C 391026	Opt.Spark Arrest Muf.(Incl.143,143A,1 43B)
112 30196	Screw, 5/16-18 x 3/4"
113 26073	Washer, Flat
114 650694A	Screw, 5/16 - 18 x 2"
115 32125	Cup, Starter
116 590417	Screen, Starter cup
117 650815	Washer, Belleville
118 8116	Nut, Hex
119 29716	Screw, 1/4-28 x 7/16"
137 32410	Knob, Speed control
143 650578	Screw, 8-18 x 3/8" (Use as required)
143B 33185	Cover & tube, Muffler (Use as require d)
143A 33171	Screen, Muffler (Use as required)
144 33700	Cover & Tube, Muffler (Use as require d)
144A 33323	Screen, Muffler (Use as required)
145 31297	Dipstick (Incl. 146A)
146A 29673	* Gasket, Oil fill
148A 570629A	Primer Assy.
149 32180C	Line, Primer
150 34132	Plate, Choke indicator
151 34217	Cover, Carburetor
152 31291	Plug, Cover
153 650764	Nut, "U" Clip
154 650760	Screw, 8-32 x 3/8"
155 34126	Bracket, Grommet mounting
156 650257	Screw, 8-32 x 5/16"
157 650765	
158 28820	Screw, 10-32 x 1/2"
	Screw, 10-32 x 1/2" Brocket, Chalka
159 32398	Bracket, Choke
160 650760	Screw, 8-32 x 3/8"
161 28545	Grommet, Plastic
162 31680	Guard, Starter
163 32576	Seal, Snow Guard
167 34174	Deflector, Exhaust
168 650665	Screw, 1/4-15 x 7/8"
182 32961	Valve, Fuel shut off
201A 730130	Muffler Adapter Kit (Incl.110,112)(As req.)
201B 730561	Air Cleaner Kit
	(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
	Used only on engine with an externally vented fully
	adjustable carburetor)
204 720404	
201 730164	Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &

Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 & 230)(As req.)

<b>D</b> ( "		~	
	Part Number	Qty	Description
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124) (Use as required)
230	34346		Decal, Instruction
230	34416		Decal, Instruction
230	550223		Decal, Name
230F	34414		Decal, Warning
231	30547A		Breaker Assy (Used on Std. Point igni tion)
231A	30548B		Condenser
232A	631021		Inlet, Needle Seat & Clip Assy.
240	611077		Alternator (Optional)
241	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242	611078		Connector, A.C. Lighting (Optional)
242	611079		Connector, D.C. Charging (Optional)
243	590610		Tube, Centering (Optional)
244	590613		Alternator Shaft (Optional)
250	631927		Carburetor (Incl. 85) (Refer to Division 5, Section A, Page
			140 for breakdown)
251	610964A		Magneto (w/ring gear for 120 volt sta rter) NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
252	590473		Rewind Starter (Refer to Division 5, Section C, page 29 for breakdown)
254	33328D		Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A		Gasket Set (Incl. items marked*)