
Engine Parts List



www.mymowerparts.com

1 2 3 4	Part Number 34919A 27652 27642 32630 29536	Qty	Description Cylinder (Incl. 2,3 & 4) (2-5/8" Bore) Pin, Dowel Pipe plug, 1/4-18 Seal, Oil Blower Housing Baffle (Without electric starter knock out) (Use as required)
5	35256A		Blower Housing Baffle (With electric starter knockout) (As req.)(point ign.)
7 8 9 10	650561 29538 650542 35193 29783 27884		Screw, 1/4-20 x 5/8" Base, Engine mounting Screw, 5/16-18 x 3/4" Crankshaft Pin, Crankshaft gear (Used on early p rod.) Gear, Crankshaft (Used on early production) This gear is serviceable ONLY when it is pinned to the crankshaft.
13A 13A 13 13 14 15 15 15 16 17 18 20 21 22 22 23 24 25 26 27 28 29 30 31 33 34 35 36 37 38 39 40 41 41 42 42 43	33312B 33313B 33314B 34531 34532 34533 27888 34854 34855 34856 31380C 650662C 34034 30622A 650128 650561 30063 30684 31303B 31546 28427 650488 650493 30699C 30700 650494 29642 31845 30588A 35479 29193 30591 31843A 650836 32783 32784 27878A 27880A		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.14) Piston & Pin Ass'y. (.010" OS) (Incl. 14) Piston & Pin Assy. (.020" OS) (Incl. 14) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (.010" OS) Piston, Pin & Ring Set (.020" OS) Ring, Piston pin retaining Ring Set (Std.) (2-5/8" Bore) Ring Set (Std.) (2-5/8" Bore) Ring Set (.010" OS) Ring Set (.010" OS) Ring Set (.020" OS) Rod Assy., Connecting (Incl. 17) Bolt, Connecting rod (Incl. 2 pieces) Lifter, Valve Extension, Blower housing Screw, 10-24 x 1/2" Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Gasket Cylinder Cover Cover, Cylinder (Incl. 26 & 34) Bushing, Crankshaft Seal, Oil Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-1/4" Screw, 1/4-20 x 1-3/4" Rod Assy., Governor (Incl. 30 & 31) Yoke, Governor Screw, 6-40 x 5/16" Ring, Retaining Shaft, Mechanical governor Spool, Governor Washer, Flat Ring, Retaining Gear Assy., Governor Bracket, Governor gear Screw, 10-24 x 1/2" Intake Valve (Std.) Intake Valve (1/32" OS) Exhaust Valve (Std.) Exhaust Valve (std.) Exhaust Valve (stor) Cap, Upper valve spring
	27881 32581		Spring, valve Cap, Lower valve spring

www.mymowerparts.com

47 650814 Screw, 10-24 x 1" 49 32589 Key, Flywheel 51 28938C Gasket, Cylinder head 53 33636 Resistor Spark Plug (RJ-8C) 54 610118 Cover, Spark plug (Use as required) 55 30939A Cover Assy., Cylinder head 56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
51 28938C Gasket, Cylinder head 53 33636 Resistor Spark Plug (RJ-8C) 54 610118 Cover, Spark plug (Use as required) 55 30939A Cover Assy., Cylinder head 56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650695A Screw, 5/16-18 x 2" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
53 33636 Resistor Spark Plug (RJ-8C) 54 610118 Cover, Spark plug (Use as required) 55 30939A Cover Assy., Cylinder head 56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548	
54 610118 Cover, Spark plug (Use as required) 55 30939A Cover Assy., Cylinder head 56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548	
55 30939A Cover Assy., Cylinder head 56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56A 650691 Washer, Flat (Use as required) 56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56B 650690 Washer, Belleville (Use as required) 56 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56 650694A Screw, 5/16-18 x 2" (Use as required) 56 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
56 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
57A 30322 Locknut, 8-32 57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
57 29916 Clamp, Governor lever (Use as require d) 59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
59 29918 Washer, Lock, No. 8 E.T. 61 650548 Screw, 8-32 x 5/16"	
61 650548 Screw, 8-32 x 5/16"	
62 29216 Locknut, 10-32	
63 29826 Screw, 10-32 x 3/4"	
67A 34677 Screw, 10-32 x 3/4 Control Bracket (Incl. 68, 69, 72 & 1 38)	
1 😲	
·	
72 610973 Terminal Assy. (Use as required)	
74 27896A Gasket, Valve chamber cover	
75 28423 Breather Assy., Valve	
76 28424 Element, Breather	
77 28425 Cover, Valve spring box	
78 650128 Screw, 10-24 x 1/2"	
79 35350 Tube Breather	
82 27915A * Gasket, Intake pipe to cylinder	
83 34712 Flange, Carburetor (Incl. 86A)	
84 30196 Screw, 5/16-18 x 3/4"	
85 31688A * Gasket, Carburetor	
86A 650517 Screw, 1/4-20 x 13/16"	
87 27272A * Air Cleaner Gasket (Use as required)	
87 30767 Spacer, Cleaner (Use as required)	
94A 34819 Elbow Assy., Air cleaner (Incl. 90,91,92,93,94,96)	(Use in
730561 assembly only)	•
101 34167 Bracket, Fuel tank	
102 650665 Screw, 1/4-14 x 7/8"	
103 34168 Bracket, Fuel tank mounting	
104 34156A Fuel Tank (Incl. 105 & 107) NOTE: These tanks	
with different size fuel inlet openings. Tanks with	
I.D. opening use fuel cap 33032 or 34210. Tanks	with the
1-1/2" I.D. opening use fuel cap 35355.	
105 410144B Fuel Cap (White Plastic)(Std.)(As req uired)	
	(a) /I lag ag
105 33032 Fuel Cap (Red Plastic) (Spurt resistant, Low profi	e) (Use as
required)	
105 34210 Fuel Cap (Red Plastic) (Spurt resistant, High profi	le) (Use as
required)	-, (
105 35355 Fuel Cap (Red plastic) (Use as requir ed)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired) 106 30962 Fuel Line (Braided, 32") (Use as required)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired) 106 30962 Fuel Line (Braided, 32") (Use as required) 107 26460 Clamp, Fuel line (Use as required)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired) 106 30962 Fuel Line (Braided, 32") (Use as required) 107 26460 Clamp, Fuel line (Use as required) 108 32158E Blower Housing (For electric starter)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired) 106 30962 Fuel Line (Braided, 32") (Use as required) 107 26460 Clamp, Fuel line (Use as required)	
106 29774 Fuel Line (Braided, 8 1/4") (Use as r equired) 106 30962 Fuel Line (Braided, 32") (Use as required) 107 26460 Clamp, Fuel line (Use as required) 108 32158E Blower Housing (For electric starter)	

www.mymowerparts.com

	Part Number	Qty	
	34390 391026		Deflector, Exhaust (Optional) Opt Spork Arrest Muf (Incl 143 143 A 1 43 P)
			Opt.Spark Arrest Muf.(Incl.143,143A,1 43B) Muffler
	32401		
	30196		Screw, 5/16-18 x 3/4"
	26073		Washer, Flat
	650694A		Screw, 5/16 - 18 x 2"
	32125		Cup, Starter
	35009		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	29716		Screw, 1/4-28 x 7/16"
	31691		Bracket, Air cleaner
	28820		Screw, 10-32 x 1/2"
	30727		Element, Air cleaner
	31715		Body, Air cleaner
124	650152		Screw, 8-32 x 3/8"
136A	35540		Clip, Oil fill tube
138	34663		Spring, Speed control
139	650821		Screw, 10-32 x 1/2"
140	30747		Clip, Spark plug shorting
141	650890		Lockwasher, Shakeproof, 5/16
143	650578		Screw, 8-18 x 3/8" (Use as required)
143A	33171		Screen, Muffler (Use as required)
143B	33185		Cover & tube, Muffler (Use as require d)
	33323		Screen, Muffler (Use as required)
	33700		Cover & Tube, Muffler (Use as require d)
	35555		Dipstick
	34999		"O" Ring
	35554		Oil Fill Tube
	34174		Deflector, Exhaust
	650665		Screw, 1/4-15 x 7/8"
	730130		Muffler Adapter Kit (Incl.110,112)(As req.)
	730561		Air Cleaner Kit
			(Incl.74,79,80,87,88,89,90,91,92,94,95,96,97,99,100 & 230C)
			(Used only on engine with an externally vented fully
			adjustable carburetor)
			•
201	730164		Air Cleaner Ass'y. (Red Poly)(Incl.87,120,121,122,123,124 &
			230)(As req.)
201	730164		Air Cleaner Kit, Mini bike (Incl.87,120,121,122,123 & 124)
			(Use as required)
	044004		• ,
	611084		Flywheel
	650872		Stud, Solid State mounting
	34443A		Solid State Assy. (Incl. 54)
	34346		Decal, Instruction
	550223		Decal, Name
	35344		Decal, Control
	30547A		Breaker Assy (Used on Std. Point igni tion)
	631021		Inlet, Needle Seat & Clip Assy.
	611077		Alternator (Optional)
	650868		Screw, 8-18 x 1-1/8" (3 required)(Opt .)
242	611078		Connector, A.C. Lighting (Optional)
242	611079		Connector, D.C. Charging (Optional)
	590610		Tube, Centering (Optional)
	590613		Alternator Shaft (Optional)
	632230		Carburetor (Incl. 85) (Refer to Division 5, Section A, Page
			182 for breakdown)
			,

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 5 of 5

Engine Parts List

Ref #	Part Number	Qty [Description
252	590420A		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
254	33328D	r á k r	Starter Motor Kit (110-120 volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#255). Refer to service number stamped on end cap of motor or on decal for identificat
255	30811A	•	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition before 1982)
255	611042	•	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above) (Used on Std. point ignition 1982 or later)
255	611085	ι	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter motor kits listed above) (Used on solid state external ignition)
256	33235A	(Gasket Set (Incl. items marked*)