
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

Ref #	Part Number Qty	Description
	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	
		Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810	Pin, Valve spring retainer
11	33391B	Crankshaft (Incl. 12, 13, 78 & 79)
12	29783	Pin, Crankshaft gear
13	31931	Gear, Crankshaft
14A	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
14A	32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
	34509	Piston, Pin & Ring Set (.010" OS)
	34510	Piston, Pin & Ring Set (.020" OS)
	34850	Piston, Pin & Ring Set (.030" OS)
	34523	Piston, Pin & Ring Set (.040" OS)
	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32004	Ring Set (Std.) (3-5/16" Bore)
	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
	32623	Ring Set (.020 '03) Ring Set (.030" OS)
	32624	
		Ring Set (.040" OS)
	32321	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	31956A	* Gasket, Cylinder cover
	32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	29673	* Gasket, Oil fill
25A	35499	"O" Ring
26	33069	Dipstick (Incl. 25A)
28	32426	Spacer, Governor rod
29	650588	Screw, 1/4-20 x 2"
30	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
00		······································

www.mymowerparts.com

39 3 40 3 41 3 42 43 3 44 45 2 46 3 47 48 49 5 51 6 51 6 51 6 51 6 51 6 51 6 51 6 51	81965 80312 81967 80590A 82425 81948 829193 81947 81930 82000A 83034 850694A 850694A 850695A 850695A 850697A 850697 850692 850603 83636 84251 83035 88537 850691	Qty	Plate, Governor spring Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Governor Ring, Retaining Gear Assy., Governor Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as required) Screw, 5/16-18 x 1-3/4" (Use as required) Screw, 5/16-18 x 5/8" (Use as required) Washer, Flat (Use as required) Washer, Plain Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Bracket, Fuel tank Fuel Cap (White Plastic) (Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
65 6 66 6 67 6 67 7 70B 2 71 2 72 2 72 3 72 3 72 3 73 3 74 6 78 3	81979 650451 650456 650517 650561 80063 792028 29683 26460 29774 80705 80962 80962 80965 82579 650561 81932 81928 82031		required) Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Strainer & Shut-off, Fuel Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as required) Fuel Line (Braided) (16") (Use as required) Fuel Line (Braided) (32") (Use as required) Fuel Line (Braided) (48") (Use as required) Fuel Line (Braided) (48") (Use as required) Baffle, Blower housing Screw, 1/4-20 x 5/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required


www.mymowerparts.com

Pof #	Part Number Qt	y Description
	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121 122D 125A 126 128	650679 792028 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 29752 650587 27272 650399 30767 32376 32378 32009 650513 650713 650429	Lockwasher, 5/16" (Use as required) Screw, 5/16-18 x 7/8" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Bracket, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
128 141A 141	792028 8274 26073 31960	Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required) Washer, Flat (Use as required) * Gasket, Carburetor

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 5 of 9 Engine Parts List #1


Ref #	Part Number Qty	Description
147	31959	Baffle, Air
151	33356	Terminal, Ground
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
	650713	Screw, 5/16-18 x 5/8"
	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	650661	Screw, 1/4-20 x 3/4"
	610408	Nut, Hex
	610750	Grommet, Lead wire
	610748	Solid State Magneto (Incl.151,173,265 ,266)
	610746	Solid State Flywheel
	31752	Decal, Air cleaner
	550223	Decal, Name
	32676	Decal, Solid State
	34346	Decal, Instruction
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631564	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 7 of 9 Engine Parts List #2

Rof #	Part Number C	ty Description
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	650701	Screw, 8-18 x 7/16" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
252	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
254	610761	Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 & 257A)
255	650416	Screw, 10-32 x 1"
256	610922	Terminal, Female
257B	610824	Flat Connector (Female terminals) (As req.)
257A	610819	Connector, Pyramid (For female termin als)
	610750	Grommet, Lead wire
	610749	Solid State Regulator (10 Amp)
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
303	33835	Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 9 of 9 Engine Parts List #3

Ref #	Part Number Qty	Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
123A	32008	Element, Air cleaner
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"