
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEML



www.mymowerparts.com

Ref #	Part Number	Qty	Description
	33039	٠.,	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652		Pin, Dowel
	31950		Seal, Oil
	31940		Intake Valve (Std.)
	31941		Intake Valve (1/32" OS) (Incl. 9)
	31942		Exhaust Valve (Std.)
	31943		Exhaust Valve (3.05) (Incl. 9)
	650592		Key, Flywheel
	31944		Spring, Valve
	31946		Cap, Lower valve spring (1/32" OS)
	31945		
	32475		Cap, Lower valve spring (Std.) Cap, Lower valve spring (Rotator)
	20810		Pin, Valve spring retainer
	32059B		Crankshaft (Incl. 12, 13, 17, 78 & 79 )
	29783		Pin, Crankshaft gear
	31931		•
	34508		Gear, Crankshaft  Picton, Pin & Ping Set (Std.) (2.5/16. " Pore)
	34509		Piston, Pin & Ring Set (Std.) (3-5/16 " Bore) Piston, Pin & Ring Set (.010" OS)
	34510		,
	34850		Piston, Pin & Ring Set (.020" OS)
	34523		Piston, Pin & Ring Set (.030" OS)
	32620B		Piston, Pin & Ring Set (.040" OS) Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32020B 32001C		Piston & Pin Ass y. (.040 'O3) (incl. 16) Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B		
	32003B		Piston & Pin Ass'y. (.010" OS) (Incl. 16) Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32004		Ring Set (Std.) (3-5/16" Bore)
	32005		Ring Set (.010" OS)
	32006		Ring Set (.020" OS)
	32623		Ring Set (.030" OS)
	32624		Ring Set (.030 °OS)
	32321		Re-Ringing Set, Piston
	31919		Ring, Piston pin retaining
	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150		Camshaft (MCR)
	31939		Lifter, Valve
	31956A		* Gasket, Cylinder cover
	32580A		Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	31985		Oil Fill Tube
	29673		* Gasket, Oil fill
	35499		"O" Ring
	29673		* Gasket, Oil fill tube
	33070		Dipstick (Incl. 25A)
	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
	31927		Oil Drain Plug
	31968		Link, Governor
	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
	650518		Lockwasher
	650544		Screw, 10-24 x 7/8"
51	000011		0.0

www.mymowerparts.com


	Part Number	Qty	Description
	7975		Nut, 10-24
	31965		Plate, Governor spring
	30312		Screw, 10-32 x 1/2"
	31967		Spring, Governor
	30590A		Washer, Flat
43	32425		Rod Assy., Governor
44	31948		Spool, Governor
45	29193		Ring, Retaining
46	31947		Gear Assy., Governor
47	31930		Shaft, Mechanical Governor
48	32000A		* Gasket, Cylinder head
49	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650692		Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		, ,
			Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	31978		Bracket, Fuel tank
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
64	31979		Strap, Fuel tank
	650451		Screw, 1/4-20 x 1"
			·
	650456 650517		Nut, Flange whiz-lock, 1/4-20
	650517		Screw, 1/4-20 x 27/32" (Use as required)
	650561		Screw, 1/4-20 x 5/8" (Use as required )
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	8345		Washer, Flat
	8303		Lockwasher
	29683		Strainer & Shut-off, Fuel
	26460		Clamp, Fuel line (Use as required)
	29774		Fuel Line (Braided) (8.25") (Use as r equired)
	30705		Fuel Line (Braided) (16") (Use as req uired)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
73	32579		Baffle, Blower housing
74	650561		Screw, 1/4-20 x 5/8"
	33356		Terminal
	28545		Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
7.0	<del></del>		

Ref #	Part Number	Qty Description
	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32677	"O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120	650668 650679 650666 650594 33044A 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 29752 650587 27272 650399 30767	Screw, 10-32 x 1" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner
122E	32376 32378	Bracket, Air cleaner Bracket, Air cleaner

www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


		Description
	32009	Cover, Air cleaner
126	650513	Nut, Wing
128	650713	Screw, 5/16-18 x 5/8" (Use as require d)
128	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26073	Washer, Flat (Use as required)
141A		Lockwasher, Split (Use as required)
	31960	* Gasket, Carburetor
	31959	Baffle, Air
	730201	Trigger Pin Kit (Use as required)
	610118	Cover, Spark plug (Use as required)
	31992	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	610750	Grommet, Lead wire
	610773	Solid State Flywheel
	550223	Decal, Name
	32676	Decal, Solid State
	31752	Decal, Air cleaner
	34346	Decal, Instruction
	32411A	Valve, Seat, Spring & Gasket Assy.
301	631304A	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 7 of 9 Engine Parts List #2

	D (N )	<u> </u>	
	Part Number	Qty	Description
	27070		Washer, Lock 1/4 E.T. (Use as require d)
	650675		Washer, Flat 1/4 (Use as required)
	650701		Screw, 8-18 x 7/16" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use
			as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
257B	610824		Flat Connector (Female terminals) (As req.)
260A	610759		Solid State Magneto
261	650489		Screw, 1/4-20 x 5/8"
261A	650669		Screw, 5/16-18 x 1-1/4"
262	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
263	650561		Screw, 1/4-20 x 5/8"
266	610750		Grommet, Lead wire
275	730198		Starter Switch Kit(Incl. 287-298) (As req.)
277	30831		Ground Wire (Incl. 75)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835
			starter motors are used interchangeably on the se models.
			Refer to service numberstamped on end cap of motor, or on
			decal for identification. Refer to Division 5, Section D for
			breakdown.



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

HH100-115155C	Page 9 of 9
Engine Parts List #3	3

Ref #	Part Number Q	y Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
123A	32008	Element, Air cleaner
237	32958	Fitting, Fuel
238	32959	Fuel Pump, Impulse
239	33010	Repair Kit, Impulse fuel pump