
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH100-115180D Page 1 of 9 Engine Parts List #1

ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number	Qty	Description
1	33039		Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
2	27652		Pin, Dowel
4	31950		Seal, Oil
5	31940		Intake Valve (Std.)
5	31941		Intake Valve (1/32" OS) (Incl. 9)
	31942		Exhaust Valve (Std.)
	31943		Exhaust Valve (1/32" OS) (Incl. 9)
	650592		Key, Flywheel
	31944		Spring, Valve
	31945		Cap, Lower valve spring (Std.)
	31946		Cap, Lower valve spring (1/32" OS)
	31946		Cap, Lower valve spring (1/32" OS)
	31945		Cap, Lower valve spring (Std.)
	20810		Pin, Valve spring retainer
	33391B		Crankshaft (Incl. 12, 13, 78 & 79)
	29783		Pin, Crankshaft gear
	31931		Gear, Crankshaft
	32001C		Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32003B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B		Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508		Piston, Pin & Ring Set (Std.) (3-5/16 "Bore)
	34509		Piston, Pin & Ring Set (.010" OS)
	34510		Piston, Pin & Ring Set (.020" OS)
	34850		Piston, Pin & Ring Set (.030" OS)
	34523		Piston, Pin & Ring Set (.040" OS)
	32620B		Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32004		Ring Set (Std.) (3-5/16" Bore)
	32005		Ring Set (.010" OS)
	32006		Ring Set (.020" OS)
	32623		Ring Set (.030" OS)
	32624		Ring Set (.040" OS)
	32321		Re-Ringing Set, Piston
	31919		Ring, Piston pin retaining
	33093A		Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383		Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384		Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077		Bolt, Connecting rod
	26073		Washer, Connecting rod
	28264		Nut Assy., Lock
	32150		Camshaft (MCR)
	31939		Lifter, Valve
	31956A		* Gasket, Cylinder cover
	32580A		Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
	32205		Oil Fill Tube
	29673		* Gasket, Oil fill tube
	29985		"O" Ring
	35499		"O" Ring
	33358		Dipstick (Incl. 25A)
	32426		Spacer, Governor rod
	650588		Screw, 1/4-20 x 2"
	31968		Link, Governor
	650451		Screw, 1/4-20 x 1"
	31964		Clamp, Governor lever
	29193		Ring, Retaining
	31963		Lever, Governor adjusting
	650518		Lockwasher
	650544		Screw, 10-24 x 7/8"
51		***	

38 39 40 41 42 43 44 45 46 47 48 49 51 51 51 51 51 51 51 51 51 51 51 51 51	Part Number 7975 31965 30312 31967 30590A 32425 31948 29193 31947 31930 32000A 32000A 33034 650694A 650711 650695A 650695A 650697A 650692 650603 33636 34251 33035 28537 650691 650690 8274 650128 31976	Qty	DescriptionNut, 10-24Plate, Governor springScrew, 10-32 x 1/2"Spring, GovernorWasher, FlatRod Assy., GovernorSpool, GovernorSpool, GovernorShaft, Mechanical Governor* Gasket, Cylinder headHead, CylinderScrew, 5/16-18 x 2" (Use as required)Screw, 5/16-18 x 2-3/8" (Use as required)Screw, 5/16-18 x 2-3/8" (Use as required)Screw, 5/16-18 x 2-3/8" (Use as required)Screw, 5/16-18 x 2-1/4" (Use as required)Screw, 5/16-18 x 2-1/4" (Use as required)Screw, 5/16-18 x 1-5/8" (Use as required)Screw, 5/16-18 x 2-1/2" (Use as required)Screw, 5/16-18 x 1-5/8" (Use as required)Screw, 5/16-18 x 1-5/8" (Use as required)Screw, 5/16-18 x 1-3/4" (Use as required)Screw, 5/16-18 x 5/8" (Use as required)Screw, 5/16-18 x 1-3/4" (Use as required)Screw, 5/16-18 x 1-3/4" (Use as required)Screw, 5/16-18 x 5/8" (Use as required)Washer, PlainWasher, PlainWasher, Flat (Use as required)Washer, Belleville (Use as required)Washer, Lock (Use as required)Washer, Lock (Use as required)Screw, 10-24 x 1/2"Extension, Blower housing
	410144B 34210		Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
67 67 70B 71 72 72 72 72 72 72 73 74 73 74 78 79	650517 650561 30063 792028 29683 26460 29774 30705 30962 30965 32579 650561 31932 31928 32031		Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Strainer & Shut-off, Fuel Clamp, Fuel line (Use as required) Fuel Line (Braided) (8.25") (Use as required) Fuel Line (Braided) (16") (Use as req uired) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Baffle, Blower housing Screw, 1/4-20 x 5/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

Ref #	Part Number C	Aty Description
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 113 114 115 120 121 122E 123 125A 126 128 128	792028 650679 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31984A 650597 650591 33099 32042 34238 33038 29752 650587 27272 650399 30767 32377 31925 31926 650513 650713 650713 650713	Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Element, Air cleaner Element, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
141A 141	792028 8274 26073 31960	Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required) Washer, Flat (Use as required) * Gasket, Carburetor

		Qty	Description
	31959		Baffle, Air
	33356		Terminal, Ground
	730201		Trigger Pin Kit (Use as required)
	610118		Cover, Spark plug (Use as required)
	32426		Spacer, Screen
	650675		Washer, Flat 1/4"
	8345		Washer, 1/4 plain (Use as required)
	27070		Washer, Lock 1/4 E.T. (Use as require d)
	650675		Washer, Flat 1/4 (Use as required)
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	650713		Screw, 5/16-18 x 5/8"
	26073		Washer, Flat
	32154		Cap, Pipe
	32673		Nipple, Pipe
	33776		Screen, Starter pulley
	650670		Screw, 1/4-20 x 3/4"
	32046		Rope Assy., Starter (Use as required)
	650661		Screw, 1/4-20 x 3/4"
	610408		Nut, Hex
	610750		Grommet, Lead wire
	610748		Solid State Magneto (Incl.151,173,265 ,266)
	610746		Solid State Flywheel
	34346		Decal, Instruction
	31752		Decal, Air cleaner
	550223		Decal, Name
	34768		Decal, Name
	32676		Decal, Solid State
	32411A		Valve, Seat, Spring & Gasket Assy.
301	631304A		Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH100-115180D Page 6 of 9 Engine Parts List #2



Ref #	Part Number	Qty	
	27070 650675		Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required)
	650701		Screw, 8-18 x 7/16" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
	650736 730134		Screw, 10-16 x 3/8" (Use as required) Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
	33018 610761		Harness Assy., Adapter (Use as requir ed) Alternator Coil (Solid State) (10 Amp) (Incl. Nos. 253, 256 & 257A)
256 257B 257A 266 268	650416 610922 610824 610819 610750 610749 730198		Screw, 10-32 x 1" Terminal, Female Flat Connector (Female terminals) (As req.) Connector, Pyramid (For female termin als) Grommet, Lead wire Solid State Regulator (10 Amp) Starter Switch Kit(Incl. 287-298) (As req.)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH100-115180D Page 8 of 9 Engine Parts List #3

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
111	650590		Nut, Conduit
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
122	32919		Bracket, Air cleaner
160	32920		Elbow, Air cleaner
161	650416		Screw, 10-32 x 1" (two required)
162	650583		Washer, Plain
163	28788		Screw, 8-32 x 1/2"
172	31990		Bracket, Choke control
184	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	32958		Fitting, Fuel
	32959		Fuel Pump, Impulse
239	33010		Repair Kit, Impulse fuel pump