
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

| Ref # | Part Number Qty | Description |
|-------|-----------------|--|
| | 33039 | Cylinder (Incl.2,4,30,47,119) (3-5/16 ") |
| | 27652 | Pin, Dowel |
| | 31950 | Seal, Oil |
| | 31940 | Intake Valve (Std.) |
| | 31941 | |
| | | Intake Valve (1/32" OS) (Incl. 9) |
| | 31942 | Exhaust Valve (Std.) |
| | 31943 | Exhaust Valve (1/32" OS) (Incl. 9) |
| | 650592 | Key, Flywheel |
| | 31944 | Spring, Valve |
| | 31946 | Cap, Lower valve spring (1/32" OS) |
| | 31945 | Cap, Lower valve spring (Std.) |
| | 31945 | Cap, Lower valve spring (Std.) |
| | 31946 | Cap, Lower valve spring (1/32" OS) |
| | 20810 | Pin, Valve spring retainer |
| 11 | 33391B | Crankshaft (Incl. 12, 13, 78 & 79) |
| 12 | 29783 | Pin, Crankshaft gear |
| 13 | 31931 | Gear, Crankshaft |
| | 32001C | Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16") |
| | 32002B | Piston & Pin Ass'y. (.010" OS) (Incl. 16) |
| | 32003B | Piston & Pin Ass'y. (.020" OS) (Incl. 16) |
| | 32619B | Piston & Pin Ass'y. (.030" OS) (Incl. 16) |
| | 34508 | Piston, Pin & Ring Set (Std.) (3-5/16 " Bore) |
| | 34509 | Piston, Pin & Ring Set (.010" OS) |
| | 34510 | Piston, Pin & Ring Set (.010 OS) |
| | 34850 | Piston, Pin & Ring Set (.020 OS) Piston, Pin & Ring Set (.030" OS) |
| | | · · · · · · · · · · · · · · · · · · · |
| | 34523 33630B | Piston, Pin & Ring Set (.040" OS) |
| | 32620B | Piston & Pin Ass'y. (.040" OS) (Incl. 16) |
| | 32004 | Ring Set (Std.) (3-5/16" Bore) |
| | 32005 | Ring Set (.010" OS) |
| | 32006 | Ring Set (.020" OS) |
| | 32623 | Ring Set (.030" OS) |
| | 32624 | Ring Set (.040" OS) |
| | 32321 | Re-Ringing Set, Piston |
| | 31919 | Ring, Piston pin retaining |
| | 33093A | Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20) |
| 17 | 34383 | Connecting Rod Assy.(.010" US)(Incl.1 8,19,20) |
| | 34384 | Connecting Rod Assy. (.020" US) (Incl. 1 8,19,20) |
| | 32077 | Bolt, Connecting rod |
| | 26073 | Washer, Connecting rod |
| | 28264 | Nut Assy., Lock |
| | 32150 | Camshaft (MCR) |
| | 31939 | Lifter, Valve |
| | 32580A | Cover, Cylinder (Incl. 4, 28, 30, 34, & 43) |
| | 31956A | * Gasket, Cylinder cover |
| | 29673 | * Gasket, Oil fill |
| | 33069 | Dipstick (Incl. 25A) |
| | 32426 | • • • |
| | | Spacer, Governor rod |
| | 650588 | Screw, 1/4-20 x 2" |
| | 31927 | Oil Drain Plug |
| | 31968 | Link, Governor |
| | 650451 | Screw, 1/4-20 x 1" |
| | 31964 | Clamp, Governor lever |
| | 29193 | Ring, Retaining |
| | 31963 | Lever, Governor adjusting |
| | 650518 | Lockwasher |
| 37 | 650544 | Screw, 10-24 x 7/8" |
| 38 | 7975 | Nut, 10-24 |
| 39 | 31965 | Plate, Governor spring |

Plate, Governor spring www.mymowerparts.com

| D-4# | Dod Novele or | Description |
|------|-----------------|--|
| | Part Number Qty | |
| | 30312 | Screw, 10-32 x 1/2" |
| | 31967 | Spring, Governor |
| | 30590A | Washer, Flat |
| | 32425 | Rod Assy., Governor |
| | 31948 | Spool, Governor |
| 45 | 29193 | Ring, Retaining |
| 46 | 31947 | Gear Assy., Governor |
| 47 | 31930 | Shaft, Mechanical Governor |
| 48 | 32000A | * Gasket, Cylinder head |
| 49 | 33034 | Head, Cylinder |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| | 650711 | Screw, 5/16-18 x 1-5/8" (Use as requi red) |
| | 650628A | Screw, 5/16-18 x 2-3/8" (Use as requi red) |
| | 650695A | Screw, 5/16-18 x 2-1/4" (Use as requi red) |
| | 650714 | Screw, 5/16-18 x 1-5/8" (Use as requi red) |
| | 650697A | Screw, 5/16-18 x 2-1/2" (Use as required) |
| | 650692 | Screw, 5/16-18 x 1-3/4" (Use as required) |
| | | |
| | 650603 | Screw, 5/16-18 x 5/8" (Use as require d) |
| | 33636 | Resistor Spark Plug (RJ-8C) |
| | 34251 | Resistor Spark Plug (RJ-17LM) |
| | 33035 | Cover, Cylinder head |
| | 28537 | Washer, Plain |
| | 650691 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville (Use as required) |
| 58 | 8274 | Washer, Lock (Use as required) |
| 59 | 650128 | Screw, 10-24 x 1/2" |
| 60 | 31976 | Extension, Blower housing |
| 61 | 31978 | Bracket, Fuel tank |
| | 410144B | Fuel Cap (White Plastic)(Std.)(As req uired) |
| | 34210 | Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as |
| | | required) |
| 0.4 | 04070 | • • |
| | 31979 | Strap, Fuel tank |
| | 650451 | Screw, 1/4-20 x 1" |
| | 650456 | Nut, Flange whiz-lock, 1/4-20 |
| | 650517 | Screw, 1/4-20 x 27/32" (Use as requir ed) |
| | 650561 | Screw, 1/4-20 x 5/8" (Use as required) |
| | 30063 | Screw, 1/4-20 x 1/2" (Use as required) |
| | 792028 | Screw, 5/16-18 x 7/8" (Use as require d) |
| | 29683 | Strainer & Shut-off, Fuel |
| 71 | 26460 | Clamp, Fuel line (Use as required) |
| 72 | 30962 | Fuel Line (Braided) (32") (Use as req uired) |
| 72 | 30965 | Fuel Line (Braided) (48") (Use as req uired) |
| | 29774 | Fuel Line (Braided) (8.25") (Use as r equired) |
| | 30705 | Fuel Line (Braided) (16") (Use as req uired) |
| | 31975 | Baffle, Blower housing |
| | 650561 | Screw, 1/4-20 x 5/8" |
| | 33356 | Terminal |
| | 28545 | Grommet, Plastic |
| | 650760 | Screw, 8-32 x 3/8" |
| | 31932 | |
| | | Bearing, Tapered roller |
| | 31928 | Cup, Bearing |
| 80 | 32031 | Spacer, Steel (.010" thick) NOTE: Determine the gap |
| | | between the cover and the machined surface on the cylinder |
| | | which can be from .001"up to .007" in which case no shim |
| | | gaskets will be required. Use of gasket must be limited to a |
| | | combined total of .010" thick. Steel spacersmust be used |
| | | as required |
| | | |


www.mymowerparts.com

| | D (N) | |
|---|--|---|
| | Part Number Qty | |
| 81 | 31971 | * Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req |
| 82 | 31972 | * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req |
| | 32599 32577 | "O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat |
| 84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 115 120 121 | 792028 650679 650666 650594 33037 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 32042 32043B 33038 27272 650399 30767 32810 | eliminat Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Housing Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Cover, Air cleaner |
| 126 128 128 128 141 141A 145 146 | 650513 650713 650429 792028 26073 8274 33263 650451 34061 | Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Washer, Flat (Use as required) Lockwasher, Split (Use as required) * Gasket, Carburetor Screw, 1/4-20 x 1" Baffle, Air |

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|---|
| 151 | 610908 | | Terminal, Female |
| 156 | 730201 | | Trigger Pin Kit (Use as required) |
| 173 | 610118 | | Cover, Spark plug (Use as required) |
| 176 | 31992 | | Spacer, Screen |
| 177 | 8345 | | Washer, 1/4 plain (Use as required) |
| 178 | 27070 | | Washer, Lock 1/4 E.T. (Use as require d) |
| 178 | 650675 | | Washer, Flat 1/4 (Use as required) |
| | 650713 | | Screw, 5/16-18 x 5/8" |
| | 26073 | | Washer, Flat |
| | 33776 | | Screen, Starter pulley |
| | 31980 | | Pulley, Starter |
| | 650680 | | Screw, 1/4-20 x 1-1/2" |
| | 32046 | | Rope Assy., Starter (Use as required) |
| | 650399 | | Screw, 10-32 x 5/8" |
| | 610965 | | Solid State Stator Plate Ass'y. |
| | 650661 | | Screw, 1/4-20 x 3/4" |
| | 610408 | | Nut, Hex |
| | 610750 | | Grommet, Lead wire |
| | 610906 | | Solid State Magneto (Incl.151,173,265,266)(20 Amp) |
| | 611000 | | Flywheel |
| | 550223 | | Decal, Name |
| | 32676 | | Decal, Solid State |
| | 34346 | | Decal, Instruction |
| | 31752 | | Decal, Air cleaner |
| | 631021 | | Inlet Needle, Seat & Clip Assy. |
| 301 | 631975 | | Carburetor (Incl. 145) (Refer to Division 5, Section A, page 150 for breakdown) |
| 304 | 33237A | | * Gasket Set (Incl. items marked *) |



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 7 of 9 Engine Parts List #2

| | 5 (1) | <u> </u> | |
|-----|-------------|----------|---|
| | Part Number | Qty | |
| 178 | 27070 | | Washer, Lock 1/4 E.T. (Use as require d) |
| 178 | 650675 | | Washer, Flat 1/4 (Use as required) |
| 180 | 650701 | | Screw, 8-18 x 7/16" (Use as required) |
| 222 | 792028 | | Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor) |
| 222 | 650781 | | Screw,5/16-18 x 11/16"(Use w/33835 st r.motor) |
| 235 | 34276 | | Plate, Cover (Use as required to cover regulator mounting |
| | | | hole in blower housing) |
| 236 | 650736 | | Screw, 10-16 x 3/8" (Use as required) |
| 252 | 730134 | | Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use |
| | | | as required) |
| 253 | 33018 | | Harness Assy., Adapter (Use as requir ed) |
| | 610824 | | Flat Connector (Female terminals) (As req.) |
| | | | |
| | 610750 | | Grommet, Lead wire |
| 275 | 730198 | | Starter Switch Kit(Incl. 287-298) (As req.) |



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 9\ of\ 9}$ Engine Parts List #3

| Ref # | Part Number | Qty | Description |
|-------|-------------|-----|--|
| 41 | 31967 | | Spring, Governor |
| 62A | 31977 | | Fuel Tank (Incl. 63) |
| 71 | 26460 | | Clamp, Fuel line (Use as required) |
| 72 | 30962 | | Fuel Line (Braided) (32") (Use as req uired) |
| 72 | 30965 | | Fuel Line (Braided) (48") (Use as req uired) |
| 72 | 29774 | | Fuel Line (Braided) (8.25") (Use as r equired) |
| 72 | 30705 | | Fuel Line (Braided) (16") (Use as req uired) |
| 119 | 28534 | | Pipe Plug, 1/8-27 (Use as required) |
| 119 | 9556 | | Plug, Pipe, 1/8-27 (Use as required) |
| 122C | 32907B | | Bracket, Air cleaner |
| 122B | 34065 | | Bracket, Air cleaner |
| 123A | 32008 | | Element, Air cleaner |