
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEML



www.mymowerparts.com

Ref #	Part Number Qty	Description
	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652	Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
6	31943	Exhaust Valve (1/32" OS) (Incl. 9)
7	650592	Key, Flywheel
8	31944	Spring, Valve
9	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810	Pin, Valve spring retainer
	33397A	Crankshaft (Incl. 12, 13, 78 & 79)
	29783	· · · · · · · · · · · · · · · · · · ·
		Pin, Crankshaft gear
	34692	Gear, Crankshaft Pieton, Pie, & Pieton Cet (Ctd.) (2.5/46. Porto)
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
	34509	Piston, Pin & Ring Set (.010" OS)
	34510	Piston, Pin & Ring Set (.020" OS)
	34850	Piston, Pin & Ring Set (.030" OS)
	34523	Piston, Pin & Ring Set (.040" OS)
14	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14A	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
14A	32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A	32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32004	Ring Set (Std.) (3-5/16" Bore)
	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
	32623	Ring Set (.030" OS)
	32624	Ring Set (.040" OS)
	32321	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
		O
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	34693	Camshaft (MCR) (Helical)
	31939	Lifter, Valve
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
23A	31956A	* Gasket, Cylinder cover
25A	29673	* Gasket, Oil fill
26	33069	Dipstick (Incl. 25A)
	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
		• :
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
38	7975	Nut, 10-24 ₂

www.mymowerparts.com

39 40 41 42 43 44 45 46 47 48 49 51 51	F Part Number 31965 30312 31967 35479 32425 35322 29193 34691 31930 32000A 33034 650694A 650711 650628A 650695A	Qty	Description Plate, Governor spring Screw, 10-32 x 1/2" Spring, Governor Washer, Flat Rod Assy., Governor Spool, Mech. Governor Ring, Retaining Governor Gear Ass'y. (Helical) Shaft, Mechanical Governor * Gasket, Cylinder head Head, Cylinder Screw, 5/16-18 x 2" (Use as required) Screw, 5/16-18 x 2-3/8" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red) Screw, 5/16-18 x 2-1/4" (Use as requi red)
51 51 53 53 54 55 57 58 58 59 60 61 63	650714 650697A 650692 650603 3 33636 3 34251 3 33035 5 28537 650691 6 650690 8 8274 0 650128 3 31976 3 1978 3 410144B		Screw, 5/16-18 x 1-5/8" (Use as requi red) Screw, 5/16-18 x 2-1/2" (Use as requi red) Screw, 5/16-18 x 1-3/4" (Use as requi red) Screw, 5/16-18 x 5/8" (Use as require d) Resistor Spark Plug (RJ-8C) Resistor Spark Plug (RJ-17LM) Cover, Cylinder head Washer, Plain Washer, Flat (Use as required) Washer, Belleville (Use as required) Washer, Lock (Use as required) Screw, 10-24 x 1/2" Extension, Blower housing Bracket, Fuel tank Fuel Cap (White Plastic)(Std.)(As req uired) Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
65 66 67 67 67 70B 71 72 72 72 72 73 74 78	31979 650451 650456 650517 650561 30063 792028 29683 26460 230705 230962 230965 229774 332579 650561 31932 31928		Strap, Fuel tank Screw, 1/4-20 x 1" Nut, Flange whiz-lock, 1/4-20 Screw, 1/4-20 x 27/32" (Use as required) Screw, 1/4-20 x 5/8" (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Screw, 5/16-18 x 7/8" (Use as required) Strainer & Shut-off, Fuel Clamp, Fuel line (Use as required) Fuel Line (Braided) (16") (Use as req uired) Fuel Line (Braided) (32") (Use as req uired) Fuel Line (Braided) (48") (Use as req uired) Fuel Line (Braided) (8.25") (Use as r equired) Baffle, Blower housing Screw, 1/4-20 x 5/8" Bearing, Tapered roller Cup, Bearing Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required

	Part Number Qty	Description
	31971 Qty	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 95 96 98 99 100 101 104 105 106 107 108 109 112 115 125A 126 128 128 128 141A 141 145 146 147	26073 33263 650451 34061 610908	Lockwasher, 5/16" (Use as required) Screw, 5/16-18 x 7/8" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 3/8" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Cover, Air cleaner Nut, Wing Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as required) Washer, Flat (Use as required) * Gasket, Carburetor Screw, 1/4-20 x 1" Baffle, Air Terminal, Female
173	730201 610118 31992	Trigger Pin Kit (Use as required) Cover, Spark plug (Use as required) Spacer, Screen

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


Ref #	Part Number	Qty	Description
177	8345		Washer, 1/4 plain (Use as required)
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
187	650713		Screw, 5/16-18 x 5/8"
188	26073		Washer, Flat
246	33776		Screen, Starter pulley
247	31980		Pulley, Starter
	650680		Screw, 1/4-20 x 1-1/2"
249	32046		Rope Assy., Starter (Use as required)
	650661		Screw, 1/4-20 x 3/4"
	610408		Nut, Hex
266	610750		Grommet, Lead wire
	610906		Solid State Magneto (Incl.151,173,265,266)(20 Amp)
	610901		Solid State Flywheel
	35532		Decal, Name
	34346		Decal, Instruction
	631021		Inlet Needle, Seat & Clip Assy.
301	632424		Carburetor (Incl. 145) (Refer to Division 5, Section A, page
			186 for breakdown)
304	33237A		* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 7\ of\ 9}$ Engine Parts List #2

Ref #	Part Number	Qty	Description
178 180 222 222 235	27070 650675 650701 792028 650781 34276	•	Washer, Lock 1/4 E.T. (Use as require d) Washer, Flat 1/4 (Use as required) Screw, 8-18 x 7/16" (Use as required) Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor) Screw,5/16-18 x 11/16"(Use w/33835 st r.motor) Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
	650736 730134		Screw, 10-16 x 3/8" (Use as required) Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
254A 255 256 257 257B 258 266 268A 269 270A 270 271 272 273 274 275 287 288 289 290 291 292 293 294 295 296 297 298	33018 610902 650521 610904 610824 610903 610750 610996 30063 610990 610921 610992 610989 610992 610999 730198 34614 34615 34616 792026 34619 27513 650864 34620 34618 8274 650586 34617 33835		Harness Assy., Adapter (Use as requir ed) Alternator Coil (20 Amp)(Incl.256,257 ,258) Screw, 10-32 x 1-1/8" Terminal Terminal Flat Connector (Female terminals) (As req.) Connector, Flat Grommet, Lead wire Regulator (20 Amp) (Incl. 270 thru 27 4) Screw, 1/4-20 x 1/2" Connector, Male Connector Terminal, Female Terminal, Female Terminal, Female Terminal, Female Starter Switch Kit(Incl. 287-298) (As req.) Bracket, Starter button Switch, Toggle Switch, Starter Screw, 1/4-20 x 7/8" Wire Assy., Ground Lockwasher, Split Nut, Hex Wire & Fuse Assy. Wire Assy., Starter Lockwasher, Split Nut, Jam Cord Assy., Adapter Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on
294 295 296 297 298	34620 34618 8274 650586 34617		Wire & Fuse Assy. Wire Assy., Starter Lockwasher, Split Nut, Jam Cord Assy., Adapter Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models.



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 9 of 9 Engine Parts List #3

Ref # I	Part Number Qty	Description
41 3	31967	Spring, Governor
62A 3	31977	Fuel Tank (Incl. 63)
71 2	26460	Clamp, Fuel line (Use as required)
72 3	30705	Fuel Line (Braided) (16") (Use as req uired)
72 3	30962	Fuel Line (Braided) (32") (Use as req uired)
72 3	30965	Fuel Line (Braided) (48") (Use as req uired)
72 2	29774	Fuel Line (Braided) (8.25") (Use as r equired)
119 2	28534	Pipe Plug, 1/8-27 (Use as required)
119 9	9556	Plug, Pipe, 1/8-27 (Use as required)
122C 3	32907B	Bracket, Air cleaner
122B 3	34065	Bracket, Air cleaner
123A 3	32008	Element, Air cleaner
184 2	27793	Clip, Conduit
185 2	28942	Screw, 10-32 x 3/8"
200 3	34403	Control Assy., Speed
201 6	650641	Nut, Jam
205 3	34404	Bracket, Speed control
207 6	650561	Screw, 1/4-20 x 5/8"