
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

·	Part Number Qty	Description
1 3	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
2 2	27652	Pin, Dowel
4 3	31950	Seal, Oil
	31940	Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
	31943	Exhaust Valve (1/32" OS) (Incl. 9)
	650592	Key, Flywheel
	31944	Spring, Valve
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (3/32" OS)
	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (1732 CG)
	20810	Pin, Valve spring retainer
	20810 34057A	. •
		Crankshaft (Incl. 12, 13, 78, 79, 210 & 211)
	29783	Pin, Crankshaft gear
	34692	Gear, Crankshaft Biston & Bis Apply (Std.) (Incl. 46) (2, 5/46)
	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
	34509	Piston, Pin & Ring Set (.010" OS)
	34510	Piston, Pin & Ring Set (.020" OS)
	34850	Piston, Pin & Ring Set (.030" OS)
	34523	Piston, Pin & Ring Set (.040" OS)
	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32004	Ring Set (Std.) (3-5/16" Bore)
	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
15 3	32623	Ring Set (.030" OS)
15 3	32624	Ring Set (.040" OS)
15 3	32321	Re-Ringing Set, Piston
16 3	31919	Ring, Piston pin retaining
17 3	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 3	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 3	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 3	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	34752	Camshaft (MCR) (Helical)
	31939	Lifter, Valve
	31956A	* Gasket, Cylinder cover
	34002A	Cover, Cylinder (Incl. 4, 30, 119 & 2 13)
	33468	Oil Fill Tube
25A 2		"O" Ring
	29673	* Gasket, Oil fill tube
	33764	Dipstick
	32426	Spacer, Governor rod
	650492	Screw, 1/4-20 x 2-1/4"
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
		·
	31964 30103	Clamp, Governor lever
	29193 34063	Ring, Retaining
	31963 650548	Lever, Governor adjusting
	650518 650544	Lockwasher
37 (650544	Screw, 10-24 x 7/8"

www.mymowerparts.com

	D (N)	D 14
		y Description
	7975	Nut, 10-24
	31965	Plate, Governor spring
	30312	Screw, 10-32 x 1/2"
	31967	Spring, Governor
42	30590A	Washer, Flat
43	32425	Rod Assy., Governor
44	31948	Spool, Governor
	29193	Ring, Retaining
	34691	Governor Gear Ass'y. (Helical)
	31930	Shaft, Mechanical Governor
	32000A	* Gasket, Cylinder head
	33034	
		Head, Cylinder
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
51	650714	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
51	650692	Screw, 5/16-18 x 1-3/4" (Use as required)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
61	31978	Bracket, Fuel tank
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
00	0.12.10	required)
	31979	Strap, Fuel tank
65	650451	Screw, 1/4-20 x 1"
66	650456	Nut, Flange whiz-lock, 1/4-20
67	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
67	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	29683	Strainer & Shut-off, Fuel
	26460	Clamp, Fuel line (Use as required)
	29774	
		Fuel Line (Braided) (8.25") (Use as required)
	30705	Fuel Line (Braided) (16") (Use as req uired)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	32579	Baffle, Blower housing
74	650561	Screw, 1/4-20 x 5/8"
78	31932	Bearing, Tapered roller
	31928	Cup, Bearing
	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap
00		between the cover and the machined surface on the cylinder
		which can be from .001"up to .007" in which case no shim
		gaskets will be required. Use of gasket must be limited to a
		combined total of .010" thick. Steel spacersmust be used
		as required


www.mymowerparts.com

Ref #	Part Number Qt	y Description
	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82	31972	* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 32577	"O" Ring Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 108 109 112 115 120 121 125A 126 128 128 128 141A 141 145 146	650679 792028 650666 650594 33044A 8274 650595 8274 650595 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33853 32043B 33038 27272 650399 30767 32810 650513 650429 792028 8274 26073 333263 650451 34061	Lockwasher, 5/16" (Use as required) Screw, 5/16-18 x 7/8" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 3/8" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Nipple, Exhaust pipe Muffler Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Cover, Air cleaner Cover, Air cleaner Cover, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Lockwasher, Split (Use as required) * Gasket, Carburetor Screw, 1/4-20 x 1"
151	610908 730201	Baffle, Air Terminal, Female Trigger Pin Kit (Use as required)

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


Ref #	Part Number Qt	y Description
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
216	33467	Tube, Extension, Oil fill
217	650744	Screw, 10-24 x 7/8"
	33776	Screen, Starter pulley
247	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	650661	Screw, 1/4-20 x 3/4"
	610408	Nut, Hex
	610750	Grommet, Lead wire
	610906	Solid State Magneto (Incl.151,173,265,266)(20 Amp)
	610901	Solid State Flywheel
	34346	Decal, Instruction
299B	34768	Decal, Name
	631725	Inlet Needle, Seat & Clip Assy.
301	631969	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 150 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 7 of 9 Engine Parts List #2

Ref #	Part Number	Qty Description
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
222	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
252	730134	Rewind Starter Kit (lncl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
	610824	Flat Connector (Female terminals) (As req.)
266	610750	Grommet, Lead wire
268A	610996	Regulator (20 Amp) (Incl. 270 thru 27 4)
269	30063	Screw, 1/4-20 x 1/2"
270A	610990	Connector, Male
270	610921	Connector
271	610992	Terminal, Female
	610989	Terminal, Female
	610992	Terminal, Female
	610991	Terminal, Female
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
303	33835	Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835
		starter motors are used interchangeably on the se models.
		Refer to service numberstamped on end cap of motor, or on
		decal for identification. Refer to Division 5, Section D for
		breakdown.



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 9\ of\ 9}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
41	31967	-	Spring, Governor
62A	31977		Fuel Tank (Incl. 63)
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)
122C	32907B		Bracket, Air cleaner
122B	34065		Bracket, Air cleaner
123A	32008		Element, Air cleaner
172	31990		Bracket, Choke control
184	27793		Clip, Conduit
185	28942		Screw, 10-32 x 3/8"
	33964		Weight Assy., Counterbalance (Helical teeth) (Incl. 2 of 212)
	33963		Gear, Counterbalance Weight
	33499		Spacer
	33501		Bearing, Needle
	33502		Shaft, Counterbalance
	33503		Washer, Thrust
	792017		Ring, Retaining
	32958		Fitting, Fuel
	32959		Fuel Pump, Impulse
239	33010		Repair Kit, Impulse fuel pump