
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120070C Page 1 of 9 Engine Parts List #1

ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number Qty	Description
1	33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2	27652	Pin, Dowel
4	31950	Seal, Oil
5	31940	Intake Valve (Std.)
5	31941	Intake Valve (1/32" OS) (Incl. 9)
6	31942	Exhaust Valve (Std.)
6	31943	Exhaust Valve (1/32" OS) (Incl. 9)
7	650592	Key, Flywheel
8	31944	Spring, Valve
9	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	32475	Cap, Lower valve spring (Rotator)
	20810	Pin, Valve spring retainer
	32358B	Crankshaft (Incl. 12, 13, 17, 78 & 79 )
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
	32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
	32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
	34512	Piston, Pin & Ring Set (.010" OS)
	34513	Piston, Pin & Ring Set (.020" OS)
	34524 34525	Piston, Pin & Ring Set (.030" OS) Piston, Pin & Ring Set (.040" OS)
	32241	Ring Set (Std.) (3-1/2" Bore)
	32242	Ring Set (.010" OS)
	32243	Ring Set (.020" OS)
	32625	Ring Set (.030" OS)
	32626	Ring Set (.040" OS)
	32336	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y (Std.) (Incl. 18, 19 & 20)
17	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	31956A	* Gasket, Cylinder cover
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
	31985	
	29673 29673	* Gasket, Oil fill tube
		* Gasket, Oil fill Disstick (Incl. 25A)
	33070 32426	Dipstick (Incl. 25A)
	650588	Spacer, Governor rod Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
www.mymowerparts.com		

39     31965     Plate, Governor spring,       41     31967     Spring, Covernor       42     31967     Spring, Covernor       43     32425     Rod Assy, Governor       44     31948     Spool, Governor       45     29193     Ring, Retaining       46     29193     Ring, Retaining       47     31930     Shaft, Mechanical Governor       48     32248A     "Gasket, Cylinder head       49     3034     Head, Cylinder       49     3034     Head, Cylinder       41     560694A     Screw, 576-18 x 1-36" (Use as required)       51     650695A     Screw, 576-18 x 1-36" (Use as required)       51     650695A     Screw, 576-18 x 1-36" (Use as required)       51     650697A     Screw, 576-18 x 1-34" (Use as required)       51     650697A     Screw, 576-18 x 1-34" (Use as required)       51     650697A     Screw, 576-18 x 1-34" (Use as required)       51     650697A     Screw, 576-18 x 1-34" (Use as required)       51     650697A     Screw, 576-18 x 1-34" (Use as required)       52     82837     Washer, Flat use is required)	Ref #	Part Number Qty	Description
40       30312       Screw, 10-32 x 1/2         41       31967       Spring Governor         42       30304       Washer, Flat         43       32425       Rod Assy, Governor         44       31948       Spool, Governor         45       29193       Ring, Retaining         46       31947       Gastre, Cylinder head         49       30304       Head, Cylinder head         49       30334       Head, Cylinder head         49       30334       Head, Cylinder head         49       30334       Screw, 5/16-18 x 1-54" (Use as required)         51       650695A       Screw, 5/16-18 x 1-54" (Use as required)         51       650695A       Screw, 5/16-18 x 1-54" (Use as required)         51       650695A       Screw, 5/16-18 x 1-54" (Use as required)         51       650697A       Screw, 5/16-18 x 1-54" (Use as required)         51       650697A       Screw, 5/16-18 x 1-54" (Use as required)         51       650697A       Screw, 5/16-18 x 1-54" (Use as required)         51       650697A       Screw, 5/16-18 x 1-54" (Use as required)         52       525377       Washer, Falt       Wash	39	31965	Plate, Governor spring
41     31957     Spring, Governor       43     32425     Rod Assy, Governor       44     31948     Spool, Governor       45     29193     Ring, Retaining       46     29193     Ring, Retaining       47     31930     Spatt, Mechanical Governor       48     32246A     * Gasket, Cylinder head       49     30304     Head, Cylinder head       41     506054A     Screw, 5/16-18 x 1-35° (Use as required)       51     650054A     Screw, 5/16-18 x 1-36° (Use as required)       51     650056A     Screw, 5/16-18 x 1-37° (Use as required)       51     650057A     Screw, 5/16-18 x 1-37° (Use as required)       51     650067A     Screw, 5/16-18 x 1-37° (Use as required)       51     650067A     Screw, 5/16-18 x 1-37° (Use as required)       51     650063     Screw, 5/16-18 x 1-37° (Use as required)       53     36363     Resistor Spark Plug (R-1-17LM)       53     33636     Resistor Spark Plug (R-1-17LM)       52     25537     Washer, Flat (Use as required)       54     520680     Washer, Flat (Use as required)       58     8274     Washer, F	40	30312	
42     30590A     Washer, Flat       43     31948     Spool, Governor       44     31948     Spool, Governor       45     29193     Ring, Retaining       46     31947     Gear Assy, Governor       47     31930     Shaft, Mechanical Governor       48     32246A     * Gasket, Cylinder head       49     3004     Head, Cylinder       160052A     Screw, 5/16-18 X 2-167 (Use as required)       51     650052A     Screw, 5/16-18 X 2-167 (Use as required)       51     65005714     Screw, 5/16-18 X 2-167 (Use as required)       51     650052     Screw, 5/16-18 X 2-167 (Use as required)       51     650052     Screw, 5/16-18 X 2-167 (Use as required)       53     30356     Resistor Spark Plug (R-147LM)       53     30356     Cover, Cylinder head       54     3005     Cover, Cylinder head       56     Screw, 5/16-18 X 1-367 (Use as required)       53     30356     Resistor Spark Plug (R-147LM)       53     Screw, 5/16-18 X 2-127 (Use as required)       54     30035     Cover, Cylinder head       56     Screw, 14-20 X 14 (Use as requi			
43   32425   Rod Assy, Governor     44   31948   Spod, Governor     45   29193   Ring, Rataining     46   31947   Gear Asy, Governor     47   31930   Shaft, Machanical Governor     48   32216A   * Gasket, Cylinder head     49   30034   Head, Cylinder     51   650694A   Screw, 5/16-18 x 1-58" (Use as required)     51   650695A   Screw, 5/16-18 x 2-14" (Use as required)     51   650695A   Screw, 5/16-18 x 2-14" (Use as required)     51   650695A   Screw, 5/16-18 x 2-14" (Use as required)     51   650697A   Screw, 5/16-18 x 1-14" (Use as required)     51   650692   Screw, 5/16-18 x 1-14" (Use as required)     51   6506903   Screw, 5/16-18 x 1-14" (Use as required)     52   33636   Resistor Spark Plug (RJ-8C)     53   33636   Resistor Spark Plug (RJ-8C)     54   33035   Cover, Cylinder head     55   28337   Washer, Flain     57   605091   Washer, Plain     58   8274   Washer, Relloville (Use as required)     58   8274   Washer, Flait Twait     63   34210   Fuel Cap (Mrite Plastic) (Scut resistant, High profile) (Use as required)<			
44       31948       Spool, Governor         45       21193       Ring, Retaining         46       31947       Gear Assy, Governor         47       31930       Sheft, Mechanical Governor         48       32246A       * Gasket, Cylinder head         49       30304       Head, Cylinder         49       30304       Head, Cylinder         51       650054A       Screw, 5/16-18 x 2-132" (Use as required)         51       650052A       Screw, 5/16-18 x 2-132" (Use as required)         51       650057A       Screw, 5/16-18 x 2-132" (Use as required)         51       6500597A       Screw, 5/16-18 x 2-132" (Use as required)         51       6500697A       Screw, 5/16-18 x 2-132" (Use as required)         51       6500697A       Screw, 5/16-18 x 2-132" (Use as required)         53       30305       Cover, Cylinder head         53       30305       Cover, Cylinder head         53       30305       Cover, Cylinder head         54       800580       Washer, Flati (Use as required)         58       805690       Washer, How (Use as required)         58       6050129       Screw, 1/42.00 x 1/4-20			
46     29193     Fing, Retaining       46     31930     Shaft, Mechanical Governor       47     31930     Shaft, Mechanical Governor       48     32246A     * Gasket, Cylinder       51     650694A     Screw, 5/16-18 x.2* (Use as required)       51     650711     Screw, 5/16-18 x.2* (Use as required)       51     650695A     Screw, 5/16-18 x.2* (Use as required)       51     650695A     Screw, 5/16-18 x.2* (Use as required)       51     650695A     Screw, 5/16-18 x.2* (Use as required)       51     6506963     Screw, 5/16-18 x.2* (Use as required)       51     6506963     Screw, 5/16-18 x.2* (Use as required)       51     6506963     Screw, 5/16-18 x.2* (Use as required)       53     34251     Resistor Spark Plug (R-HoC)       53     34251     Resistor Spark Plug (R-HoC)       54     30305     Cover, Cylinder head       55     850690     Washer, Flat (Use as required)       58     8274     Washer, Flat (Use as required)       59     650128     Screw, 10-24 x 1/2*       60     31976     Extension, Blower housing       61     31976			
46     31947     Gair Assy., Governor       47     31930     Shafit, Michanical Governor       48     32246A     * Gasket, Cylinder head       49     30034     Head, Cylinder       51     650094A     Screw, S/16-18 x 27 (Use as required)       51     6500528A     Screw, S/16-18 x 27/38* (Use as required)       51     6500574     Screw, S/16-18 x 27/38* (Use as required)       51     6500692     Screw, S/16-18 x 27/34* (Use as required)       51     6500692     Screw, S/16-18 x 27/34* (Use as required)       51     6500692     Screw, S/16-18 x 27/34* (Use as required)       51     6500692     Screw, S/16-18 x 27/4* (Use as required)       53     34251     Resistor Spark Plug (R-140)       53     34251     Resistor Spark Plug (R-140)       54     33035     Cover, Cylinder head       57     650691     Washer, Flain       58     650690     Washer, Belleville (Use as required)       58     850690     Washer, Lock (Use as required)       58     Screw, 10-24 x 1/2*     Screw, 10-24 x 1/2*       60     31976     Extension, Blower housing       61			
47     31930     Sheft, Machanical Governor       48     32034     "Gasket, Cylinder head       51     650694A     Screw, 5/16-18 x.2" (Use as required)       51     650711     Screw, 5/16-18 x.2.3%" (Use as required)       51     650628A     Screw, 5/16-18 x.2.3%" (Use as required)       51     650695A     Screw, 5/16-18 x.2.1/4" (Use as required)       51     650697A     Screw, 5/16-18 x.2.1/4" (Use as required)       51     650603     Screw, 5/16-18 x.2.1/4" (Use as required)       51     650603     Screw, 5/16-18 x.2.1/4" (Use as required)       53     36067     Screw, 5/16-18 x.2.1/4" (Use as required)       53     36063     Screw, 5/16-18 x.2.1/4" (Use as required)       53     36056     Resistor Spark Plug (R-16C)       53     34251     Resistor Spark Plug (R-17LM)       54     30305     Cover, Cylinder head       55     28537     Washer, Flat (Use as required)       56     650128     Screw, 10-24 x 1/2"       58     8274     Washer, Eldelwile (Use as required)       59     650128     Screw, 14-20 x 27/32" (Use as required)       61     31976     Extension, Blower housi			• •
48     32246A     * Gasket, Cylinder head       49     30304     Head, Cylinder /       51     650694A     Screw, 5/16-18 x 1-58" (Use as required)       51     650622A     Screw, 5/16-18 x 2-34" (Use as required)       51     650625A     Screw, 5/16-18 x 2-14" (Use as required)       51     650697A     Screw, 5/16-18 x 2-14" (Use as required)       51     650692     Screw, 5/16-18 x 2-14" (Use as required)       53     650692     Screw, 5/16-18 x 1-54" (Use as required)       53     34251     Resistor Spark Plug (RJ-17LM)       54     33036     Cover, Cylinder head       55     28537     Washer, Flat (Use as required)       54     850680     Washer, Blain (Use as required)       58     850690     Washer, Flat (Use as required)       58     850728     Screw, 10-24 x 12"       60     31976     Extension, Blower housing       61     31978     Extension, Blower housing       63     34210     Fuel Cap (Red Plastic) (Std) (As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 14-42 X x 12"       66     650451 <td></td> <td></td> <td>•</td>			•
49     33034     Head, Cylinder       51     650694A     Screw, 5716-18 x 2" (Use as required)       51     650628A     Screw, 5716-18 x 2-38" (Use as required)       51     650695A     Screw, 5716-18 x 2-38" (Use as required)       51     650714     Screw, 5716-18 x 2-38" (Use as required)       51     650697A     Screw, 5716-18 x 1-38" (Use as required)       51     650692     Screw, 5716-18 x 1-38" (Use as required)       53     33636     Resistor Spark Plug (RJ-171M)       53     33636     Resistor Spark Plug (RJ-171M)       54     33035     Cover, Cylinder head       55     28537     Washer, Flait (Use as required)       58     650690     Washer, Belleville (Use as required)       58     650690     Washer, Intal (Use as required)       58     8274     Washer, Intal (Use as required)       58     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31979     Strap, Fuel tank       63     410144B     Fuel Cap (Red Plastic) (Sput resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank			•
51     650711     Screw, 5716-18 x 2*/Use as required)       51     650628A     Screw, 5716-18 x 2-38* (Use as required)       51     650695A     Screw, 5716-18 x 2-34* (Use as required)       51     650714     Screw, 5716-18 x 2-14* (Use as required)       51     650697A     Screw, 5716-18 x 2-14* (Use as required)       51     650692     Screw, 5716-18 x 2-14* (Use as required)       53     32536     Resistor Spark Plug (RJ-17LM)       53     33356     Cover, 5016-18 x 54*       52     2537     Washer, Plain       57     650691     Washer, Flai (Use as required)       58     6274     Washer, Flai (Use as required)       59     650128     Screw, 10-24 x 1/2*       60     31976     Extension, Blower housing       61     31976     Extension, Blower housing       63     34210     Fuel Cap (Red Plastic) (Sput resistant, High profile) (Use as required)       64     31979     Stray, Fuel tank       65     65051     Screw, 14-20 X 1*       66     650451     Screw, 14-20 X 1*       67     65056     Nut, Flange whit-lock, 14/-20       67     6505			
51     650711     Screw, 5/16-18 x 1-5/8" (Use as required)       51     650695A     Screw, 5/16-18 x 2-1/4" (Use as required)       51     650714     Screw, 5/16-18 x 2-1/4" (Use as required)       51     650697A     Screw, 5/16-18 x 2-1/2" (Use as required)       51     650697A     Screw, 5/16-18 x 2-1/2" (Use as required)       51     650697A     Screw, 5/16-18 x 2-1/2" (Use as required)       53     33263     Resistor Spark Plug (RJ-17LM)       53     33251     Cover, Cylinder head       54     33035     Cover, Cylinder head       55     28537     Washer, Flair (Use as required)       58     850690     Washer, Belleville (Use as required)       58     85074     Washer, Dady (Use as required)       59     650128     Screw, 1/1-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     4210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     Screw, 1/4-20 X 1"       66     650451     Screw, 1/4-20 X 1"       76     6			
51     650628A     Screw, 5/16-18 x 2-1/4" (Use as required)       51     650695A     Screw, 5/16-18 x 1-5/8" (Use as required)       51     650697A     Screw, 5/16-18 x 1-3/2" (Use as required)       51     650692     Screw, 5/16-18 x 1-3/2" (Use as required)       53     650692     Screw, 5/16-18 x 1-3/4" (Use as required)       53     650603     Screw, 5/16-18 x 1-3/4" (Use as required)       53     34251     Resistor Spark Plug (RJ-17LM)       54     33035     Cover, Cylinder head       55     25537     Washer, Flat (Use as required)       56     650690     Washer, Flat (Use as required)       58     650728     Screw, 10-24 x 12"       60     600128     Screw, 10-24 x 12"       61     31976     Extension, Blower housing       61     31976     Strap, Fuel tank       63     4210     Fuel Cap (White Plastic)(Stu/As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 3/3" (Use as required)       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650561     Screw, 1/4-20 x 3/3" (Use as required)	51	650694A	Screw, 5/16-18 x 2" (Use as required)
51     650695A     Screw, 5/16-18 x 2-1/3" (Use as required)       51     650697A     Screw, 5/16-18 x 2-1/2" (Use as required)       51     650692     Screw, 5/16-18 x 2-1/2" (Use as required)       51     650603     Screw, 5/16-18 x 1-5/8" (Use as required)       53     33636     Resistor Spark Plug (R-14-8C)       53     34251     Resistor Spark Plug (R-14-7C)       53     34251     Resistor Spark Plug (R-14-7C)       54     33035     Cover Cylinder head       55     28537     Washer, Fall (Use as required)       56     Screw, 10-42 x 1/2"     Screw, 10-42 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic) (Std.)(As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 7/3" (Use as required)       67     50661     Screw, 1/4-20 x 1/2" (Use as required)       67     6505617     Screw, 1/4-20 x 7/3" (Use as required)       68     50645     Screw, 1/4-20 x 7/3" (Use as required)       67     650561     Screw, 1/4-20 x 7/3" (Use as required)	51	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
51     650095A     Screw, 5/16-18 x 1-1/4" (Use as required)       51     6500714     Screw, 5/16-18 x 1-3/4" (Use as required)       51     650097A     Screw, 5/16-18 x 1-3/4" (Use as required)       51     6500603     Screw, 5/16-18 x 1-3/4" (Use as required)       53     33636     Resistor Spark Plug (RJ-17LM)       53     34251     Resistor Spark Plug (RJ-17LM)       54     33035     Cover, Cylinder head       55     28537     Washer, Flain       56     650690     Washer, Flain (Use as required)       58     650690     Washer, Lock (Use as required)       58     650128     Screw, 10-24 x 12'       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic) (Std.)(As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     Screw, 1/4-20 x 20 x 72" (Use as required)       67     650561     Screw, 1/4-20 x 72" (Use as required)       67     650561     Screw, 1/4-20 x 72" (Use as required)       67     50633     Scr	51	650628A	Screw, 5/16-18 x 2-3/8" (Use as required)
51     650714     Screw, 5/16-18 x 1-28 <sup>2</sup> (Use as required)       51     650692     Screw, 5/16-18 x 1-34 <sup>2</sup> (Use as required)       51     650603     Screw, 5/16-18 x 1-34 <sup>2</sup> (Use as required)       53     33363     Resistor Spark Plug (R-14C)       53     34251     Resistor Spark Plug (R-17LM)       54     33035     Cover, Cylinder head       55     28537     Washer, Plain       57     650691     Washer, Flat (Use as required)       58     650728     Screw, 1724       60     31976     Extension, Blower housing       61     31976     Extension, Blower housing       61     31976     Extension, Blower housing       63     34210     Fuel Cap (Red Plastic) (Std.) (As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 27/32" (Use as required)       66     650451     Screw, 1/4-20 x 27/32" (Use as required)       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       68     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     790028     Screw, 1/4-20 x 27/32" (Use as required)       67	51	650695A	
51     650697A     Screw, 5/16-18 x 1-3/4" (Use as required)       51     650603     Screw, 5/16-18 x 5/8" (Use as required)       53     33336     Resistor Spark Plug (RJ-9C)       53     34251     Resistor Spark Plug (RJ-9C)       54     33035     Cover, Cylinder head       55     28537     Washer, Flati       56     650690     Washer, Flati (Use as required)       58     8274     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Tuel tank       63     4210     Fuel Cap (White Plastic) (Std.) (As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650451     Screw, 1/4-20 x 1"       67     650565     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 1/2" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       68     63033     Lockwasher       708     29883     Straner & Shut-off, Fuel <td< td=""><td></td><td></td><td></td></td<>			
51     650692     Screw, 5/16-18 x 5/8" (Use as require d)       53     33366     Resistor Spark Plug (RJ-17LM)       53     34251     Resistor Spark Plug (RJ-17LM)       54     33036     Cover, Cylinder head       55     2537     Washer, Plain       57     650691     Washer, Flat (Use as required)       58     650690     Washer, Releville (Use as required)       58     650690     Washer, Lock (Use as required)       58     8274     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     4210     Fuel Cap (White Plastic)(SdJ)(As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 27/32" (Use as required)       66     650456     Nut, Flange whiz-hook, 1/4-20       67     60561     Screw, 1/4-20 x 27/32" (Use as required)       67     3033     Screw, 1/4-20 x 1/2" (Use as required)       68     6345     Washer, Flat       69     8303     Screw, 1/4-20 x 5/8" (Use as requ			
51     650603     Screw, 5/16-18 × 7/8" (Use as require d)       53     33636     Resistor Spark Plug (RJ-8C)       53     33035     Cover, Cylinder head       54     33035     Cover, Cylinder head       55     28537     Washer, Plain       57     650691     Washer, Flat (Use as required)       58     650790     Washer, Eale (Wile Use as required)       58     650128     Screw, 10-24 × 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     34210     Fuel Cap (Red Plastic) (Std.)(As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     60561     Screw, 1/4-20 x 1/2" (Use as required)       67     50063     Screw, 1/4-20 x 1/2" (Use as required)       68     650456     Nut, Flange whiz-lock, 1/4-20       67     600631     Screw, 1/4-20 x 1/2" (Use as required)       67     50063     Screw, 1/4-20 x 5/8" (Use as required)       67     700063     Screw, 1/4-20 x 5/8" (Use a			
53     33636     Resistor Spark Plug (RJ-8C)       53     34251     Resistor Spark Plug (RJ-17LM)       54     33035     Cover, Cylinder head       55     28537     Washer, Plain       56     660690     Washer, Plain       57     650690     Washer, Eleit (Use as required)       58     8274     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     4210     Fuel Cap (Nhite Plastic)(Std.)(As req uired)       64     31979     Strap, Fuel tank       66     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       68     650451     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     730063     Screw, 1/4-20 x 1/2" (Use as required) </td <td></td> <td></td> <td></td>			
53     34251     Resistor Spark Plug (RJ-17LM)       54     33035     Cover, Cylinder head       55     28537     Washer, Plain       57     650691     Washer, Plain (Use as required)       58     650690     Washer, Lock (Use as required)       58     65074     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31973     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic) (Stud, (As req uired)       63     34210     Fuel Cap (Red Plastic) (Stud, I/A req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650451     Screw, 1/4-20 x 12"       67     650517     Screw, 1/4-20 x 5/8" (Use as required)       67     65056     Nut, Flange whiz-lock, 1/4-20       68     Soft     Screw, 1/4-20 x 5/8" (Use as required)       67     792028     Screw, 5/16-18 x 7/8" (Use as required)       68     Sat5     Washer, Flat       69     8303     Lockwasher       708 </td <td></td> <td></td> <td></td>			
54     33035     Cover, Cylinder head       55     28537     Washer, Flat (Use as required)       58     650690     Washer, Flat (Use as required)       58     650728     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (Red Plastic) (Std.) (As req uired)       63     34210     Fuel Cap (Red Plastic) (Std.) (As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 7/3" (Use as required)       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650651     Screw, 1/4-20 x 7/3" (Use as required)       67     650651     Screw, 1/4-20 x 7/3" (Use as required)       67     730063     Screw, 1/4-20 x 7/3" (Use as required)       68     8303     Lockwasher       708     29683     Strainer & Sthut-off, Fuel       708     29683     Strainer & Sthut-off, Fuel       71     24600     Clamp, Fuel line (Braided) (82") (Use as required)       72     30705			
55     28537     Washer, Flain       57     650691     Washer, Eld (Use as required)       58     650690     Washer, Eld (Use as required)       58     8274     Washer, Lock (Use as required)       59     650128     Screw, 10-24 × 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (Red Plastic) (Sput resistant, High profile) (Use as required)       63     34210     Fuel Cap (Red Plastic) (Sput resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     50053     Screw, 1/4-20 x 7/8" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       708     29683     Strainer & Stut-off, Fuel       71     26460     Clamp, Fuel line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       73     <			
57     650691     Washer, Flat (Use as required)       58     650690     Washer, Lock (Use as required)       58     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic) (Std.) (As req uired)       63     34210     Fuel Cap (White Plastic) (Std.) (As req uired)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       68     3345     Washer, Flat       68     8303     Lockwasher       70B     29683     Screw, 1/4-20 x 1/2" (Use as required)       72     30705     Fuel Line (Braided) (82.5") (Use as required)       72     30705     Fuel Line (Braided) (82.5") (Use as required)       72     30705     Fuel Line (Braided) (82.5") (Use as required)       73     32579     Baffle, Blower housing       74     650561			
58     650690     Washer, Belleville (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650651     Screw, 1/4-20 x 5/8" (Use as required)       67     792028     Screw, 5/16-18 x 7/8" (Use as required)       68     345     Washer, Flat       69     8303     Lockwasher       708     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Braided) (16") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       73     32579     Baffle, Blower housing       74<			
58     8274     Washer, Lock (Use as required)       59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       68     345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       72     29774     Fuel Line (Braided) (16") (Use as required)       72     30965     Fuel Line (Braided) (16") (Use as required)       72     30965     Fuel Line (Braided) (16") (Use as required)       73     32579     Baffle, Blower housing       74     650			
59     650128     Screw, 10-24 x 1/2"       60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 7/32" (Use as required)       68     345     Washer, Flat       69     8303     Lockwasher       70B     29623     Straieded) (6") (Use as required)       72     29774     Fuel Line (Braided) (8:25") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     65061     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"			
60     31976     Extension, Blower housing       61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29863     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Braided) (825") (Use as required)       72     30705     Fuel Line (Braided) (825") (Use as required)       72     30962     Fuel Line (Braided) (48") (Use as re			
61     31978     Bracket, Fuel tank       63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 5/8" (Use as required)       67     50561     Screw, 1/4-20 x 5/8" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       68     345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     30705     Fuel Line (Braided) (82") (Use as required)       72     30705     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33366     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 32 x 3/8" <td>59</td> <td>650128</td> <td>Screw, 10-24 x 1/2"</td>	59	650128	Screw, 10-24 x 1/2"
63     410144B     Fuel Cap (White Plastic)(Std.)(As req uired)       63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 5/8" (Use as required )       67     650651     Screw, 1/4-20 x 5/8" (Use as required )       67     60063     Screw, 1/4-20 x 1/2" (Use as required )       67     60063     Screw, 1/4-20 x 1/2" (Use as required )       67     700063     Screw, 1/4-20 x 1/2" (Use as required )       67     702028     Screw, 5/16-18 x 7/8" (Use as required )       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     30705     Fuel Line (Braided) (32") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8" <td>60</td> <td>31976</td> <td>Extension, Blower housing</td>	60	31976	Extension, Blower housing
63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required )       68     345     Washer, Flat       69     8303     Lockwasher       708     29833     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (8.25") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     3336     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"	61	31978	Bracket, Fuel tank
63     34210     Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)       64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required )       68     345     Washer, Flat       69     8303     Lockwasher       708     29833     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (8.25") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     3336     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"	63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     792028     Screw, 5/16-18 x 7/8" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (16") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     3336     Terminal       76     28545     Grommet, Plastic       77     50760     Screw, 8-32 x 3/8"			
64     31979     Strap, Fuel tank       65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 5/8" (Use as required )       67     30063     Screw, 1/4-20 x 1/2" (Use as required )       67     792028     Screw, 5/16-18 x 7/8" (Use as required )       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30962     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller <td></td> <td></td> <td></td>			
65     650451     Screw, 1/4-20 x 1"       66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 5/8" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     30063     Screw, 5/16-18 x 7/8" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     30705     Fuel Line (Braided) (8.25") (Use as required)       72     30962     Fuel Line (Braided) (8.25") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 3.2x 3/8"       78     31932     Bearing, Tapered roller			
66     650456     Nut, Flange whiz-lock, 1/4-20       67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 5/8" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     792028     Screw, 5/16-18 x 7/8" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (16") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			•
67     650517     Screw, 1/4-20 x 27/32" (Use as required)       67     650561     Screw, 1/4-20 x 5/8" (Use as required)       67     30063     Screw, 1/4-20 x 1/2" (Use as required)       67     792028     Screw, 5/16-18 x 7/8" (Use as required)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	65	650451	Screw, 1/4-20 x 1"
67     650561     Screw, 1/4-20 x 5/8" (Use as required )       67     30063     Screw, 1/4-20 x 1/2" (Use as required )       67     792028     Screw, 5/16-18 x 7/8" (Use as required )       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as r equired)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	66	650456	Nut, Flange whiz-lock, 1/4-20
67     30063     Screw, 1/4-20 x 1/2" (Use as required )       67     792028     Screw, 5/16-18 x 7/8" (Use as required )       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	67	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
67     792028     Screw, 5/16-18 x 7/8" (Use as require d)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	67	650561	Screw, 1/4-20 x 5/8" (Use as required )
67     792028     Screw, 5/16-18 x 7/8" (Use as require d)       68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as required)       72     30962     Fuel Line (Braided) (32") (Use as required)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	67	30063	Screw, 1/4-20 x 1/2" (Use as required )
68     8345     Washer, Flat       69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as r equired)       72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller	67	792028	
69     8303     Lockwasher       70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as r equired)       72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
70B     29683     Strainer & Shut-off, Fuel       71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as r equired)       72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
71     26460     Clamp, Fuel line (Use as required)       72     29774     Fuel Line (Braided) (8.25") (Use as r equired)       72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
72     29774     Fuel Line (Braided) (8.25") (Use as required)       72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
72     30705     Fuel Line (Braided) (16") (Use as req uired)       72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
72     30962     Fuel Line (Braided) (32") (Use as req uired)       72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
72     30965     Fuel Line (Braided) (48") (Use as req uired)       73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
73     32579     Baffle, Blower housing       74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
74     650561     Screw, 1/4-20 x 5/8"       75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
75     33356     Terminal       76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
76     28545     Grommet, Plastic       77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			
77     650760     Screw, 8-32 x 3/8"       78     31932     Bearing, Tapered roller			Terminal
78 31932 Bearing, Tapered roller	76	28545	Grommet, Plastic
78 31932 Bearing, Tapered roller	77	650760	Screw, 8-32 x 3/8"

80     32031     Spacer, Steel (010" thick NOTE: Determine the gap between the cover and the machined surface on the sylinder which can be from. 001" up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required       81     31971     * Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from001" up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req       82A     32599     *O" Ring       83     32577     Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001" up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req       83     32577     Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001" up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req       84     650679     Lookwardpire, 516" (Use as required to eliminat       84A     650679     Lookwardpire, 516" (Use as required to eliminat       84A     650679     Lookwardpire, 516" (Use as required 33 32039       84     650694     Wut, Fywhork, Steel spacersmust be used as required 33 32039 <th>Ref #</th> <th>Part Number G</th> <th>Oty Description</th>	Ref #	Part Number G	Oty Description
between the cover and the machined surface on the cylinder which case ho shim gaskets will be required. Use of gasket must be limited to a combined total of .010° thick. Steel spacersmust be used as req "Casket, Shim (005/007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010° thick. Steel spacersmust be used as req 83 32677 Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010° thick. Steel spacersmust be used as req as req Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001° up to .007° in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010° thick. Steel spacersmust be used as required to a combined total of .010° thick. Steel spacersmust be used as required to eliminat 84 650668 Screw, 10-32 x 1° 85 650666 Washer, 5716° (Use as required) 84 650668 Screw, 10-32 x 1° 85 650666 Washer, Lock 82 650595 Screw, 516°24 x 3/8° 83 32039 Switch, Stop 94 650890 Washer, Lock 83 32039 Switch, Stop 93 4650890 Washer, Flat 93 31957 Breather 10 650128 Screw, 10-24 x 12° 10 650128 Screw, 10-24 x 12° 10 650128 Screw, 10-24 x 12° 10 650128 Screw, 10-24 x 27° 10 650597 Screw, 10-24 x 27° 11 30767 Screw, 10-24 x 27° 12 30038 Plug, Button (Use as required) 13 23772 Screw, 10-24 x 27° 13 23773 Screw, 10-24 x 27° 14 660ener 12 30339 Screw, 10-32 x 58° 12 30339 Endwet, Air cleaner 12 650399 Screw, 10-32 x 58° 12 30339 Endwet, Air cleaner 13 31955 Element Air cleaner 12 50 3030 Eraket, Air cleaner	80		Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
82     31972     * Gaskić, Shim (0.05/.007 hick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001'up to .007' in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as req       83     32677     Cover. Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001'up to .007' in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use 650666       84A     650679     Lockwasher, 5/16' (Use as required)       84A     650669     Screw, 10-32 x 1''       85     650666     Wuster, Lock       86     650694     Nut, Flywheel, 34-16       87     33044A     Blower Hsg. (Incl.73) (For electric s tarter)       91     8274     Washer, Lock       92     660595     Screw, 5/16-24 x 3/8'       93     30203     Washer, Flat       94     650890     Washer, Flat       93     31957     Breather Assy.       100     33350     Tube, Breather       101     650597<	81	31971	between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat Lockwasher, 5/16" (Use as required) 34 650668 Screw, 10-32 x 1" 35 650666 Washer, Lock 36 650544 Nut, Flywheel, 3/4-16 37 33044A Blower Hsg. (Incl.73) (For electric s tarter) 31 8274 Washer, Lock 32 650595 Screw, 5/16-24 x 3/8" 33 2039 Switch, Stop 34 650830 Washer, Shageproof 35 26073 Washer, Flat 36 650624 Screw, 5/16-24 x 9/16" 38 31956 Corew, 10-24 x 1/2" 100 35350 Tube, Breather 101 650128 Washer, Wave 103 31966 Bushing, Control 105 650597 Screw, 10-24 x 1/2" 106 650591 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 5/8" 107 33099 Spring 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650637 Screw, 10-24 x 5/8" 115 27272 * Gasket, Air cleaner 122 32377 Bracket, Air cleaner 122 32370 Bracket, Air cleaner 122 32380 Bracket, Air cleaner			* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
84     650668     Screw, $10-32 \times 1"$ 85     650666     Washer, Lock       86     650594     Nut, Flywheel, 3/4-16       87     33044A     Blower Hsg. (Incl.73) (For electric s tarter)       91     8274     Washer, Lock       92     650595     Screw, 5/16-24 x 3/8"       93     32039     Switch, Stop       94     650890     Washer, Flat       95     26073     Screw, 5/16-24 x 9/16"       96     650624     Screw, 5/16-24 x 9/16"       98     31958     * Gasket, Breather       99     31957     Breather Assy.       100     35350     Tube, Breather       101     650128     Screw, 10-24 x 1/2"       102     28558     Washer, Wave       103     31966     Bushing, Control lever       104     31984A     Lever, Control       105     650597     Screw, 10-24 x 12"       106     650591     Screw, 10-24 x 2"       107     3099     Spring       113     29752     Nut & Lockwasher Assy.       114     650587     Stud, Carburetor   <	83	32677	and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to
	84 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 112 113 114 115 120 121 122E 122D	650668 650594 33044A 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 29752 650587 27272 650399 30767 32377 32380	Screw, 10-32 x 1" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner
126 650513 WWW.mymowerparts.com	126		

Ref #	Part Number Qty	Description
128	650713	Screw, 5/16-18 x 5/8" (Use as require d)
128	650429	Screw, 5/16-18 x 3/4" (Use as require d)
128	792028	Screw, 5/16-18 x 7/8" (Use as require d)
141	26073	Washer, Flat (Use as required)
141A	8274	Lockwasher, Split (Use as required)
145	31960	* Gasket, Carburetor
147	31959	Baffle, Air
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	610750	Grommet, Lead wire
	610773	Solid State Flywheel
	550223	Decal, Name
	34768	Decal, Name
	32676	Decal, Solid State
	31752	Decal, Air cleaner
	34346	Decal, Instruction
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631533	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120070C Page 6 of 9 Engine Parts List #2



Ref #	Part Number	Qty Description
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
222	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
257B	610824	Flat Connector (Female terminals) (As req.)
260A	610759	Solid State Magneto
261	650489	Screw, 1/4-20 x 5/8"
261A	650669	Screw, 5/16-18 x 1-1/4"
262	610760	Solid State Transformer Ass'y.(Incl.1 73,266)
263	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
	30831	Ground Wire (Incl. 75)
303	33835	Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for
		breakdown.

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120070C Page 8 of 9 Engine Parts List #3

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	31977		Fuel Tank (Incl. 63)
70	29634		Fitting, Fuel line
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
111	650590		Nut, Conduit
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)