
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

Ref # Part Number	Qty Description
1 33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)
2 27652	Pin, Dowel
4 31950	Seal, Oil
5 31940	Intake Valve (Std.)
5 31941	Intake Valve (3/32" OS) (Incl. 9)
6 31942	Exhaust Valve (Std.)
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)
7 650592	Key, Flywheel
8 31944	Spring, Valve
9 31946	Cap, Lower valve spring (1/32" OS)
9 31945	Cap, Lower valve spring (Std.)
9A 31945	Cap, Lower valve spring (Std.)
9A 31946	Cap, Lower valve spring (1/32" OS)
10 20810	Pin, Valve spring retainer
11 33390B	Crankshaft (Incl. 12, 13, 78 & 79)
12 29783	Pin, Crankshaft gear
13 31931	Gear, Crankshaft
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)
14 34512	Piston, Pin & Ring Set (.010" OS)
14 34513 14 34524	Piston, Pin & Ring Set (.020" OS)
14 34524 14 34525	Piston, Pin & Ring Set (.030" OS)
14 34525 15 32241	Piston, Pin & Ring Set (.040" OS) Ring Set (Std.) (3-1/2" Rore)
15 32241	Ring Set (Std.) (3-1/2" Bore) Ring Set (.010" OS)
15 32242	Ring Set (.010 OS) Ring Set (.020" OS)
15 32625	Ring Set (.020 '03) Ring Set (.030" OS)
15 32625	Ring Set (.030 '03) Ring Set (.040" OS)
15 32336	Re-Ringing Set, Piston
16 31919	Ring, Piston pin retaining
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
18 32077	Bolt, Connecting rod
19 26073	Washer, Connecting rod
20 28264	Nut Assy., Lock
21 32150	Camshaft (MCR)
22 31939	Lifter, Valve
23 32580A	Cover, Cylinder (Incl. 4, 28, 30, 34, & 43)
23A 31956A	* Gasket, Cylinder cover
24 32908	Oil Fill Tube
25A 29985	"O" Ring
25 29673	* Gasket, Oil fill tube
26 33055	Dipstick (Incl. 25A)
28 32426	Spacer, Governor rod
29 650588	Screw, 1/4-20 x 2"
30 31927 31 31968	Oil Drain Plug Link, Governor
31 31906 32 650451	Screw, 1/4-20 x 1"
33 31964	Clamp, Governor lever
34 29193	Ring, Retaining
35 31963	Lever, Governor adjusting
36 650518	Lockwasher
37 650544	Screw, 10-24 x 7/8"
37 000 044	

Screw, 10-24 x 7/8"

WWW.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 3\ of\ 9}$ Engine Parts List #1


		Qty	Description
	7975		Nut, 10-24
	31965		Plate, Governor spring
	30312		Screw, 10-32 x 1/2"
41	31967		Spring, Governor
42	30590A		Washer, Flat
43	32425		Rod Assy., Governor
44	31948		Spool, Governor
45	29193		Ring, Retaining
46	31947		Gear Assy., Governor
47	31930		Shaft, Mechanical Governor
	32246A		* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650692		Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		
			Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
67	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561		Screw, 1/4-20 x 5/8" (Use as required)
	30063		Screw, 1/4-20 x 1/2" (Use as required)
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	26460		Clamp, Fuel line (Use as required)
	29774		Fuel Line (Braided) (8.25") (Use as r equired)
	30705		Fuel Line (Braided) (16") (Use as required)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	32579		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
80	32031		Spacer, Steel (.010" thick) NOTE: Determine the gap
			between the cover and the machined surface on the cylinder
			which can be from .001"up to .007" in which case no shim
			gaskets will be required. Use of gasket must be limited to a
			combined total of .010" thick. Steel spacersmust be used
			as required

Dof #	Port Number	, Description
	Part Number Qty 31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 95 96 98 99 100 101 102 103 104 105 106 107 112 113 114 115 120 121 126 128 128 128 141 141A 145 147	650679 792028 650666 650594 33044A 8274 650595 8274 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 33038 29752 650587 27272 650399 30767 650513 650713 650429 792028 26073 8274 31960 31959 610908 730201	Lockwasher, 5/16" (Use as required) Screw, 5/16-18 x 7/8" Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Washer, Lock Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 7/8" (Use as require d) Vasher, Flat (Use as required) Lockwasher, Split (Use as required) Lockwasher, Split (Use as required) * Gasket, Carburetor Baffle, Air Terminal, Female Trigger Pin Kit (Use as required)
	610118 32426	Cover, Spark plug (Use as required) Spacer, Screen

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


Ref #	Part Number Qt	y Description
177	650675	Washer, Flat 1/4"
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
219	32154	Cap, Pipe
220	32438	Nipple, Pipe
246	33776	Screen, Starter pulley
	650670	Screw, 1/4-20 x 3/4"
249	32046	Rope Assy., Starter (Use as required)
	650661	Screw, 1/4-20 x 3/4"
	610408	Nut, Hex
266	610750	Grommet, Lead wire
	610906	Solid State Magneto (Incl.151,173,265,266)(20 Amp)
	610901	Solid State Flywheel
299B	32730	Decal, Craftsman
299	34346	Decal, Instruction
	32411A	Valve, Seat, Spring & Gasket Assy.
301	631498	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 7 of 9 Engine Parts List #2

Ref #	Part Number	Qty De	escription
178	27070	Wa	asher, Lock 1/4 E.T. (Use as require d)
178	650675	Wa	asher, Flat 1/4 (Use as required)
180	650701	Scr	rew, 8-18 x 7/16" (Use as required)
222	792028	Sci	rew, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Sci	rew,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		ate, Cover (Use as required to cover regulator mounting le in blower housing)
236	650736	Scr	rew, 10-16 x 3/8" (Use as required)
	730134	Re	ewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use required)
253	33018	Ha	arness Assy., Adapter (Use as requir ed)
254A	610902		emator Coil (20 Amp)(Incl.256,257,258)
255	650521	Scr	rew, 10-32 x 1-1/8"
256	610905	Ter	rminal
257B	610824	Fla	at Connector (Female terminals) (As req.)
257	610904	Ter	rminal
258	610903	Co	onnector, Flat
266	610750	Gro	ommet, Lead wire
	610907A		egulator (20 Amp) (Incl.268A, 269 & 298)
	730198		arter Switch Kit(Incl. 287-298) (As req.)
303	33835		ectric Starter Motor (12 Volt) NOTE: The 32817 and 33835
			arter motors are used interchangeably on the se models.
			efer to service numberstamped on end cap of motor, or on
		ded	cal for identification. Refer to Division 5, Section D for
		bre	eakdown.



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~9~of~9}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
70G	32961		Valve, Fuel shut-off
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	28534		Pipe Plug, 1/8-27 (Use as required)
	9556		Plug, Pipe, 1/8-27 (Use as required)
	29774		Spacer, Air cleaner
	32907B		Bracket, Air cleaner
	32905		Bracket, Air cleaner
	32008		Element, Air cleaner
	32906		Element, Pre-Air cleaner
	32904		Cover, Pre-air cleaner
	27793		Clip, Conduit
	28942		Screw, 10-32 x 3/8"
	32958		Fitting, Fuel
	32959		Fuel Pump, Impulse
	33010		Repair Kit, Impulse fuel pump
	32960		Washer, Lock
286	650849		Nut, Hex jam, 3/8-24