
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120206F Page 1 of 9 Engine Parts List #1

ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref # Part Number	Qty Description	
1 33042	Cylinder (Incl. 2, 4, 30 & 47) (3-1/2 " Bore)	
2 27652	Pin, Dowel	
4 31950	Seal, Oil	
5 31940	Intake Valve (Std.)	
5 31941	Intake Valve (1/32" OS) (Incl. 9)	
6 31942	Exhaust Valve (Std.)	
6 31943	Exhaust Valve (1/32" OS) (Incl. 9)	
7 650592	Key, Flywheel	
8 31944	Spring, Valve	
9A 32475	Cap, Lower valve spring (Rotator)	
9 31946	Cap, Lower valve spring (1/32" OS)	
9 31945	Cap, Lower valve spring (Std.)	
10 20810	Pin, Valve spring retainer	
11 33392A 12 29783	Crankshaft (Incl. 12, 13, 78 & 79) Pin, Crankshaft gear	
13 31931	Gear, Crankshaft	
14 34511	Piston, Pin & Ring Set (Std.) (3-1/2" Bore)	
14 34512	Piston, Pin & Ring Set (.010" OS)	
14 34513	Piston, Pin & Ring Set (.020" OS)	
14 34524	Piston, Pin & Ring Set (.030" OS)	
14 34525	Piston, Pin & Ring Set (.040" OS)	
14A 32238B	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -1/2")	
14A 32239B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)	
14A 32240B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)	
14A 32621B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)	
14A 32622B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)	
15 32241	Ring Set (Std.) (3-1/2" Bore)	
15 32242	Ring Set (.010" OS)	
15 32243	Ring Set (.020" OS)	
15 32625	Ring Set (.030" OS)	
15 32626 15 32336	Ring Set (.040" OS)	
16 31919	Re-Ringing Set, Piston Ring, Piston pin retaining	
17 33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)	
17 34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)	
17 34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)	
18 32077	Bolt, Connecting rod	
19 26073	Washer, Connecting rod	
20 28264	Nut Assy., Lock	
21 32150	Camshaft (MCR)	
22 31939	Lifter, Valve	
23A 31956A	* Gasket, Cylinder cover	
23 34221	Cyl. Cover (Incl.4,25A,26A,27,27A,28, 43,45)	
24 33992A	Oil Fill Tube	
25A 33590	"O" Ring Directicle (Incl. 25.4)	
26 33993A	Dipstick (Incl. 25A)	
27 34222 27A 34223	Bearing, Needle	
28 32426	Bearing & Seal Assy., Needle Spacer, Governor rod	
29 650588	Screw, 1/4-20 x 2"	
30 31927	Oil Drain Plug	
31A 33983	Link, Governor	
31 31968	Link, Governor	
32 650451	Screw, 1/4-20 x 1"	
33 31964	Clamp, Governor lever	
34A 8345	Washer, Flat	
34 29193	Ring, Retaining	
35 31963	Lever, Governor adjusting	
www.mymowerparts.com		

		Description
		Lockwasher
37 6	50544	Screw, 10-24 x 7/8"
38 79	975	Nut, 10-24
39 3	1965	Plate, Governor spring
40 30	0312	Screw, 10-32 x 1/2"
41 3 [°]		Spring, Governor
41A 3		Spring, Governor
		Washer, Flat
43 3		Rod Assy., Governor
44 3		Spool, Governor
45 29		Ring, Retaining
		0
46 3		Gear Assy., Governor
47 3		Shaft, Mechanical Governor
	2246A	* Gasket, Cylinder head
49 3		Head, Cylinder
		Screw, 5/16-18 x 2" (Use as required)
51 6	50711	Screw, 5/16-18 x 1-5/8" (Use as required)
51 6	50628A	Screw, 5/16-18 x 2-3/8" (Use as required)
51 6	50695A	Screw, 5/16-18 x 2-1/4" (Use as required)
51 6	50714	Screw, 5/16-18 x 1-5/8" (Use as required)
51 6		Screw, 5/16-18 x 2-1/2" (Use as required)
		Screw, 5/16-18 x 1-3/4" (Use as required)
	50603	Screw, $5/16-18 \times 5/8$ " (Use as require d)
53 3		Resistor Spark Plug (RJ-8C)
53 3		Resistor Spark Plug (RJ-17LM)
54 3		
		Cover, Cylinder head
55 28		Washer, Plain
		Washer, Flat (Use as required)
		Washer, Belleville (Use as required)
58 8		Washer, Lock (Use as required)
		Screw, 10-24 x 1/2"
60 3		Extension, Blower housing
61 3	1978	Bracket, Fuel tank
63 4	10144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63 3	4210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
04.0	4070	
64 3		Strap, Fuel tank
		Screw, 1/4-20 x 1"
		Nut, Flange whiz-lock, 1/4-20
		Screw, 5/16-18 x 7/8" (Use as require d)
67 6	50517	Screw, 1/4-20 x 27/32" (Use as requir ed)
67 6	50561	Screw, 1/4-20 x 5/8" (Use as required)
67 30	0063	Screw, 1/4-20 x 1/2" (Use as required)
70B 29		Strainer & Shut-off, Fuel
71 20		Clamp, Fuel line (Use as required)
72 2		Fuel Line (Braided) (8.25") (Use as required)
72 3		Fuel Line (Braided) (16") (Use as required)
72 3		Fuel Line (Braided) (32") (Use as req uired)
72 3		
		Fuel Line (Braided) (48") (Use as req uired)
73 3		Baffle, Blower housing
		Screw, 1/4-20 x 5/8"
75 3		Terminal
76 28		Grommet, Plastic
		Screw, 8-32 x 3/8"
78 3	1932	Bearing, Tapered roller
79 3	1928	Cup, Bearing
		· •

Ref #	Part Number Q	Ity Description
80	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32577	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84A 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 112 115 120 121	792028 650679 650666 650594 33044A 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33038 27272 650399 30767 32377	Screw, 5/16-18 x 7/8" Lockwasher, 5/16" (Use as required) Washer, Lock Nut, Flywheel, 3/4-16 Blower Hsg. (Incl.73) (For electric s tarter) Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Plug, Button (Use as required) * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner
123 126 128	32380 31925 650513 650713 650429	Bracket, Air cleaner Element, Air cleaner Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d) Screw, 5/16-18 x 3/4" (Use as require d)
120	www.mvmov	

Ref #	Part Number Qty	Description
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
141A	8274	Lockwasher, Split (Use as required)
141	26073	Washer, Flat (Use as required)
145	33263	* Gasket, Carburetor
146	650451	Screw, 1/4-20 x 1"
147	34061	Baffle, Air
151	610908	Terminal, Female
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
187	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
246	33776	Screen, Starter pulley
247	31980	Pulley, Starter
248	650680	Screw, 1/4-20 x 1-1/2"
249	32046	Rope Assy., Starter (Use as required)
259	650399	Screw, 10-32 x 5/8"
	610965	Solid State Stator Plate Ass'y.
264	650661	Screw, 1/4-20 x 3/4"
	610408	Nut, Hex
266	610750	Grommet, Lead wire
267	610906	Solid State Magneto (Incl.151,173,265,266)(20 Amp)
	610966	Flywheel (w/ring gear)
	550223	Decal, Name
	34768	Decal, Name
	32676	Decal, Solid State
299A	31752	Decal, Air cleaner
	34346	Decal, Instruction
	631021	Inlet Needle, Seat & Clip Assy.
301	631975	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 150 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120206F Page 6 of 9 Engine Parts List #2



Ref #	Part Number	Qty	Description
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
	610824		Flat Connector (Female terminals) (As req.)
	610750		Grommet, Lead wire
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
303	33835		Electric Starter Motor (12 Volt) NOTE: The 32817 and 33835 starter motors are used interchangeably on the se models. Refer to service numberstamped on end cap of motor, or on decal for identification. Refer to Division 5, Section D for breakdown.

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH120-120206F Page 8 of 9 Engine Parts List #3

ILLUSTRATION SHOWS TYPICAL FARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref #	Part Number	Qty	Description
41	31967		Spring, Governor
62A	31977		Fuel Tank (Incl. 63)
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
72	30705		Fuel Line (Braided) (16") (Use as req uired)
72	30962		Fuel Line (Braided) (32") (Use as req uired)
72	30965		Fuel Line (Braided) (48") (Use as req uired)
111	650590		Nut, Conduit
119	28534		Pipe Plug, 1/8-27 (Use as required)
119	9556		Plug, Pipe, 1/8-27 (Use as required)