
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 Page 1 of 9



www.mymowerparts.com

Rof #	Part Number	Otv	Description
	34761	чıу	Cylinder (C I liner)(Incl.2,3,4,184)(2-5/8")
	27652		Pin, Dowel
	27642		Plug, Oil drain, 1/4-18
	27876B		Seal, Oil
	32783		Intake Valve (Std.) (Incl. 9)
	32784		
	27878A		Intake Valve (1/32" OS) (Incl. 9) Exhaust Valve (Std.)
	27880A		,
	27882		Exhaust Valve (1/32" OS) (Incl. 9)
			Cap, Upper valve spring
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	31790		Crankshaft (Incl. 12 & 13)
12	29783		Pin, Crankshaft gear Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
13	27884		Gear, Crankshaft Used in early production. This gear is
			serviceable ONLY when itis pinned to the crankshaft.
14A	31797B		Piston & Pin Ass'y. (Std.)(2-5/8")(In cl.16)
14A	31798B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
14A	31799B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
14	34503		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
14	34504		Piston, Pin & Ring Set (.010" OS)
14	34505		Piston, Pin & Ring Set (.020" OS)
15	34854		Ring Set (Std.) (2-5/8" Bore)
	34855		Ring Set (.010" OS)
	34856		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	31295C		Rod Assy., Connecting (Incl. 18)
	650662C		Screw, Connecting rod (Late productio n)
	30682		Bolt, Connecting rod (Early production)
	26073		Connecting rod bolt washer (Early pro duction)
	28264		Connecting rod nut (Used on early pro duction)
	33156		Camshaft
	34034		Lifter, Valve
	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
	28460		Seal, Oil
	30684		* Gasket, Cylinder cover
	650451		Screw, 1/4-20 x 1"
	650599		Screw, 1/4-20 x 1-1/2"
	650489		Screw, 1/4-20 x 5/8"
	30939A		Cover, Cylinder head
	28938C		* Gasket, Cylinder head
	30938A		Head, Cylinder (Incl. 3 of 36)
	33636		Resistor Spark Plug
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer, Flat (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650128		Screw, 10-24 x 1/2" (Use as required)
	650597		Screw, 10-24 x 1/2 (Ose as required) Screw, 10-24 x 5/8" (Use as required)
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425 27045 A		Cover, Valve spring
	27915A		* Gasket, Intake
46	30195A	***	Flange, Carburetor (Incl. 79 & 80)

Flange, Carburetor (Incl. 79 & 80) WWW.mymowerparts.com


Ref #	Part Number	Qty	Description
48	30196		Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
	650548		Screw, 8-32 x 5/16"
	30319		Rivet, Split (Used on early productio n)
	32326A		Lever, Governor (New lever does not need 1 of Ref
52	32320A		#49,51,53,54,132,133)
			# -10,01,00,0-1,102,100
	30322		Lock Nut, 8-32 (Use as required)
54	29916		Clamp, Governor lever (Use as require d)
55	30205		Bracket, Adjusting
56	31710		Link, Throttle
58	29216		Locknut, 10-32
59	29752		Nut & Lockwasher, 1/4-28
	650572		Screw, 1/4-28 x 1-1/8"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
00	30093D		used. It is replaced by 30699C assy., Ref.#63A)
	30699C		Rod Assy., Governor (Incl. 64 & 65)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66A	31297		Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876		Gasket, Stator
	31461		Bushing, Crankshaft
	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	650152		Screw, 8-32 x 3/8"
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1/2 (Ose as required) Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		• • •
			* Gasket, Air cleaner
	31691		Bracket, Air cleaner
	30727		Element, Air cleaner
	31715		Body, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
00	22024		
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
98	31342		Compression Spring (Used with 650549 screw) (Use as
			required)
	650688		Screw, 10-32 x 1 (Use as required)
	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
101	650625		Washer, Thrust
102	30884		Key, Flywheel
103	31843A		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	30591		Gear Assy., Governor (Incl. 106)
101			

WWW.mymowerparts.com

108 109 111D 112 113A 113 114	Part Number 30588A 29193 34158 34159 650665 650561 34186A 410144B 33032	Qty	Description Spool, Governor Ring, Retaining Bracket, Lower fuel tank Plate, Upper fuel tank mtg. Screw, 1/4-15 x 3/4" Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 120) Fuel Cap (White Plastic)(Standard)(As req.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required)
119 119 119 120 121 125 126 127 128 132 132 134 144 146 147 148 186 224 225B 226 244 225B 226 244 245 246 247 248 262 264 265 266 267 298A	29774 30705 30962 26460 32401 27930A 30196 26073 650694A 650548 650139 650542 29538 650128 30622A 27275 29443 31386 31711B 610973 31793 31792 31855 650778 650580 29716 32125 590417 650815 8116 550223		as required) Fuel Line (Braided 8.25") (Use as req uired) Fuel Line (Braided 16") (Use as requi red) Fuel Line (Braided 32") (Use as requi red) Clamp, Fuel line (Use as required) Muffler * Gasket, Exhaust Screw, 5/16-18 x 3/4" Washer, Flat Screw, 5/16-18 x 2" Screw, 8-32 x 5/16" (Early production) Screw, 8-32 x 1/2" (Early production) Screw, 5/16-18 x 3/4" Base, Engine mounting Screw, 10-24 x 1/2" Extension, Blower housing Clip, Wire (Use as required) Clip, Fuel line (Use as required) Spring, Extension Control Bracket (Incl. 98, 99 & 226) Terminal Assy. Bearing, Ball Washer, Thrust Retainer, Bearing Washer, Lock Nut, Lock Screw, 1/4-28 x 7/16" Cup, Starter Screen, Starter cup Washer, Belleville Nut, Hex Decal, Name
298A 298A 298 299 300	33310 31517 32173 34346 30547A 30548B 631021		Decal, 5 HP Mini-Bike (Use as require d) Decal, H.P. (5 H.P.) (Use as required) Decal, H.P. (6 H.P.) (Use as required) Decal, Instruction Contact Assy., Breaker Condenser Inlet Needle, Seat & Clip Assy.
	631828		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A, page 144 for breakdown)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 5\ of\ 9}$ Engine Parts List #1


Ref #	Part Number	Qty	Description
304	610689A		Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as shown in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
310	33235A		* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 7\ of\ 9}$ Engine Parts List #2

Ref #	Part Number	Qty Description
35	26073	Washer, Flat (Use as required)
35	650570	Washer, Flat (Use as required)
35	650691	Washer, Flat (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
81	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81	28820	Screw, 10-32 x 1/2" (Use as required)
81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A	* Gasket, Air cleaner
86A	34697	Air Cleaner Elbow Assy.(Use in 730561 only.)
89A	730128	Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
		298B) (Use as req.)
113A	650665	Screw, 1/4-15 x 3/4"
	391026	Muffler (Incl. 124, 124A & 124B) (This spark arrester
	33.323	mufflercan be used on any model)
12//Δ	33171	Muffler Screen (Use as required)
	33185	Cover & Tube, Muffler (Use as require d)
	650578	Screw, 8-18 x 3/8"
	27930A	* Gasket, Exhaust
	31288	Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130	Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	34819	Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in
		730561 ass'y. only)
224	730561	Air Cleaner Kit
234	730301	(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29
		(Incl.30,43,44,76,79,79,02,03A,040,00A,07,90,100A,233,28) (Use only on engines with an externally ventedfully
		adjustable carburetor.)
		,
273	650687	Screw, 10-32 x 5/16" (Use as required)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 9\ of\ 9}$ Engine Parts List #3

Ref #	Part Number	Qty	Description
37A 37 37 41 43A 56 69	27261 650128 650597 28425 35350 31710 29747B 28569	<u>uty</u>	Washer, Flat (Use as required) Screw, 10-24 x 1/2" (Use as required) Screw, 10-24 x 5/8" (Use as required) Cover, Valve spring Tube, Breather Link, Throttle Screw, 5/16-24 x 21/32" Compression Spring (Used with 29500 screw)(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as required)
98	31342		Compression Spring (Used with 650549 screw) (Use as required)
99 99 182 183 184 185 225 226 227 262 262 266 267 305	650688 650549 29500 32683A 32955 9556 30063 730152 610973 33177 29716 650815 8116 33018 590420		Screw, 10-32 x 1 (Use as required) Screw, 5-40 x 7/16" (Use as required) Screw, 8-32 x 3/4" (Use as required) Gasket, Fuel pump cover (Use as required) Cover, Fuel pump pad (Use as required) Plug, Pipe 1/8-27 (Use as required) Screw, 1/4-20 x 1/2" (Use as required) Control Bracket(Incl.91 thru 97)(As r eq.) Terminal Assy. Terminal (Use as required) Screw, 1/4-28 x 7/16" Washer, Belleville Nut, Hex Harness Assy., Adapter (Use as requir ed) Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
308	33328D		Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt starter motor kit may have been added to this engine. This can be added only if cylinder has drilled and tapped starter mounting bosses and a ring gear flywheel has been added (see #309). Refer to service number stamped on end cap of motor,
309	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter motor kits listed above.)