For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

Page 1 of 8

Engine Parts List #1 ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY OEM. 128

www.mymowerparts.com

Ref # Part Number				
1 34761 2 27662 3 27662 3 27676 4 27676B 5 2768 5 2768 5 2768 5 27783 5 2783 5 2784 6 314690 6 314690 6 314700 7 27882 8 27881 9 32581 9 32581 1 31826 6 27882 1 29783 1 29784 1 34504 1 34504 1 34504 1 34504 1 34504 1 34504 1 34504 1 34505 1 34884 1 34504 1 34506 1 34885 1 34886	Ref #	Part Number	Qty	Description
2 27662 3 27642 4 27876B 5 32763 5 32764 6 31459A 5 32764 6 31459A 6 31470A 7 27882 8 2 284 27881 9 32581 11 31826 Crankshaft (Incl. 12 & 13) 12 28783 7 27884 6 344503 7 27884 7 27884 7 2884 8 27884 9 32581 13 37884 14 34503 15 27884 8 2840 16 34503 17 27884 8 2840 8 3 34854 8 3 36854 8 3 36864 8 3 36864 8 3 36864 8 3 36864 8 3 36864 8 3 36864 8 3 36866 8 3 3 36938 8 4 36866 3 3 36938 8 4 36866 3 3 36938 8 4 36866 3 3 36938 8 5 26073 9 260699 9 26074 9 26073 9 26076			·	
3 27642 Plug, Oil drain, 14-18 4 27876B Seal, Oil 5 32783 Intake Valve (Std.) (Incl. 9) 1 Intake Valve (132° OS) (Incl. 9) 2 32784 Intake Valve (Std.) (Incl. 9) 2 4784	2	27652		
4 27876B 5 32783 1 intake Valve (Std.) (Incl. 9) 1 intake Valve (Std.) (Incl. 9) 6 31469A 6 31469A 6 31470A C 27881 8 27881 9 32581 9 32581 13 31826 12 29783  13 31826 12 29783  Pin Crankshaft (Incl. 12 & 13) Pin Crankshaft (Incl. 13) Pin Crankshaft	3	27642		
5 32784				
5 32784   Intake Valve (132' OS) (Incl. 9) 6 31470A   Exhaust Valve (132' OS) (Incl. 9) 7 27882   Exhaust Valve (132' OS) (Incl. 9) 8 27881   Spring Valve (Std.) (Incl. 9) 9 32581   Spring Valve 9 32581   Spring Valve 11 31826   Crankshaft (Incl. 12 & 13) 12 29783   Pinc. Translated Used in early production. This gear is serviceable ONLY when lifs prinned to the crankshaft.  13 27884   Gear, Crankshaft Used in early production. This gear is serviceable ONLY when lifs prinned to the crankshaft.  14 34503   Piston, Pin & Ring Set (Std.) (2-5/8' Bore) 14 34504   Piston, Pin & Ring Set (O10' OS) 14 34797B   Piston & Pin & Ring Set (O10' OS) 14 31799B   Piston & Pin Assy, (Std.) (2-5/8') (Incl. 16) 15 34854   Ring Set (Std.) (2-5/8' Bore) 15 34855   Ring Set (Std.) (2-5/8' Bore) 16 27888   Piston & Pin Assy, (U20' OS) (Incl. 16) 17 31296C   Rod Assy, (U20' OS) 18 36966   Ring Set (O20' OS) 19 26073   Connecting rod (Late production) 20 28264   Connecting rod (Late production) 21 32115   Canshaft (MCR) 22 34034   Lifter, Valve   Set (U30' OS) 33 0939A   Connecting rod Incl. 24, 105, 246, 24 7 & 248) 34 28360   Set (U30' OS) 35 065049   Screw, Lifter (U30' OS) 36 065091   Screw, 14-20 x 1-1/2' Screw, 14-20 x 1-1/2' 37 650599   Screw, 14-20 x 1-1/2' 38 6506971   Screw, 14-20 x 1-1/2' 39 6506984   Screw, 14-20 x 1-1/2' 30 65049   Screw, 14-20 x 1-1/2' 31 650597   Screw, 14-20 x 1-1/2' 31 650599   Screw, 14-20 x 1-1/2' 3				•
6 31469A Exhaust Valve (Std.) (find. 9) 6 31470A Exhaust Valve (1732 CS) (incl. 9) 7 27882 Cap. Upper valve spring 8 27881 Spring Valve 9 32581 Cap. Lower valve spring 11 31826 Cap. Lower valve spring 12 29783 Pin, Crankshaft (incl. 12 & 13) 12 29783 Pin, Crankshaft (incl. 12 & 13) 13 27884 Gear, Crankshaft spear Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft. 14 34503 Piston, Pin & Ring Set (1010 CS) 14 34504 Piston, Pin & Ring Set (1010 CS) 14 34505 Piston, Pin & Ring Set (1010 CS) 14 34506 Piston, Pin & Ring Set (1010 CS) 14 34506 Piston, Pin & Ring Set (1010 CS) 14 34797B Piston & Pin Assy. (1010 CS) (incl. 16) 14 31798B Piston & Pin Assy. (1010 CS) (incl. 16) 15 34854 Ring Set (1010 CS) 15 34855 Ring Set (1010 CS) 16 34855 Ring Set (1010 CS) 17 31296C Ring Set (1010 CS) 18 650662C Rod Assy., Connecting (incl. 18) 18 650662C Rod Assy., Connecting (incl. 18) 19 28073 Connecting rod (Late production) 20 28264 Connecting rod (Late production) 21 32115 Canshaft (MCR) 22 34034 Lifter, Valve 23 31451A Cylinder cover (incl. 24, 105, 246, 24 7 & 248) 24 2460 Sell 25 30689 Screw, Valve Valve 26 30689 Screw, 14-20 x 1-1/2* 26 660697 Screw, 14-20 x 1-1/2* 26 660697 Screw, 14-20 x 1-1/2* 27 660697 Screw, 14-20 x 1-1/2* 28 6				` , ` ,
6 31470A 7 27882 8 27881 7 27882 8 27881 8 27881 9 32581 9 32581 13 1826 11 31826 12 29783 Pin, Crankshaft (Incl. 12 & 1.3) Pin, Cra				, , ,
7 27881 8 27881 8 27881 9 25281 11 31826 12 29783 Pin Crankshaft year Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft. 12 29783 Pin Crankshaft year Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft. 13 27884 Gear, Crankshaft year Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft. 14 34503 Piston, Pin & Ring Set (1010" OS) 14 34504 Piston, Pin & Ring Set (1010" OS) Piston & Pin Assy, (1010" OS) (Incl. 16) Piston & Pin Assy, (1010" OS) (Incl. 16) Piston & Pin Assy, (1010" OS) (Incl. 16) Piston & Pin Assy, Conceding of Berel Piston & Pin Assy, (1010" OS) (Incl. 16) Piston & Pin Assy, (1020" OS) (Incl. 16) Piston & Pin Assy, (1020" OS) Piston & Pin Assy, (1020" OS) Piston & Pin Assy, (1020" OS) (Incl. 16) Piston & Pin Assy, (1020" OS) Piston & Pin Assy, (1020" O				
8 27881 9 32581 10 31826 11 31826 C2, Louver valve spring Crankshaft (Incl. 12 & 13) Pin, Crankshaft (gear Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft.  13 27884 Gear, Crankshaft Used in early production. This gear is serviceable ONLY when its pinned to the crankshaft.  14 34503 Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (Std.) (2-5/8" Bore) Piston, Pin & Ring Set (C00" OS) Pist				, , , ,
9 32581 11 31826 12 29783 27884 27884 27884 2884 29884 29884 34503 14 34503 15 28984 29886 29886 298888 29888 29888 29888 2988				
11 31826				
Pin, Crankshaft gear Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.   3 27884   Gear, Crankshaft Used in early production. This gear is serviceable ONLY when itis pinned to the crankshaft.   4 34503   Piston, Pin & Ring Set (Std.) (2-5/8" Bore)     4 34504   Piston, Pin & Ring Set (C10" OS)     4 34505   Piston, Pin & Ring Set (C10" OS)     4 34506   Piston, Pin & Ring Set (C10" OS)     4 34797B   Piston & Pin Assy, (Std.) (2-5/8" (In cl. 16)     4 34798B   Piston & Pin Assy, (Std.) (2-5/8" (In cl. 16)     4 34799B   Piston & Pin Assy, (D20" OS) (Incl. 16)     5 34854   Ring Set (Std.) (2-5/8" Bore)     5 34856   Ring Set (Std.) (2-5/8" Bore)     6 27888   Ring Set (010" OS)     7 31256C   Rod Assy, Connecting (Incl. 18)     8 650662C   Screw, Connecting (Incl. 18)     9 26073   Connecting rod (Late production)     10 28264   Connecting rod (Early production)     2 32264   Connecting rod (Early production)     2 32264   Connecting rod (Early production)     2 34034   Lifter, Valve   Cylinder Cover (Incl. 24, 105, 246, 24 7 & 248)     2 3 3451A   Cylinder Cover (Incl. 24, 105, 246, 24 7 & 248)     2 3 650599   Screw, (14-20 x 1"     2 9 650599   Screw, (14-20 x 1"     3 9 650599   Screw, (14-20 x 1-1/2"     3 6 650670   Valsher, Flat (Use as required)     3 6 650697A   Screw, (14-20 x 5/8" (Use as required)     3 6 650697A   Screw, (14-20 x 5/8" (Use as required)     3 6 650697A   Screw, (14-20 x 1-1/2" (Use as required)     3 6 650697A   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as required)     3 650697   Screw, (14-20 x 1-1/2" (Use as re				• •
Serviceable ONLY when itis pinned to the crankshaft.				· ·
serviceable ONLY when itis pinned to the crankshaft.  14 34503	12	23703		
Serviceable ONLY when its pinned to the crankshaft.	13	27884		Gear Crankshaft Used in early production. This gear is
14 34504 Piston, Pin & Ring Set (.010" OS) 14 34505 Piston, Pin & Ring Set (.020" OS) 14A 31797B Piston & Pin Assy. (.5014)(2-518")(Incl. 16) 14A 31798B Piston & Pin Assy. (.010" OS) (Incl. 16) 14A 31799B Piston & Pin Assy. (.010" OS) (Incl. 16) 15 34854 Piston & Pin Assy. (.000" OS) (Incl. 16) 15 34855 Piston & Pin Assy. (.020" OS) (Incl. 16) 16 2788B Piston & Pin Assy. (.020" OS) 16 2788B Ring Set (.020" OS) 17 31295C Rod Assy. Connecting (Incl. 18) 18 650662C Ring Piston pin retaining 19 26073 Connecting rod (Late production) 20 28264 Connecting rod bott washer (Early production) 21 32115 Canshaft (MCN) 22 34034 Lifter, Valve 23 31451A Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) 24 24460 Seal, Oil 26 30684 "Casket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 29 650599 Screw, 1/4-20 x 1" 20 650699 Screw, 1/4-20 x 1" 21 30 650489 Screw, 1/4-20 x 1" 21 30 65049 Screw, 1/4-20 x 1" 23 30393A Cover, Cylinder head 24 2838C "Gasket, Cylinder head 25 2838C "Gasket, Cylinder head 26 36691 Washer, Flat (Use as required) 27 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-18 x 2-1/2" (Use as required) 28 650697 Screw, 5/16-1	10	27.66.1		· · · · · · · · · · · · · · · · · · ·
144 34505 14A 31797B 14A 31797B 14A 31798B 14B 15 34854 15 34855 15 34855 16 27888 17 31295C 18 6662C 18 6662C 18 673 19 26073 20 28264 20 314514 20 23 314514 21 23403 22 314514 24 28460 26 30684 27 306692 28 30684 28 650451 29 650599 31 30939A 30939A 30939A 30939A 30939A 30 650697A 36 650697A 36 650697 38 27896A 37 680159 38 27896A 39 28424 40 28440 30 28424 41 28425 30 650499 30 2796 2796 2796 30 2796 2796 2796 30 2796 2796 30 2796 2796 30 2796 2796 30 2797 30 279	14	34503		Piston, Pin & Ring Set (Std.) (2-5/8" Bore)
Hata   31797B	14	34504		Piston, Pin & Ring Set (.010" OS)
14A   31798B	14	34505		Piston, Pin & Ring Set (.020" OS)
14A 31799B	14A	31797B		
15 34854 16 34855 17 34856 18 34856 18 Ring Set (.010" OS) 18 27888 18 Ring, Piston pin retaining 17 31295C 18 650662C 18 650662C 28 Rod Assy., Connecting rod (Late production) 29 28073 20 28264 20 Connecting rod (Late production) 20 28264 21 32115 22 34034 23 31451A 24 28460 25 650451 26 650599 27 650489 28 650489 29 650599 30 650489 31 30339A 30338A 30338A 30338A 30338A 304 Cover, Cylinder head 32 28938C 33 30338A 34 366 35 26073 36 650697A 36 650697A 37 650597 38 27896A 39 28423 40 28424 41 28425 40 28424 41 28425 40 28428 41 Cylinder Cover (Incl. 24, 105, 246, 24 7 & 248) 41 Cylinder Cover (Incl. 24, 105, 246, 24 7 & 248) 42 84 80 43 80 80 80 80 80 80 80 80 80 80 80 80 80	14A	31798B		Piston & Pin Ass'y. (.010" OS) (Incl. 16)
15 34855 16 27888 17 31295C 18 660662C 18 6788 18 679 Piston pin retaining 18 30682 19 26073 20 28264 21 23415 22 34034 23 31451A 24 28460 26 36084 27 36084 28 650451 29 660599 30 650489 31 30938A 32 650691 33 650691 34 650697A 35 766059 36 766059 37 660694 36 76864 36 76864 37 660697 38 77896A 39 28423 30 178 17804 30 16084 30 178 17804 30 178 178 187 187 187 187 187 187 187 187	14A	31799B		Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15 34856 Ring Set (.020" OS) 16 27888 Ring, Set (.020" OS) 17 31295C Rod Assy., Connecting (Incl. 18) 18 650662C Screw, Connecting rod (Late production) 18 650662C Bolt, Connecting rod (Late production) 19 26073 Connecting rod bot washer (Early production) 20 28264 Connecting rod nut (Used on early pro duction) 21 32115 Carrishaft (MCR) Lifter, Valve 22 34034 Lifter, Valve 23 31451A Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) 24 28460 Seal, Oil 26 30684 Screw, 1/4-20 x 1" 29 650599 Screw, 1/4-20 x 1" 29 650599 Screw, 1/4-20 x 5.8" 31 30939A Cover, Cylinder head 32 2838C Screw, 1/4-20 x 5.8" 33 30938A Head, Cylinder (Incl. 3 of 36) 34 33636 Resistor Spark Plug 35 26073 Washer, Flat (Use as required) 36 650691 Washer, Flat (Use as required) 37 650694 Screw, 5/16-18 x 2-1/2" (Use as required) 38 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 39 28423 Sody, Breather Cover, Valve paring 40 28424 Element, Breather Cover, Valve spring 14 28425 Litter, Valve Cover, Valve spring 15 12 12 12 12 12 12 12 12 12 12 12 12 12	15	34854		Ring Set (Std.) (2-5/8" Bore)
16       27888       Ring, Piston pin retaining         17       31295C       Rod Assy., Connecting rod (Late productio n)         18       650662C       Screw, Connecting rod (Late productio n)         19       26073       Connecting rod both washer (Early pro duction)         20       28264       Connecting rod nut (Used on early pro duction)         21       32115       Camshaft (MCR)         22       34034       Lifter, Valve         23       31451A       Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)         24       28460       Seal, Oil         26       30684       * Gasket, Cylinder cover         28       650451       Screw, 14*20 x 1"         29       650599       Screw, 14*20 x 1-1/2"         30       650489       Screw, 14*20 x 5/8"         31       303939A       Cover, Cylinder head         32       28938C       * Gasket, Cylinder (Incl. 3 of 36)         33       30338A       Head, Cylinder (Incl. 3 of 36)         34       33636       Resistor Spark Plug         35       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650694A       Screw, 5/16-18	15	34855		Ring Set (.010" OS)
17 31295C 18 65062C 18 65062C Screw, Connecting (Incl. 18) Screw, Connecting (ILate production) 18 30682 Bolt, Connecting rod (ILate production) 20 28264 Connecting rod bolt washer (Early production) 21 32115 Carnshaft (MCR) Lifter, Valve 23 31451A Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) 24 28460 Seal, Oil 26 30684 Screw, 14-20 x 1" 29 650599 Screw, 14-20 x 1-1/2" 30 650489 Screw, 14-20 x 58" 31 30939A Cover, Cylinder head 32 2838C Screw, 14-20 x 58" Cover, Cylinder head 33 30938A Head, Cylinder (Incl. 3 of 36) Resistor Spark Plug Washer, Flat (Use as required) 35 650570 Washer, Flat (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 37 650128 Screw, 16-24 x 5/8" (Use as required) 38 27896A Screw, 16-24 x 5/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 16-24 x 5/8" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required) Screw, 10-24 x 1/2" (Use as required)	15	34856		Ring Set (.020" OS)
18 650662C       Screw, Connecting rod (Late productio n)         18A 30682       Bolt, Connecting rod (Early production)         19 26073       Connecting rod bolt washer (Early pro duction)         20 28264       Connecting rod nut (Used on early pro duction)         21 32115       Camshaft (MCR)         22 34034       Lifter, Valve         23 31451A       Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)         24 28460       Seal, Oil         26 30684       * Gasket, Cylinder cover         28 650451       Screw, 1/4-20 x 1"         29 650599       Screw, 1/4-20 x 1-1/2"         30 650489       Screw, 1/4-20 x 1-1/2"         31 30939A       Cover, Cylinder head         32 28938C       * Gasket, Cylinder (Incl. 3 of 36)         33 3636       Resistor Spark Plug         35 26073       Washer, Flat (Use as required)         35 650691       Washer, Flat (Use as required)         36 650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36 650694A       Screw, 5/16-18 x 2-1/2" (Use as required)         37 650128       Screw, 5/16-18 x 2-1/2" (Use as required)         37 650597       Screw, 5/16-18 x 2-1/2" (Use as required)         38 27896A       * Gasket, Flather         40 28424       Element, Breather	16	27888		Ring, Piston pin retaining
18A       30682       Bolt, Connecting rod (Early production)         19       26073       Connecting rod bott washer (Early pro duction)         20       28264       Connecting rod nut (Used on early pro duction)         21       32115       Carnshaft (MCR)         22       34034       Lifter, Valve         23       31451A       Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)         24       28460       Seal, Oil         26       30684       * Gasket, Cylinder cover         28       650451       Screw, 1/4-20 x 1-1/2"         29       650599       Screw, 1/4-20 x 1-1/2"         30       650489       Screw, 1/4-20 x 1-1/2"         31       30939A       Cover, Cylinder head         32       28938C       * Gasket, Cylinder head         33       30938A       Head, Cylinder (Incl. 3 of 36)         34       33636       Resistor Spark Plug         35       26073       Washer, Flat (Use as required)         35       26073       Washer, Flat (Use as required)         36       650691       Washer, Flat (Use as required)         36       650694       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650694A       Screw, 5/16-18 x 2-1/4" (Use as	17	31295C		Rod Assy., Connecting (Incl. 18)
19 26073 Connecting rod bolt washer (Early pro duction) 20 28264 Connecting rod nut (Used on early pro duction) 21 32115 Camshaft (MCR) Lifter, Valve 23 31451A Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) 24 28460 Seal, Oil 26 30684 Scal, Oil 29 650599 Screw, 1/4-20 x 1" 29 650599 Screw, 1/4-20 x 1-1/2" 30 650489 Screw, 1/4-20 x 5/8" 31 30939A Cover, Cylinder head 32 28938C Screw, 1/4-20 x 1 (Light and the state of	18	650662C		Screw, Connecting rod (Late productio n)
20 28264 Connecting rod nut (Used on early pro duction) 21 32115 Camshaft (MCR) 22 34034 Lifter, Valve 23 31451A Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) 24 28460 Seal, Oil 26 30684 *Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1-1/2" 29 650599 Screw, 1/4-20 x 1-1/2" 30 650489 Screw, 1/4-20 x 5/8" 31 30339A Cover, Cylinder head 32 28338C *Gasket, Cylinder head 33 30338A Head, Cylinder (Incl. 3 of 36) 34 33636 Resistor Spark Plug 35 26073 Washer, Flat (Use as required) 36 650691 Washer, Flat (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 650128 Screw, 5/16-18 x 2-1/2" (Use as required) 38 27896A Screw, 10-24 x 15/8" (Use as required) 39 28423 Body, Breather 41 28425 Cover, Valve spring 1 Use, Breather	18A	30682		Bolt, Connecting rod (Early productio n)
21 32115 22 34034 23 31451A 24 28460 26 30684 27 3650599 28 5073 28 31 30938A 29 42 3866 30 5650691 30 650695A 30 650694A 30 650697 30 650698 30 784 67866 30 650697 30 650697 30 650698 30 784 67866 30 650697 30 650697 30 650697 30 650697 30 650697 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 6786 67866 30 67	19	26073		Connecting rod bolt washer (Early pro duction)
22 34034 23 31451A 24 28460 25 30684 26 30684 27 630599 28 650451 29 650599 30 650489 31 30939A 32 28938C 33 30938A 34 33636 35 26073 36 650691 36 650697A 36 650695A 36 650695A 37 650597 38 650597 38 27896A 39 28423 40 28424 41 28425 40 28 650451 Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) Seal, Oil Cylinder Cover (Incl.24, 105, 246, 24 7 & 248) Seal, Oil Cylinder cover Screw, 1/4-20 x 1" Screw, 1/4-20 x 5/8" Cover, Cylinder head Screw, 1/4-20 x 5/8" Cover, Cylinder head  * Gasket, Cylinder head  * Gasket, Cylinder head  * Gasket, Cylinder head  * Washer, Flat (Use as required) Washer, Flat (Use as required) Washer, Flat (Use as required)  * Screw, 5/16-18 x 2-1/2" (Use as required)  * Screw, 5/16-18 x 2-1/4" (Use as required)  * Screw, 5/16-18 x 2-1/4" (Use as required)  * Screw, 10-24 x 1/2" (Use as required)	20	28264		Connecting rod nut (Used on early pro duction)
23 31451A	21	32115		Camshaft (MCR)
24 28460 26 30684 27 30684 28 650451 29 650599 20 5crew, 1/4-20 x 1" 29 650599 30 650489 31 30939A 32 28938C 33 30938A 33 30938A 33 30938A 34 33636 35 26073 36 550691 36 650697A 37 650695A 38 650697A 39 650694A 30 650694A 31 650597 32 650597 33 650597 34 7866694A 35 27896A 36 28424 36 28424 41 28425 36 450599 37 676-18 x 2-1/2" (Use as required) 38 62844 39 28424 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28748 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 41 28425 40 28424 5rew, Valve spring Tube, Breatther  Cover, Valve spring Tube, Breatther  Cover, Valve spring Tube, Breatther	22	34034		Lifter, Valve
26       30684       * Gasket, Cylinder cover         28       650451       Screw, 1/4-20 x 1"         29       650599       Screw, 1/4-20 x 1-1/2"         30       650489       Screw, 1/4-20 x 5/8"         31       30939A       Cover, Cylinder head         32       28938C       * Gasket, Cylinder (Incl. 3 of 36)         34       33636       Resistor Spark Plug         35       26073       Washer, Flat (Use as required)         35       650570       Washer, Flat (Use as required)         36       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather <td>23</td> <td>31451A</td> <td></td> <td>Cylinder Cover (Incl.24, 105, 246, 24 7 &amp; 248)</td>	23	31451A		Cylinder Cover (Incl.24, 105, 246, 24 7 & 248)
28 650451 Screw, 1/4-20 x 1" 29 650599 Screw, 1/4-20 x 1-1/2" 30 650489 Screw, 1/4-20 x 5/8" 31 30939A Cover, Cylinder head 32 28938C *Gasket, Cylinder (Incl. 3 of 36) 34 33636 Resistor Spark Plug 35 26073 Washer, Flat (Use as required) 35 650570 Washer, Flat (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 650128 Screw, 5/16-18 x 2* (Use as required) 38 27896A Screw, 10-24 x 1/2" (Use as required) 39 28423 Body, Breather 41 28425 Cover, Valve spring Tube, Breather	24	28460		Seal, Oil
29       650599       Screw, 1/4-20 x 1-1/2"         30       650489       Screw, 1/4-20 x 5/8"         31       30939A       Cover, Cylinder head         32       28938C       * Gasket, Cylinder (Incl. 3 of 36)         33       30938A       Head, Cylinder (Incl. 3 of 36)         34       33636       Resistor Spark Plug         35       26073       Washer, Flat (Use as required)         35       650570       Washer, Flat (Use as required)         36       650691       Washer, Flat (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	26	30684		* Gasket, Cylinder cover
30 650489 31 30939A 32 28938C 33 30938A 34 33636 35 26073 35 650670 36 650691 36 650695A 37 650128 38 650597 39 650597 30 650597 31 650597 32 62 63 63 63 63 63 63 63 63 63 63 63 63 63	28	650451		Screw, 1/4-20 x 1"
31 30939A	29	650599		Screw, 1/4-20 x 1-1/2"
32       28938C       * Gasket, Cylinder head         33       30938A       Head, Cylinder (Incl. 3 of 36)         34       33636       Resistor Spark Plug         35       26073       Washer, Flat (Use as required)         35       650570       Washer, Flat (Use as required)         36       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as required)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	30	650489		Screw, 1/4-20 x 5/8"
33 30938A  34 33636  35 26073  36 550570  37 650691  38 650695A  39 650694A  30 650128  30 650597  31 650597  32 7896A  33 27896A  34 332447   Head, Cylinder (Incl. 3 of 36)  Resistor Spark Plug  Washer, Flat (Use as required)  Screw, 5/16-18 x 2-1/2" (Use as required)  Screw, 5/16-18 x 2-1/4" (Use as required)  Screw, 10-24 x 1/2" (Use as required)  * Gasket, Breather cover  Body, Breather  Llement, Breather  Cover, Valve spring  Tube, Breather	31	30939A		Cover, Cylinder head
34 33636 Resistor Spark Plug 35 26073 Washer, Flat (Use as required) 35 650570 Washer, Flat (Use as required) 36 650691 Washer, Flat (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 650128 Screw, 10-24 x 1/2" (Use as required) 37 650597 Screw, 10-24 x 5/8" (Use as required) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather	32	28938C		* Gasket, Cylinder head
35       26073       Washer, Flat (Use as required)         35       650570       Washer, Flat (Use as required)         36       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	33	30938A		Head, Cylinder (Incl. 3 of 36)
35       650570       Washer, Flat (Use as required)         35       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2" (Use as required)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	34	33636		Resistor Spark Plug
35       650570       Washer, Flat (Use as required)         35       650691       Washer, Flat (Use as required)         36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2" (Use as required)         37       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	35	26073		Washer, Flat (Use as required)
36       650697A       Screw, 5/16-18 x 2-1/2" (Use as requi red)         36       650695A       Screw, 5/16-18 x 2-1/4" (Use as requi red)         36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	35	650570		Washer, Flat (Use as required)
36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 650128 Screw, 10-24 x 1/2" (Use as required) 38 27896A Screw, 10-24 x 5/8" (Use as required) 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather	35	650691		Washer, Flat (Use as required)
36       650694A       Screw, 5/16-18 x 2" (Use as required)         37       650128       Screw, 10-24 x 1/2" (Use as required)         37       650597       Screw, 10-24 x 5/8" (Use as required)         38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather	36	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
37 650128 Screw, 10-24 x 1/2" (Use as required) 37 650597 Screw, 10-24 x 5/8" (Use as required) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather	36	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
37 650128 Screw, 10-24 x 1/2" (Use as required) 37 650597 Screw, 10-24 x 5/8" (Use as required) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather				. ,
37 650597 Screw, 10-24 x 5/8" (Use as required) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather				
38       27896A       * Gasket, Breather cover         39       28423       Body, Breather         40       28424       Element, Breather         41       28425       Cover, Valve spring         43       32447       Tube, Breather				. ,
39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather				· · ·
40 28424 Element, Breather 41 28425 Cover, Valve spring 43 32447 Tube, Breather				·
41 28425 Cover, Valve spring 43 32447 Tube, Breather				
43 32447 Tube, Breather				•
·				
·				·


### www.mymowerparts.com

Ref #	Part Number	Qty	Description
	34712		Flange, Carburetor (Incl. 60)
48	30196		Screw, 5/16-18 x 3/4"
49	29918		Lockwasher
50	650548		Screw, 8-32 x 5/16"
51	30319		Rivet, Split (Used on early productio n)
52	33454		Lever Assy., Governor
	30322		Lock Nut, 8-32 (Use as required)
	29916		Clamp, Governor lever (Use as require d)
	34662		Link, Throttle
	29216		Locknut, 10-32
	650517		Screw, 1/4-20 x 13/16"
	29826		Screw, 10-32 x 3/4"
	29642		Ring, Retaining
	30699C		Rod Assy., Governor (Incl. 64 & 65)
63	30699B		Rod Assy., Governor (This one piece gov. rod is no longer
			used. It is replaced by 30699C assy., Ref.#63A)
64	30700		Yoke, Governor
65	650494		Screw, 6-40 x 5/16"
66A	31297		Dipstick (Incl. 68)
68	29673		* Gasket, Dipstick
69	29747B		Screw, 5/16-24 x 21/32"
70	32158E		Blower Hsg. (For elec.starter)(Incl.1 89,190)
71	33876		Gasket, Stator
72	31461		Bushing, Crankshaft
	29536		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	31688A		* Gasket, Carburetor
	30196		Screw, 5/16-18 x 3/4" (Use as require d)
	28820		Screw, 10-32 x 1/2" (Use as required)
	650521		Screw, 10-32 x 1-1/8" (Use as require d)
	27272A		* Gasket, Air cleaner
89	730127		Air Cleaner Ass'y. (Incl. 81,81A,82,83,84,85,90G & 298B)
			(Use as required)
98	32924		Compression Spring (Used with 650688 screw) (Use as
			required)
00	31342		Compression Spring (Llead with 650540 serow) (Llea as
90	31342		Compression Spring (Used with 650549 screw) (Use as required)
			• •
98	28569		Compression Spring (Used with 29500 screw)(Use as
			required)
99	650549		Screw, 5-40 x 7/16" (Use as required)
	29500		Screw, 8-32 x 3/4" (Use as required)
	650688		Screw, 10-32 x 1 (Use as required)
	650625		Washer, Thrust
	30884		Key, Flywheel
103	31843A		Bracket, Governor gear
104	650836		Screw, 10-24 x 1/2"
	31845		Shaft, Mechanical governor
106	30590A		Washer, Flat
107	30591		Gear Assy., Governor (Incl. 106)
108	30588A		Spool, Governor
109	29193		Ring, Retaining
111D	34158		Bracket, Lower fuel tank
112	34159		Plate, Upper fuel tank mtg.
	650561		Screw, 1/4-20 x 5/8"
114	34186A		Fuel Tank (Incl. 115 & 120)

#### www.mymowerparts.com

Ref #	Part Number	Qty	Description
115	410144B		Fuel Cap (White Plastic)(Standard)(As req.)
115	33032		Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as
			required)
115	34210		Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use
113	34210		, , .
			as required)
	29774		Fuel Line (Braided 8.25") (Use as req uired)
119	30705		Fuel Line (Braided 16") (Use as requi red)
119	30962		Fuel Line (Braided 32") (Use as requi red)
120	26460		Clamp, Fuel line (Use as required)
121	32401		Muffler
125	27930A		* Gasket, Exhaust
126	30196		Screw, 5/16-18 x 3/4"
127	26073		Washer, Flat
128	650694A		Screw, 5/16-18 x 2"
132	650548		Screw, 8-32 x 5/16" (Early production )
132	650139		Screw, 8-32 x 1/2" (Early production)
144	650542		Screw, 5/16-18 x 3/4"
146	29538		Base, Engine mounting
147	650128		Screw, 10-24 x 1/2"
148	30622A		Extension, Blower housing
149A	30747		Clip, Shorting
150	650890		Lockwasher
186	27275		Clip, Wire (Use as required)
186	29443		Clip, Fuel line (Use as required)
229	28942		Screw, 10-32 x 3/8"
230	27793		Clip, Conduit
232	35349		Ground Wire
244	31793		Bearing, Ball
	31792		Washer, Thrust
246	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
	29716		Screw, 1/4-28 x 7/16"
264	32125		Cup, Starter
	590417		Screen, Starter cup
	650815		Washer, Belleville
	8116		Nut, Hex
	34346		Decal, Instruction
	34768		Decal, Name
	33310		Decal, 5 HP Mini-Bike (Use as require d)
	31517		Decal, H.P. (5 H.P.) (Use as required )
	32173		Decal, H.P. (6 H.P.) (Use as required )
	30547A		Contact Assy., Breaker
	30548B		Condenser
	631021		Inlet Needle, Seat & Clip Assy.
303	632213		Carburetor (Incl. 75 & 301) (Refer to Division 5, Section A,
			page 176 for breakdown)
304	610689A		Magneto NOTE: The complete magneto is not available as
• • • • • • • • • • • • • • • • • • • •			an assembly. The magneto number is shown for reference
			purposes only. Order component parts individually, as
			shown in parts list. (Refer to Division 5, Section B, page 24
			for breakdown)
200	500,400		,
306	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
310	33235A		* Gasket Set (Incl. items marked *)
			,


#### www.mymowerparts.com



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~8}$ Engine Parts List #2

		Qty Description
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	650691	Washer, Flat (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
43	32447	Tube, Breather
76	34698A	Gasket, Air cleaner elbow
78	650826	Stud, 1/4-20
79	650513	Nut, Wing
81	30196	Screw, 5/16-18 x 3/4" (Use as require d)
81	28820	Screw, 10-32 x 1/2" (Use as required)
81	650521	Screw, 10-32 x 1-1/8" (Use as require d)
82	27272A	* Gasket, Air cleaner
	34699	Bracket, Air cleaner
	34783	Filter, Pre-Air
	34782	Element, Air cleaner
	34780	Elbow, Air cleaner
	34697	Air Cleaner Elbow Assy.(Use in 730561 only.)
	650163	Screw, 10-32 x 7/8"
	730128	Air Cleaner Ass'y. (Incl. 82,90A,90B,90D thru 90G,97 &
0071	. 66 . 26	298B) (Use as reg.)
		, , , , , , , , , , , , , , , , , , , ,
	34781	Cover, Air cleaner
	650825	Nut & Lockwasher, 1/4-20
100		Pop Rivet (Purchase locally) (1/8" di a.)
	30675	Fitting, Breather tube
121E	391026	Muffler (Incl. 124, 124A & 124B) (This spark arrester
		mufflercan be used on any model)
124A	33171	Muffler Screen (Use as required)
	33185	Cover & Tube, Muffler (Use as require d)
	650578	Screw, 8-18 x 3/8"
	27930A	* Gasket, Exhaust
	31288	Muf.Adapter Kit(Incl.125,136,137)(As req.)
	730130	Muf.Adapter Kit(Incl.125,136,137)(As req.;) Muf.Adapter Kit(Incl.125 & 138)(As re quired)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
		Screw, 5/16-18 x 3/4" (Use as require d)
	30196	
233	34819	Air Cleaner Elbow (Incl.44,76,78,83A,86A,100)(Use in 730561 ass'y. only)
234	730561	Air Cleaner Kit
		(Incl.38,43,44,76,78,79,82,83A,84,84C,86A,87,90,100A,233,29) (Use only on engines with an externally ventedfully
		adjustable carburetor.)
273	650687	Screw, 10-32 x 5/16" (Use as required )
	34704	Decal, Air cleaner



www.mymowerparts.com

# For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~8~of~8}$ Engine Parts List #3

		ty Description
	27261	Washer, Flat (Use as required)
	650128	Screw, 10-24 x 1/2" (Use as required)
37	650597	Screw, 10-24 x 5/8" (Use as required)
41	28425	Cover, Valve spring
44	32446	Grommet, Breather tube
56	34662	Link, Throttle
	29747B	Screw, 5/16-24 x 21/32"
	32924	Compression Spring (Used with 650688 screw) (Use as
30	02024	required)
98	31342	Compression Spring (Used with 650549 screw) (Use as
		required)
98	28569	Compression Spring (Used with 29500 screw)(Use as
		required)
	650549	Screw, 5-40 x 7/16" (Use as required)
99	29500	Screw, 8-32 x 3/4" (Use as required)
99	650688	Screw, 10-32 x 1 (Use as required)
139	650821	Screw, 10-32 x 1/2"
	34663	Spring, Speed control
	32683A	Gasket, Fuel pump cover (Use as requi red)
	32955	Cover, Fuel pump pad (Use as required)
	9556	Plug, Pipe 1/8-27 (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required )
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	33356	Terminal, Ground
	730152	Control Bracket(Incl.91 thru 97)(As r eq.)
	34664	Control Bracket (Incl. 98, 99, 140 & 226)
	33177	Terminal (Use as required)
229	28942	Screw, 10-32 x 3/8"
230	27793	Clip, Conduit
262	29716	Screw, 1/4-28 x 7/16"
266	650815	Washer, Belleville
267	8116	Nut, Hex
	33018	Harness Assy., Adapter (Use as requir ed)
	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
000	000 120	breakdown)
308	33328D	Starter Motor Kit (110-120 Volt) NOTE: This 110-120 volt
		starter motor kit may have been added to this engine. This
		can be added only if cylinder has drilled and tapped starter
		mounting bosses and a ring gear flywheel has been added
		(see #309). Refer to service number stamped on end cap of
		motor,
309	30811A	Flywheel (Ring gear flywheel requiredon engines using
		110-120 volt starter motor kits listed above.)