
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH70-140000A Page 1 of 8 Engine Parts List #1



www.mymowerparts.com

Ref #	Part Number	Qty D	Description
	32769B		Cylinder (Incl. 2, 3, 4, 76 & 270) (2 -3/4")
2	27652		in, Dowel
3	27642	Р	Plug, Oil drain
4	32630	S	Seal, Oil
5	32783	In	ntake Valve (Std.) (Incl. 9)
5	32784		ntake Valve (1/32" OS) (Incl. 9)
	27878A		xhaust Valve (Std.) (Incl. 9)
6	27880A		xhaust Valve (1/32" OS) (Incl. 9)
	27882		Cap, Upper valve spring
	20810		in, Valve spring retainer (Use as re quired)
	27881		Spring, Valve
	27881		pring, Valve
	32581		Cap, Lower valve spring
	32581		Cap, Lower valve spring
	32590		Plate, Lock & Oil dipper (This plate may be replaced by
10/1	02000		4242 oil dipper but 650662C screw must be used.)
			4242 OII dipper but 0000020 Screw must be used.)
	34242	D	Dipper, Oil
	32587	С	Crankshaft (Incl. 12 & 13)
12	29783	С	Crankshaft Gear Pin (Early production)
13	27884	G	Gear, Crankshaft (Used in early production) This gear is
		S	ervicable onlywhen it is pinned to the crankshaft.
110	22770D	П	Diatan 8 Din Analy (Std.)(2.2//!!)(In al.16)
	32770B		Viston & Pin Ass'y. (Std.)(2-3/4")(In cl.16)
	32771B		Viston & Pin Ass'y. (.010" OS) (Incl. 16)
	32772B		Viston & Pin Ass'y. (.020" OS) (Incl. 16)
	34528		Piston, Pin & Ring Set (Std.) (2-3/4" Bore)
	34529		Viston, Pin & Ring Set (.010" OS)
	34530		Viston, Pin & Ring Set (.020" OS)
	32595		Ring Set (Std.) (2-3/4" Bore)
	32596		Ring Set (.010" OS)
	32597		Ring Set (.020" OS)
	27888		Ring, Piston pin retaining
	32591C		Rod Assy., Connecting (Incl. 10 & 18)
	650662C		Screw, Connecting rod (2 each)
	32115		Camshaft (MCR)
22	34034	Li	ifter, Valve
	31303B	С	Cover, Cylinder (Incl. 24, 106 & 279)
24	28427	S	Seal, Oil
24B	31546	В	Bushing, Crankshaft (Use as required)
25	31297	D	Dipstick, Oil (Incl. 30)
	30684		Gasket, Cylinder cover
	650451		Screw, 1/4-20 x 1"
	29673		Gasket, Oil filler
	650489		Screw, 1/4-20 x 5/8"
	32631A		Gasket, Cylinder head
	30938A		lead, Cylinder
	27793		lip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug
	27896A		Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	26073		Vasher (Use as required)
42			rand (use as required)
	www.mymo	VV C	i parts.com

Ref #	Part Number	Qty Descri	ption
	650691		er, Flat (Use as required)
	650690		er, Belleville (Use as required)
	650128		, 10-24 x 1/2"
	27915A		ket, Intake
	30195A		e, Carburetor (Incl. 79 & 80)
	30196		, 5/16-18 x 3/4"
	29716		, 1/4-28 x 7/16"
	650548		, 8-32 x 5/16"
	32326A		Governor (New lever does not need 1 of
02			132,164,165,207)
55	30205	Bracke	et, Adjusting
56	31710		Throttle
59	29216		ock, 10-32
60	650152		, 8-32 x 3/8"
61	29826	Screw	, 10-32 x 3/4"
62	29642	Ring, F	Retaining
63	30699B	Govern	nor Rod Ass'y. (This one-piece governor rodis no longer
		used. I	It is replaced by 30699C ass'y.,Ref. no. 63A)
	30699C		ssy., Governor (Incl. 64 & 65)
	30700		Governor
	650494	Screw	, 6-40 x 5/16"
66	29918	Lockwa	asher, #8 E.T.
67	35350	Tube,	Breather
	29747B	Screw	, 5/16-24 x 21/32"
70	32158E	Blower	r Housing (For elec.star.)(Incl. 134,135)
71	650815	Washe	er, Belleville
72	8116	Nut, H	ex
73	29536		r Housing Baffle (without electric starter knock-out)
	050504	•	is required)
73	35256A		r Housing Baffle (with electric starter knock-out) (Use uired) (Point Ignition)
	050504	•	
	650561		, 1/4-20 x 5/8"
	31688A		ket, Carburetor
	29752		Lockwasher Assy., 1/4-28
	650572		, 1/4-28 x 1-1/8"
82A	730164		eaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) is required)
83	07070	,	. ,
	27272A 31691		ket, Air cleaner et, Air cleaner NOTE: 130010 thru 10C & 11 used in
07	51051		broduction only.
88	28820		, 10-32 x 1/2"
	30727		nt, Air cleaner
	31715		Air cleaner
	28569	•	, Compression
	29500		, 8-32 x 3/4"
	29538		Engine mounting
	32401	Muffler	
	31845		Mechanical governor
	30591		Assy., Governor (Incl. 109)
	30588A		Governor
	30590A	Washe	
	29193		Retaining
	650561	•	, 1/4-20 x 5/8"
	33350		ank (Incl. 115 & 117A)
	410144B	Fuel C	Cap (White Plastic)(Std)(As requ ired)
	www.mymo	werpa	arts.com


		/ Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile) (Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as required)
115	35355	Fuel Cap (Use as required)
117	33395	Fitting, Fuel strainer & elbow (Incl. 119)
118	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	33679	Bushing, Fuel fitting
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
125	27930A	Gasket, Exhaust
126	30196	Screw, 5/16-18 x 3/4"
127	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
129	32589	Key, Flywheel
130	31843A	Bracket, Governor gear
131	650836	Screw, 10-24 x 1/2"
133	650599	Screw, 1/4-20 x 1-1/2"
149	30747	Clip, Shorting
150	650890	Lockwasher
193	610118	Cover, Spark plug (Use as required)
205	650561	Screw, 1/4-20 x 5/8" (Use as required)
209	30939A	Cover, Cylinder head
246	32125	Cup, Starter
247	590417	Screen, Starter cup
266	26460	Clamp, Fuel line
270	31461	Bushing, Crankshaft (Use as required)
273	31711B	Copntrol Bracket (Incl. 98, 99 & 274)
274	610973	Terminal Ass'y. (As req. on late prod uction)
275	34043	Spring, Control lever
287	27275	Clip, Hi-tension wire (Use as require d)
287	34246	Clip, Ground wire (Use as required)
313	650625	Washer, Thrust
	31752	Decal, Air cleaner
	34346	Decal, Instruction
	550223	Decal, Name
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
336	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
337	610689A	Magneto NOTE: The complete magneto is not available as an assembly. The magneto number is shown for reference purposes only. Order component parts individually, as show in parts list. (Refer to Division 5, Section B, page 24 for breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
343	33239A	Gasket Set (Incl. items marked*)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH70-140000A Page 5 of 8 Engine Parts List #2



		y Description
31	650489	Screw, 1/4-20 x 5/8"
	27793	Clip, Conduit (Use as required)
	28942	Screw, 10-32 x 3/8" (Use as required)
	650128	Screw, 10-24 x 1/2"
48	29716	Screw, 1/4-28 x 7/16"
56	31710	Link, Throttle
71	650815	Washer, Belleville
72	8116	Nut, Hex
98	28569	Spring, Compression
	29500	Screw, 8-32 x 3/4"
193	610118	Cover, Spark plug (Use as required)
263	650764	Nut, "U" Type (Use as required)
274	610973	Terminal Ass'y. (As req. on late prod uction)
	550223	Decal, Name
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)
340	33328D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A	Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042	Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085	Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use withSolid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH70-140000A Page 7 of 8 Engine Parts List #3



Ref #	Part Number	Qty Description
	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early productio n)
	32326A	Lever, Governor (New lever does not need 1 of
02		51,66,132,164,165,207)
	30205	Bracket, Adjusting
	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
	30196	Screw, 5/16-18 x 3/4" (Use as require d)
	29216	Nut, Lock, 10-32
	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, #8 E.T.
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331E
		(Use as required)
82B	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
	27272A	* Gasket, Air cleaner
84D	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Us
		in 730561 assembly only)
88	28820	Screw, 10-32 x 1/2"
90	31715	Body, Air cleaner
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	33353	Bracket, Lower fuel tank
	650561	Screw, 1/4-20 x 5/8"
	33352A	Plate, Upper fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	792020	
		Screw, 1/4-20 x 2-1/4"
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4 ")
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as required)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as required)
266	26460	Clamp, Fuel line
	31752	Decal, Air cleaner