
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 1\ of\ 9}$



www.mymowerparts.com

1 327688	Pof #	Part Number	Qty	Description
2 27662 3 27642 4 32630 5 27642 4 32630 5 27643 5 32764 6 31469A 6 31479A 6 31479A 6 31479A 6 31479A 7 27882 Cap Upper valve (Std.) (Incl. 9) Fishaust Valve (Std.) (Incl. 12 & 13) Fishaust Valve (Std.) (Incl. 12 & 13) Fishaust Valve (Std.) (Incl. 16) Fishaust Valv			Qty	
3 27642 4 32630 5 22783 1 Intake Valve (Std.) (Incl. 9) 1 5 32784 6 31469A 6 31469A 6 31470A Charles (132° OS) (Incl. 9) 6 31470A 7 27882 7 27882 7 27881 8 27881 8 27881 9 32581 9 32581 9 32581 10 34242 10 32590 11 32773 12 29783 13 27884 14 34529 14 34529 14 34529 14 34529 14 34529 15 32786 16 34529 16 34529 17 32770B 18 32596 19 32596 19 32596 19 32596 19 32591 20 32591 20 32591 20 32591 20 32591 20 32591 20 32591 20 32591 20 32591 21 32773 21 29784 21 29783 21 29783 21 29783 21 29783 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29783 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784 21 29784				
4 32630 Seaf, Oil Intake Valve (Sitd.) (Incl. 9) Intake Valve (Sitd.) (Incl. 9) 6 31469A Exhaust Valve (Sitd.) (Incl. 9) Exhaust Valve (Sitd.) (Incl. 9) 6 31470A Exhaust Valve (Sitd.) (Incl. 9) 6 31470A Exhaust Valve (Sitd.) (Incl. 9) 6 31470A Exhaust Valve (Sitd.) (Incl. 9) 7 27882 Cap., Upper valve spring Pin. Valve spring retainer (Use as re quired) 8 27881 Spring, Valve Spring retainer (Use as re quired) 8 27881 Spring, Valve Spring retainer (Use as re quired) 8 27881 Spring, Valve Spring valve Spring Valve (Sitd.) (Incl. 10) 10 34242 Dipper (Incl. 12 & 13) 10 34242 Dipper (Incl. 12 & 13) 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) Crankshaft (Gae Pin (Early production) 11 32773 Crankshaft (Gae Pin (Early production) 11 327884 Searchaft (Gae Pin (Early Production) 11 32788 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 16) 11 32589 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 16) 11 32589 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 16) 11 32589 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 16) 11 32589 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 16) 11 32589 Searchaft (Gae Pin Assy.) (2017 COs) (Incl. 10) 11 32589 Searchaft (Gae Pin (·
5 32784				
5 32784				•
6 31469A Exhaust Valve (Std.) (incl. 9) 7 27882 Cap, Upper valve spring 7 A 20810 Pn, Valve spring retainer (Use as re quired) 8A 27881 Spring Valve 8 27881 Spring Valve 9 32281 Cap, Lower valve spring 9 32281 Cap, Lower valve spring 10 34242 Dipper, Oil 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 dilpper but 850682C screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Used in early production) 13 27884 Gear, Crankshaft (Used in early production) 14 34528 Piston, Pin & Ring Set (Std.) (2-34* Bore) 14 34529 Piston, Pin & Ring Set (Std.) (2-34* Bore) 14 34529 Piston, Pin & Ring Set (O10* OS) 14 34530 Piston, Pin & Ring Set (O10* OS) 14 34530 Piston, Pin & Ring Set (O10* OS) 15 32596 Piston, Pin & Ring Set (O20* OS) (Incl. 16) 16 32596 Ring Set (Std.) (2-34* Bore) 17 32591C Piston & Pin Assy, (O20* OS) (Incl. 16) 18 650662C Screw (Incl. 16) 28 16 27888 Ring, Piston & Pin Assy, (O20* OS) 29 3331 Canthol (MCR) (Extended) 21 33331 Canthol (MCR) (Extended) 24 29460 Seal. Oil 25 31297 Dipstick, Oil (Incl. 30) 26 31546 Bushing, Crankshaft (Use as required) 36 650697A Screw, 17-33 Screw, 17-32 Sept. Oil Red. 37 30636 Resistor Spark Plug (Valve) 38 28423 Body, Valve (Use as required) 39 28424 Element, Breather 4 12 8425 Cover, Valve spring				, , , ,
6 31470A Exhaust Valve (1/32" OS) (incl. 9) 7 27882 (2p. Upper valve spring) 7A. 20810 Pin, Valve spring retainer (Use as re quired) 8A. 27881 Spring, Valve 8 27881 Spring, Valve 9A. 32891 Cap. Lower valve spring 9 32581 Cap. Lower valve spring 10 34242 Dipper, Oil 10A. 32590 Piete, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 6506525 screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Use are in early production) 14 34528 Piston, Pin & Ring Set (Std.) (2-34" Bore) 15 34530 Piston, Pin & Ring Set (101" OS) 14 34530 Piston, Pin & Ring Set (101" OS) 14 34530 Piston, Pin & Ring Set (101" OS) 14 34530 Piston, Pin & Ring Set (101" OS) 14 34530 Piston, Pin & Ring Set (101" OS) 15 32596 Piston, Pin & Ring Set (101" OS) 16 27888 Pin Assy, (101" OS) (Incl. 16) 17 32596 Ring Set (Std.) (2-34" Bore) 18 5 32596 Ring Set (Std.) (2-34" Bore) 19 15 32596 Ring Set (Std.) (2-34" Bore) 19 15 32596 Ring Set (Std.) (2-34" Bore) 19 15 32596 Ring Set (101" OS) 10 23331 Carew, Ozon-ceing (Incl. 10 & 18) 10 2 34034 Lifter, Valve 2 3 3729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 2 34034 Lifter, Valve 2 3 36640 Seal, Oil 2 4 28460 Seal, Oil 2 5 31297 Dipston, Oil (Incl. 30) 2 6 30684 "Gasket, Oylinder cover (Incl.24,24A,106,309,3 10,311) 3 5 26942 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6 600697 Screw, 10-32 x 38" (Use as required) 3 6				, , , ,
7 27882 Cap, Upper valve spring 7 A 20810 Pin, Valve spring retainer (Use as re quired) 8 A 27881 Spring, Valve 9 A 32581 Spring, Valve 9 A 32581 Cap, Lower valve spring 10 34242 Dipper, Oil 10 34242 Dipper, Oil 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Cap I, Lower Valve spring) 13 27884 Gery Crankshaft (Cap I) Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32773 Crankshaft (Gar Pin (Early production) 12 29783 Crankshaft (Gar Pin (Early production) 13 27884 Gery Crankshaft (Sar Pin (Early production) 14 34528 Piston, Pin & Ring Set (Sid) (23-44* Bere) 14 34529 Piston, Pin & Ring Set (Sid) (23-44* Bere) 14 34530 Piston, Pin & Ring Set (301" O'S) 14 34530 Piston, Pin & Ring Set (201" O'S) 14 34530 Piston, Pin & Ring Set (201" O'S) 14 32770B Piston & Pin Assy. (101" O'S) (Incl. 16) 14 327771B Piston & Pin Assy. (101" O'S) (Incl. 16) 15 32595 Ring Set (Sid) (23-44" Bore) 15 32596 Ring Set (101" O'S) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy. Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650489 Set, Oil (Incl. 30) 19 52673 Gasket, Oylinder cover (Incl. 24, 24A, 106, 309, 3 10, 311) 24 28460 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30884 Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 27 Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 28 52697 Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 29 673 Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 30 29673 Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 31 660489 Screw, 516-18 x 2-1/2" (Use as required) 32 28423 Geryet, 516-18 x 2-1/4" (Use as required) 32 28423 Geryet, 516-18 x 2-1/4" (Use as required) 32 28423 Geryet, 516-18 x 2-1/4" (Use as required) 32 28424 Gasket, Dinder Cover (Incl. 24, 24A, 20C) 32 28424 Element, Breather Cover				
7A 20810 8A 27881 A 27881 Spring, Valve 8 27881 Spring, Valve 8 27881 9A 32581 9A 32581 Cap, Lower valve spring 9 32581 Cap, Lower valve spring 10 34242 Dipper, Oil 10 32590 Palet, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 6506622 Screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Gear Pin (Early production) Heat (Gear Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Gear Pin (Early production) Heat (Gear Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Gear Pin (Early				
8A 27881 8 27881 9 3 2581 9 3 2581 9 3 2581 10 34242 10 32590 10 34242 10 32590 11 32773 12 29783 12 29783 13 27784 14 34528 15 27884 16 27884 17 2884 18 297884 18 297884 19 29788 19 29788 19 29788 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 19 297888 29 2978888 29 297888 2978888 2978888 2978888 2978888 2978888 2978888 2978888 2978888 2978888 2978888 29788888 29788888 29788888 29788888 29788888 29788888 297888888 2978888888888				
8 27881 Spring, Valve 9A 32581 Cap, Lower valve spring 9 32581 Cap, Lower valve spring 10 32581 Cap, Lower valve spring 10 32581 Cap, Lower valve spring 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Incl. 12 & 13) 13 27884 Carl dipper but 650662C screw must be used.) 14 34528 Crankshaft (Gear Pin (Early production) 15 27884 Crankshaft (Gear Pin (Early production) 16 26 Crankshaft (Gear Pin (Early production) 17 34528 Piston, Pin & Ring Set (Std.) (2-34" Bore) 18 34529 Piston, Pin & Ring Set (010" OS) 18 34529 Piston, Pin & Ring Set (010" OS) 18 43 4529 Piston, Pin & Ring Set (010" OS) 18 4A 32770B Piston & Pin Assay, (101" OS) (Incl. 16) 18 4A 32771B Piston & Pin Assay, (101" OS) (Incl. 16) 18 4A 32771B Piston & Pin Assay, (101" OS) (Incl. 16) 18 32595 Ring Set (020" OS) 19 32597 Ring Set (020" OS) 19 32591 Ring Set (020" OS) 10 27888 Ring Set (020" OS) 11 22 34034 Ring 12 34034 Ring 12 34034 Ring 12 34034 Ring 13 32729 Cylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 24 28460 Seal, Oil 24 28460 Seal, Oil 24 28460 Seal, Oil 25 31297 Dipstok, Oil (Incl. 30) 26 30684 Gasket, Oylinder cover Screw, 14-20 x 1" 30 28673 Casket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 31 650469 Screw, 14-20 x 1" 32 32631A Gasket, Oylinder Cover (Incl. 24, 24A, 106, 309, 3 10, 311) 32 2673 Casket, Oylinder Cover (Incl. 30) 33 30338 Respectively Screw, 14-20 x 1" 34 Casket, Oylinder Cover (Incl. 30) 36 650697A Screw, 14-20 x 58" 37 34251 Resistor Spark Plug (Ru-BC) 38 27896A Gasket, Oylinder Cover Screw, 14-20 x 1" 38 27896A Gasket, Oylinder Cover Screw, 14-20 x 1" 39 28423 Body, Breather 41 28425 Cover, Valve spring				Pin, Valve spring retainer (Use as re quired)
9A 32581 9 32581 Cap, Lower valve spring Dipper, Oil 10 34242 Dipper, Oil 10 34242 Dipper, Oil Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) Crankshaft (Used in early production) 13 27884 Gear, Crankshaft (Used in early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14 34528 Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston, Pin & Ring Set (O10" OS) Piston, Pin & Ring Set (C10" OS) Piston, Pin & Ring Set (C10" OS) Piston, Pin & Ring Set (C10" OS) Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston & Pin Assy, (Std.) (2-34" Bore) Piston & P	8A	27881		Spring, Valve
9 32581 Cap. Lower valve spring 10 34242 Dipper. Dil 10 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) 12 29783 Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Gear Pin (Early production) Gear, Crankshaft (Lised in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14 34528 Piston, Pin & Ring Set (Std.) (2-3/4" Bore) 14 34529 Piston, Pin & Ring Set (101" OS) 14 32770B Piston, Pin & Ring Set (101" OS) 14 32771B Piston & Pin Assy. (J020" OS) 14 3432771B Piston & Pin Assy. (J020" OS) 15 32596 Ring Set (Std.) (2-3/4" Bore) 15 32596 Ring Set (Cl01" OS) 16 32597 Ring Set (J01" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy. Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl. 24, 24A, 106,309,3 10,311) 24 28460 Seal, Oil 24 28460 Seal, Oil 24 28460 Seal, Oil 25 31297 Dipstok, Oil (Incl. 30) 26 30684 Geodes Screw, 14-20 x 1" 30 29673 Capter of Screw, 14-20 x 1" 31 29673 Capter of Screw, 14-20 x 58" 31 6 606937A Screw, 14-20 x 58" 32 32631A Gasket, Oylinder Cover 33 33036 Restet, Oylinder 34 27793 Ciph, Connecting (Incl. 30) 36 660694A Screw, 14-20 x 58" 37 34251 Resistor Spark Plug 38 27896A Gasket, Oylinder 39 28423 Body, Breather 41 28425 Cover, Valve spring	8	27881		Spring, Valve
10 34242 10A 32590 Plate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32773 Crankshaft (Incl. 12 & 13) Crankshaft (Used in early production.) Gear, Crankshaft (Used in early production.) This gear is servicable onlywhen it is pinned to the crankshaft. 14 34528 Piston, Pin & Ring Set (10.00 'OS) Piston & Pin Assy. (1010 'OS) (Incl. 16) Piston & Pin Assy. (1010 'OS) (Incl. 16) Piston & Pin Assy. (1020 'OS) Piston & Pin Pin Assy. (1020 'OS) Piston Pin Pin Pin Pin Pin Pin Pin Pin Pin Pi	9A	32581		Cap, Lower valve spring
Piate, Lock & Oil dipper (This plate may be replaced by 34242 oil dipper but 650662C screw must be used.) 11 32773	9	32581		Cap, Lower valve spring
34242 oil dipper but 650662C screw must be used.) 11 32773 12 29783 Crankshaft (gear Pin (Early production) 13 27884 Gear, Crankshaft (Used in early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is prinned to the crankshaft. 14 34628 Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston, Pin & Ring Set (101" OS) Piston, Pin & Ring Set (102" OS) Piston, Pin & Ring Set (102" OS) Piston, Pin & Ring Set (102" OS) Piston & Pin Assy. (Std.) (2/34"ylin cl. 16) Piston & Pin Assy. (Std.) (2/34"ylin cl. 16) Piston & Pin Assy. (101" OS) (Incl. 16) Piston & Pin Assy. (101" OS) Piston &	10	34242		Dipper, Oil
34242 oil dipper but 650662C screw must be used.) 11 32773 12 29783 Crankshaft (leaer Pin (Early production) 13 27884 Gear, Crankshaft (Used in early production) Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14 34528 Piston, Pin & Ring Set (Std.) (2-34" Bore) Piston, Pin & Ring Set (100" OS) Piston, Pin & Ring Set (020" OS) Piston, Pin & Ring Set (100" OS) Piston, Pin & Ring Set (100" OS) Piston, Pin & Ring Set (100" OS) Piston & Pin Assy. (1010" OS) (Incl. 16) Piston & Pin Assy. (1010" OS) Piston & Pin	10A	32590		Plate, Lock & Oil dipper (This plate may be replaced by
12 29783				
12 29783	11	32773		Crankshaft (Incl. 12 & 13)
Gear, Crankshaft (Used in early production) This gear is servicable onlywhen it is pinned to the crankshaft. 14 34528				
servicable onlywhen it is pinned to the crankshaft." 14 34528				, , ,
14 34528	10	21004		, , , , ,
14 34529				•
143 34530 Piston, Pin & Ring Set (.020" OS) 14A 32771B Piston & Pin Assy, (.010" OS) (Incl. 16) 14A 32771B Piston & Pin Assy, (.010" OS) (Incl. 16) 14A 32772B Piston & Pin Assy, (.020" OS) (Incl. 16) 15 32595 Ring Set (Std.) (2-3/4" Bore) 15 32596 Ring Set (.010" OS) 15 32597 Ring Set (.010" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting (Incl. 10 & 18) 18 4033331 Camshaft (MCR) (Extended) 19 24 34034 Lifter, Valve 19 24 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24 28460 Seal, Oil 24 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 Screw, 1/4-20 x 1" 30 29673 Screw, 1/4-20 x 1" 30 39673 Screw, 1/4-20 x 1" 31 650489 Screw, 1/4-20 x 5/8" 32 32631A Screw, 1/4-20 x 5/8" 33 30338A Head, Cylinder head 44 28942 Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 38 27896A Screw, 5/16-18 x 2-1/2" (Use as required) 38 27896A Screw, 5/16-18 x 2-1/2" (Use as required) 39 28423 Body, Breather 40 28424 Element, Breather 40 28424 Element, Breather				
Piston & Pin Assy. (.010") (Std.) (2-3/4") (In cl.16)				
14A 32771B				• ,
14A 32772B 15 32595 17 32595 18 Ring Set (Std.) (2-3/4* Bore) 18 32596 19 32597 11 32597 12 32597 13 32597 14 27888 15 32597 15 32597 16 27888 17 32591C 18 650662C 19 33331 10 Camshaft (MCR) (Extended) 12 34034 13 32729 14 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 15 32597 16 28460 17 32591C 18 38 Ring, Piston pin retaining 18 650662C 19 33931 10 Camshaft (MCR) (Extended) 10 Lifter, Valve 10 31546 11 Sushing, Crankshaft (Use as required) 11 Seal, Oil 12 42 28460 13 31297 15 31297 16 30684 17 32597 18 650489 19 32 32631A 19 650489 19 32 32631A 19 650489 10 32 3631A 10 650695A 10 650695A 11 Camshaft (Use as required) 10 25 3729 (Use as required) 11 Clip, Conduit (Use as required) 12 Clip, Conduit (Use as required) 13 Corew, 1/4-20 x 5/8* 14 Clip, Conduit (Use as required) 15 28942 16 650695A 17 3273 18 52844 18 5276-18 x 2-1/2* (Use as required) 17 33636 18 650695A 18 78264 19 7836 19 78424 19 8425 19 8736 18 Piston (Sol) (Incl. 16) 18 Piston (pin let alianing 18 Screw, 5/16-18 x 2-1/2* (Use as required) 18 Corew, 5/16-18 x 2-1/2* (Use as required) 1				
15 32595 16 32596 17 32596 18 Ring Set (J010" OS) 18 27888 Ring Set (J010" OS) 18 650662C Roman Sat (MCR) (Extended) 19 33931 Roman Sat (MCR) (Extended) 19 31546 Roman Sat (MCR) (Extended) 19 42 28460 24 28460 24 28460 25 28 28 28 28 28 28 28 28 28 28 28 3 3038A Roman Sat (Roman Sat (R				• ' ' ' '
15 32596 Ring Set (.010" OS) 15 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 21 33931 Carnshaft (MCR) (Extended) 22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24 28460 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 16-18 x 2-1/2" (Use as required) 36 650697A Scr				Piston & Pin Ass'y. (.020" OS) (Incl. 16)
15 32597 Ring Set (.020" OS) 16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 21 33931 Camshaft (MCR) (Extended) 22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24 28460 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oli filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 427793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required)	15	32595		Ring Set (Std.) (2-3/4" Bore)
16 27888 Ring, Piston pin retaining 17 32591C Rod Assy., Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 21 33931 Camshaft (MCR) (Extended) 22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 27793 Cip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 34251 Resistor Spark Plug	15	32596		Ring Set (.010" OS)
17 32591C 18 650662C Screw, Connecting (Incl. 10 & 18) 18 650662C Screw, Connecting rod (2 each) 21 33931 Camshaft (MCR) (Extended) Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 Screw, 1/4-20 x 1" 30 29673 Screw, 1/4-20 x 1" 30 29673 Screw, 1/4-20 x 1" 30 29673 Screw, 1/4-20 x 5/8" 32 32631A Screw, 1/4-20 x 5/8" 32 32631A Screw, 1/4-20 x 5/8" Screw, 1/4-20 x 3/8" (Use as required) Clip, Conduit (Use as required) Screw, 1/6-18 x 2-1/2" (Use as required) Screw, 5/16-18 x 2-1/2" (Use as required)	15	32597		Ring Set (.020" OS)
18 650662C 21 33931 22 34034 23 32729 32729 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 Scew, 1/4-20 x 1" 30 29673 31 650489 Screw, 1/4-20 x 5/8" 32 32631A 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/2" (Use as required) 37 33636 Resistor Spark Plug 38 27896A 39 28423 Body, Breather 41 28425 Cover, Valve spring	16	27888		Ring, Piston pin retaining
18 650662C Screw, Connecting rod (2 each) 21 33931 Camshaft (MCR) (Extended) 22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39	17	32591C		Rod Assy., Connecting (Incl. 10 & 18)
22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Oil filler cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 <td>18</td> <td>650662C</td> <td></td> <td>Screw, Connecting rod (2 each)</td>	18	650662C		Screw, Connecting rod (2 each)
22 34034 Lifter, Valve 23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Oil filler cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 <td>21</td> <td>33931</td> <td></td> <td>Camshaft (MCR) (Extended)</td>	21	33931		Camshaft (MCR) (Extended)
23 32729 Cylinder Cover (Incl.24,24A,106,309,3 10,311) 24B 31546 Bushing, Crankshaft (Use as required) 24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 38 27896A * Gasket, Breather 40 28424 Element, Breather 40 28425 Cover, Valve spring	22	34034		, , ,
24B 31546 24 28460 24A 28926 25 31297 26 30684 27 3650451 28 329673 29673 29673 29673 29631A 29631A 29793 20194 20194 20194 20194 20195 20	23	32729		Cylinder Cover (Incl.24,24A,106,309,3 10,311)
24 28460 Seal, Oil 24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 5/8" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 43 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as requi red) 37 34251 Resistor Spark Plug (RJ-8C) 33 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				
24A 28926 Seal, Oil 25 31297 Dipstick, Oil (Incl. 30) 26 30684 * Gasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				
25 31297				
26 30684 * Ġasket, Cylinder cover 28 650451 Screw, 1/4-20 x 1" 30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 34251 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				·
28 650451 30 29673				
30 29673 * Gasket, Oil filler 31 650489 Screw, 1/4-20 x 5/8" 32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as required) 36 650695A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				
31 650489 32 32631A 33 30938A 34 27793 35 28942 36 650697A 36 650695A 37 33636 38 27896A 39 28423 30 2631A * Gasket, Cylinder head * Head, Cylinder * Clip, Conduit (Use as required) * Screw, 10-32 x 3/8" (Use as required) * Screw, 5/16-18 x 2-1/2" (Use as requi red) * Screw, 5/16-18 x 2-1/4" (Use as requi red) * Screw, 5/16-18 x 2" (Use as required) * Screw, 5/16-18 x 2" (Use as required) * Resistor Spark Plug (RJ-8C) * Resistor Spark Plug * Gasket, Breather cover * Body, Breather * Body, Breather * Element, Breather * Cover, Valve spring				·
32 32631A * Gasket, Cylinder head 33 30938A Head, Cylinder 34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				•
33 30938A				·
34 27793 Clip, Conduit (Use as required) 35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				· · · ·
35 28942 Screw, 10-32 x 3/8" (Use as required) 36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				
36 650697A Screw, 5/16-18 x 2-1/2" (Use as requi red) 36 650695A Screw, 5/16-18 x 2-1/4" (Use as requi red) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				·
36 650695A Screw, 5/16-18 x 2-1/4" (Use as required) 36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				• • •
36 650694A Screw, 5/16-18 x 2" (Use as required) 37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				• • •
37 33636 Resistor Spark Plug (RJ-8C) 37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				• • •
37 34251 Resistor Spark Plug 38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				·
38 27896A * Gasket, Breather cover 39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				• • • • • • • • • • • • • • • • • • • •
39 28423 Body, Breather 40 28424 Element, Breather 41 28425 Cover, Valve spring				·
40 28424 Element, Breather 41 28425 Cover, Valve spring				
41 28425 Cover, Valve spring				•
				· · · · · · · · · · · · · · · · · · ·
www.mymowerparts.com	41		TT 7.4	
	www.mymowerparts.com			

42 42 42A 43 45 46 47 48 50	Part Number 26073 650691 650690 650128 27915A 30195A 30196 29716 650548 32326A	Qty	Description Washer (Use as required) Washer, Flat (Use as required) Washer, Belleville (Use as required) Screw, 10-24 x 1/2" * Gasket, Intake Flange, Carburetor (Incl. 79 & 80) Screw, 5/16-18 x 3/4" Screw, 1/4-28 x 7/16" Screw, 8-32 x 5/16" Lever, Governor (New lever does not need 1 of 51,66,132,164,165,207)
56 59 61 62 63A	30205 31710 29216 29826 29642 30699C 30699B		Bracket, Adjusting Link, Throttle Nut, Lock, 10-32 Screw, 10-32 x 3/4" Ring, Retaining Rod Assy., Governor (Incl. 64 & 65) Governor Rod Ass'y. (This one-piece governor rodis no longer used. It is replaced by 30699C ass'y.,Ref. no. 63A)
65 66 69 70 71 72	30700 650494 29918 29747B 32158E 650815 8116 29536		Yoke, Governor Screw, 6-40 x 5/16" Lockwasher, #8 E.T. Screw, 5/16-24 x 21/32" Blower Housing (For elec.star.)(Incl. 134,135) Washer, Belleville Nut, Hex Blower Housing Baffle (without electric starter knock-out) (Use as required)
73	35256A		Blower Housing Baffle (with electric starter knock-out) (Use as required) (Point Ignition)
75 79 80	650561 31688A 29752 650572 730164		Screw, 1/4-20 x 5/8" * Gasket, Carburetor Nut & Lockwasher Assy., 1/4-28 Screw, 1/4-28 x 1-1/8" Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89, 90A & 331B) (Use as required)
98 99 100 103 106 107 108 109 110 111C 113	27272A 28569 29500 29538 32401 31845 30591 30588A 30590A 29193 34158 650561 34186A		* Gasket, Air cleaner Spring, Compression Screw, 8-32 x 3/4" Base, Engine mounting Muffler Shaft, Mechanical governor Gear Assy., Governor (Incl. 109) Spool, Governor Washer, Flat Ring, Retaining Bracket, Fuel tank Screw, 1/4-20 x 5/8" Fuel Tank (Incl. 115 & 266) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 33032 or 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355 or 35650.
115	410144B		Fuel Cap (White Plastic)(Std)(As requ ired)


Ref #	Part Number Q	ty Description
115	33032	Fuel Cap (Charcoal Plastic) (Spurt resistant, Low profile)
		(Use as required)
115	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
110	01210	required)
		• ,
	35355	Fuel Cap (Use as required)
	34159	Plate, Fuel tank mounting
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	650128	Screw, 10-24 x 1/2" (Use as required)
	30622A	Extension, Blower housing
	650542	Screw, 5/16-18 x 3/4"
	27930A 30196	Gasket, Exhaust Screw, 5/16-18 x 3/4"
	26073	Washer (Use as required)
	650694A	Screw, 5/16-18 x 2" (Use as required)
	32589	Key, Flywheel
	31843A	Bracket, Governor gear
	650836	Screw, 10-24 x 1/2"
	650599	Screw, 1/4-20 x 1-1/2"
	30747	Clip, Shorting
	650890	Lockwasher
	650665	Screw, 1/4-15 x 7/8"
	28819	Spring, Fuel line
	610118	Cover, Spark plug (Use as required)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30939A	Cover, Cylinder head
	32125	Cup, Starter
247	590417	Screen, Starter cup
266	26460	Clamp, Fuel line
270	31461	Bushing, Crankshaft (Use as required)
271	33876	Gasket, Stator
	31711B	Copntrol Bracket (Incl. 98, 99 & 274)
	610973	Terminal Ass'y. (As req. on late prod uction)
	34043	Spring, Control lever
	27275	Clip, Hi-tension wire (Use as require d)
	34246	Clip, Ground wire (Use as required)
	650625	Washer, Thrust
	34346	Decal, Instruction
	30547A	Contact Assy., Breaker
	30548B	Condenser
	631021	Inlet Needle, Seat & Clip Assy.
330	631453	Carburetor (Incl. 75) (Refer to Division 5, Section A, page 100 for breakdown)
		,
337	610689A	Magneto NOTE: The complete magneto is not available as
		an assembly. The magneto number is shown for reference
		purposes only. Order component parts individually, as show
		in parts list. (Refer to Division 5, Section B, page 24 for
		breakdown)
338	590420	Rewind Starter (Refer to Division 5, Section C, page 25 for
		breakdown)
3∕13	33239A	Gasket Set (Incl. items marked*)
5 -1 5	OOLOG! (Cachet Oct (incl. items marked)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

HH70-140035C

Page 5 of 9

Engine Parts List #2



For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~9}$ Engine Parts List #2


	Part Number	Qty	Description
31	650489		Screw, 1/4-20 x 5/8"
	27793		Clip, Conduit (Use as required)
	28942		Screw, 10-32 x 3/8" (Use as required)
	650128		Screw, 10-24 x 1/2"
	29716		Screw, 1/4-28 x 7/16"
	31710		Link, Throttle
	32447		Tube, Breather
	32446		Grommet, Breather tube
	650815		Washer, Belleville
	8116		Nut, Hex
	9556		Plug, Pipe, 1/8-27
	28569		Spring, Compression
	29500		Screw, 8-32 x 3/4"
	28819		Spring, Fuel line
	610118		Cover, Spark plug (Use as required)
	650764		Nut, "U" Type (Use as required)
	610973		Terminal Ass'y. (As req. on late prod uction)
	31793		Bearing, Ball
	31855		Retainer, Bearing
	650778		Washer, Lock
	650580		Nut, Lock
	31792		Washer, Thrust
338	590420		Rewind Starter (Refer to Division 5, Section C, page 25 for
			breakdown)
340	33328D		Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel (see#342). Refer to service number stamped on end cap of motor, or on decal, for identifica
342	30811A		Flywheel (Ring gear flywheel requiredon engines using 110-120 volt starter kits listed above)
342	611042		Flywheel (Used on Type letters H and above) (Std. Point ignition) (Ring gear flywheel required on engines using 110-120 volt starter kits listed above)
342	611085		Flywheel (Minimum ring gear flywheel required on engines using 110-120 volt starter kits listed above) (Use with Solid State ignition)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

HH70-140035C

Page 7 of 9

Engine Parts List #3



www.mymowerparts.com

Ref #	Part Number (Oty Description
	27513	Lockwasher, 1/4" (Use as required)
36	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
36	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
36	650694A	Screw, 5/16-18 x 2" (Use as required)
38	27896A	* Gasket, Breather cover
	26073	Washer (Use as required)
	650691	Washer, Flat (Use as required)
	650548	Screw, 8-32 x 5/16"
	30319	Rivet, Split (Used in early production)
	32326A	Lever, Governor (New lever does not need 1 of
52	32320A	51,66,132,164,165,207)
		31,00,132,104,103,207)
55	30205	Bracket, Adjusting
57	730130	Exh.Adap.Kit (Incl. 58 & 125) (Use as req.)
58	30196	Screw, 5/16-18 x 3/4" (Use as require d)
59	29216	Nut, Lock, 10-32
61	29826	Screw, 10-32 x 3/4"
66	29918	Lockwasher, #8 E.T.
	32447	Tube, Breather
	730561	Air cleaner kit (Incl. 38, 67A, 83, 84B, 85,89B, 89C, 90A, 91,
		91A, 91B, 91C, 91D, 245 & 331B) (Use only on engines with
		an externally vented fully adjustable carburetor)
82	730127	Air Cleaner Ass'y. (Incl. 60, 83, 87, 88, 89A, 90, 238 & 331B)
		(Use as required)
83	27272A	* Gasket, Air cleaner
	34819	Air Cleaner Elbow (Incl. 84B, 86A, 91, 91A, 91B & 91C) (Use
010	01010	in 730561 assembly only)
		• • • • • • • • • • • • • • • • • • • •
	32106A	Elbow, Air cleaner (Incl. 67A & 68)
85	650605	Screw, 10-32 x 1-3/4" NOTE: 130010 thru 10C & 11 used in
		early production only.
103E	391026	Opt. Spark Arrest Muffler (Incl.196,1 97,199)
	650561	Screw, 1/4-20 x 5/8"
	29774	Fuel Line (Braided 8-1/4" 21 cm)(Use as req.)
	30705	
		Fuel Line (Braided 16") (41 cm) (Use as req.)
	30962	Fuel Line (Braided 32") (81 cm) (Use as req.)
	27930A	Gasket, Exhaust
	30196	Screw, 5/16-18 x 3/4"
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650548	Screw, 8-32 x 5/16" (Early production)
	792020	Screw, 1/4-20 x 2-1/4"
	34067	Wire Assy., Alternator adapter (4-1/4 ")
	34069	Wire Assy., Alternator adapter (6-3/4")
	31288	Exh. Adaptor Kit (Incl.125,203,204) (As req.)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	6021A	Screw, 5/16-18 x 1-1/2" (Use as requi red)
	31669	Cover, Oil bath cleaner
242	32561	Oil Bath A/C Ass'y.(Incl.242A,242B,24 2C.242D)
242A	31670	Bowl, Oil bath cleaner
242B	31480	"O" Ring
	31479	Washer, Fiber
	26460	Clamp, Fuel line
	650604	Bolt, Air cleaner
	31812	Washer, Fiber
	650513	Nut, Wing
	32107	Brace, Air cleaner
	30063	Screw, 1/4-20 x 1/2"
290	00000	0010W, 1/7 20 A 1/2

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~9~of~9}$ Engine Parts List #3

Dof #	Port Number (\bigcap tu	Description
Ref#	Part Number (Qty	Description
000	00070	•	Mada an Elat
299	26073		Washer, Flat