
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH80-110084D Page 1 of 9 Engine Parts List #1

ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.




Ref #	Part Number G	ty Description
	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
2	27652	Pin, Dowel
4	31950	Seal, Oil
5	31940	Intake Valve (Std.)
5	31941	Intake Valve (1/32" OS) (Incl. 9)
6	31942	Exhaust Valve (Std.)
6	31943	Exhaust Valve (1/32" OS) (Incl. 9)
7	650592	Key, Flywheel
8	31944	Spring, Valve
9	31946	Cap, Lower valve spring (1/32" OS)
9	31945	Cap, Lower valve spring (Std.)
9A	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810	Pin, Valve spring retainer
	32059B	Crankshaft (Incl. 12, 13, 17, 78 & 79)
	29783	Pin, Crankshaft gear
	31931	Gear, Crankshaft
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)
	34509	Piston, Pin & Ring Set (.010" OS)
	34510	Piston, Pin & Ring Set (.020" OS)
	34850	Piston, Pin & Ring Set (.030" OS)
	34523	Piston, Pin & Ring Set (.040" OS)
	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B 32004	Piston & Pin Ass'y. (.030" OS) (Incl. 16) Ring Set (Std.) (3-5/16" Bore)
	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
	32623	Ring Set (.030" OS)
	32624	Ring Set (.040" OS)
	32321	Re-Ringing Set, Piston
	31919	Ring, Piston pin retaining
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
17	34384	Connecting Rod Assy. (.020" US) (Incl.1 8,19,20)
18	32077	Bolt, Connecting rod
19	26073	Washer, Connecting rod
20	28264	Nut Assy., Lock
21	32150	Camshaft (MCR)
	31939	Lifter, Valve
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
	31956A	* Gasket, Cylinder cover
	29673	* Gasket, Oil fill
	35499	"O" Ring
	33069	Dipstick (Incl. 25A)
	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31927 31968	Oil Drain Plug
	31968 650451	Link, Governor Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518	Lockwasher
	650544	Screw, 10-24 x 7/8"
	7975	Nut, 10-24
	www.mymov	

Ref #	Part Number 0		Description
	31965	July	Plate, Governor spring
	30312		Screw, 10-32 x 1/2"
	31967		Spring, Governor
	30590A		Washer, Flat
	32425		Rod Assy., Governor
	31948		
	29193		Spool, Governor
	31947		Ring, Retaining
			Gear Assy., Governor
	31930 32000A		Shaft, Mechanical Governor
			* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650692		Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as require d)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	31978		Bracket, Fuel tank
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
64	31979		Strap, Fuel tank
	650451		Screw, 1/4-20 x 1"
66	650456		Nut, Flange whiz-lock, 1/4-20
67	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
67	650561		Screw, 1/4-20 x 5/8" (Use as required)
67	30063		Screw, 1/4-20 x 1/2" (Use as required)
67	792028		Screw, 5/16-18 x 7/8" (Use as require d)
68	8345		Washer, Flat
69	8303		Lockwasher
70B	29683		Strainer & Shut-off, Fuel
71	26460		Clamp, Fuel line (Use as required)
72	29774		Fuel Line (Braided) (8.25") (Use as r equired)
	30705		Fuel Line (Braided) (16") (Use as required)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	31975		Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	33356		Terminal
	28545		Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	31932		Bearing, Tapered roller
	31928		Cup, Bearing
10			. , .

80 32031 Spacer; Steel (010" thick) NOTE: Determine the gap between the cover and the machined surface on the (n)dor which can be from. 001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required 81 31971 * Casket, Shim (004/005 thick) NOTE: Determine the gap between the cover and the machined surface on the olyhold which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required 82A 32599 *O" Ring 82 31972 * Casket, Shim (.005/:007 thick) NOTE: Determine the gap between the cover and the machined surface on the olyhold which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req. 83 32577 Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the olyhold which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to a dimined surface on the cover and the machined surface on the cover and the machined surface on the cover and the machined surface on the olyhold which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to a dimined surface on the olyhold which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .001" up to .027" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .001" thick. Steel s	Ref #	Part Number	Qty	Description
between the covier and the machined surface on the cylinder which case he form. 001 ¹⁰ to 10.00 ¹⁷ in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010 ¹⁰ thick. Steel spacersmust be used as leq "O' Ring 82 31972 "Gasket, Shim (105/1007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which case he form. 001 ¹⁰ to 1007 in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010 ¹⁰ thick. Steel spacersmust be used as req and the machined surface on the cylinder which case he form. 000 ¹¹ in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010 ¹⁰ thick. Steel spacersmust be used as req and the machined surface on the cylinder which can be form. 001 ¹¹ up to .007 ¹¹ in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010 ¹⁰ thick. Steel spacersmust be used as required to eliminat 56 505066 Washer, Lock 86 650594 Nut, Flywheel, 34-16 87 30307 Blower Housing 91 8274 Washer, Lock 92 650565 Screw, 116-24 x 378" 93 31958 "Gasket, Breather 93 31957 Breather Housing 93 4650830 Washer, Shakeproof 94 650830 Washer, Shakeproof 95 20073 Washer, Flat 96 650524 Screw, 10-24 x 12" 106 650597 Screw, 10-24 x 14" 107 30309 Switch, Stop 109 34283 Washer, Flat 101 650128 Screw, 10-24 x 14" 105 650569 Screw, 10-24 x 14" 107 30399 Screw, 10-24 x 2" 107 30399 Screw, 10	80	32031		between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
82 31972 * Gaskef, Shim (005/007 lick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001'up to .007' in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as req 83 32677 Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001'up to .007' in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use of gasket must be limited to a combined total of .010' thick. Steel spacersmust be used as required. Use 60666 84A 650679 Lockwasher, 5/16' (Use as required) 84A 650666 Washer, Lock 84 650666 Washer, Lock 84 650666 Washer, Shakeproof 84 650666 Washer, Lock 84 650665 Screw, 10-32 x 1'' 83 3037 Blower Housing 91 8274 Washer, Lock 83 3029 Switch, Stop 94 650890 Washer, Flat 96 650624 Screw, 5/16-24 x 9/6'' 93 19557 Breather	81	31971		between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat Lockwasher, 5/16" (Use as required.) 84 650668 Screw, 10-32 x 1" School Screw, 5/16-24 x 3/8" Screw, 5/16-24 x 3/8" Screw, 5/16-24 x 3/8" School School Screw, 5/16-24 x 3/8" School S				* Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used
84 650666 Washer, Lock 85 650666 Washer, Lock 87 33037 Blower Housing 91 8274 Washer, Lock 92 650595 Screw, 5/16-24 x 3/8" 93 32039 Switch, Stop 94 650890 Washer, Flat 95 26073 Washer, Shakeproof 95 26073 Washer, Shakeproof 96 650824 Screw, 5/16-24 x 3/8" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 2858 Washer, Nave 103 31986 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 1/2" 107 33039 Spring 108 34238 Muffler 112 3036	83	32677		and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to
85 650666 Washer, Lock 86 650594 Nut, Flywheel, 3/4-16 87 33037 Blower Housing 91 8274 Washer, Lock 92 650555 Screw, 5/16-24 x 3/8" 93 32039 Switch, Stop 94 650890 Washer, Shakeproof 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 93 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984 Lever, Control 105 650597 Screw, 10-24 x 1/2" 106 650591 Screw, 10-24 x 2" 107 3039 Spring 108 4238 Muffler 112 3033 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114				
86 650594 Nut, Flywheel, 3/4-16 87 33037 Blower Housing 91 8274 Washer, Look 92 650595 Screw, 5/16-24 x 3/8" 93 32039 Washer, Shakeproof 94 650890 Washer, Flat 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650591 Screw, 10-24 x 2" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 119 34238 Muffler 112 3038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115				
87 33037 Blower Housing 91 8274 Washer, Lock 92 650595 Screw, 5/16-24 x 3/8" 93 32039 Switch, Stop 94 650890 Washer, Shakeproof 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Control 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 5/8" 107 33038 Muffler 113 29752 Nut & Lookwasher Assy. 114 650587 Stud, Carburetor 113 29752 Nut & Lookwasher Assy. 114 650587 Stud, Carburetor <t< td=""><td></td><td></td><td></td><td></td></t<>				
92 650595 Screw, 5/16-24 x 3/8" 93 32039 Switch, Stop 94 650800 Washer, Shakeproof 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Vlave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner <tr< td=""><td></td><td></td><td></td><td></td></tr<>				
93 32039 Switch, Stop 94 650890 Washer, Shakeproof 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 108 4238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner				
94 650890 Washer, Shakeproof 95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 5/8" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner				
95 26073 Washer, Flat 96 650624 Screw, 5/16-24 x 9/16" 98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 103 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 108 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122 32377 Bracket, Air cleaner 122 32380 Bracket, Air cleaner 122 31925 Element, Air cleaner <td></td> <td></td> <td></td> <td>•</td>				•
98 31958 * Gasket, Breather 99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 3038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122 32377 Bracket, Air cleaner 1221 32300 Bracket, Air cleaner 1221 31925 Element, Air cleaner				
99 31957 Breather Assy. 100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122 32377 Bracket, Air cleaner 1221 32380 Bracket, Air cleaner 1221 31925 Element, Air cleaner	96	650624		
100 35350 Tube, Breather 101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 5/8" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 122D 31925 Element, Air cleaner				
101 650128 Screw, 10-24 x 1/2" 102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 3038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				
102 28558 Washer, Wave 103 31966 Bushing, Control lever 104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				
104 31984A Lever, Control 105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				
105 650597 Screw, 10-24 x 5/8" 106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				•
106 650591 Screw, 10-24 x 2" 107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 122D 31925 Element, Air cleaner				
107 33099 Spring 109 34238 Muffler 112 33038 Plug, Button (Use as required) 113 29752 Nut & Lockwasher Assy. 114 650587 Stud, Carburetor 115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				
11233038Plug, Button (Use as required)11329752Nut & Lockwasher Assy.114650587Stud, Carburetor11527272* Gasket, Air cleaner120650399Screw, 10-32 x 5/8"12130767Spacer, Air cleaner122E32377Bracket, Air cleaner122D32380Bracket, Air cleaner12331925Element, Air cleaner				
11329752Nut & Lockwasher Assy.114650587Stud, Carburetor11527272* Gasket, Air cleaner120650399Screw, 10-32 x 5/8"12130767Spacer, Air cleaner122E32377Bracket, Air cleaner122D32380Bracket, Air cleaner12331925Element, Air cleaner				
114650587Stud, Carburetor11527272* Gasket, Air cleaner120650399Screw, 10-32 x 5/8"12130767Spacer, Air cleaner122E32377Bracket, Air cleaner122D32380Bracket, Air cleaner12331925Element, Air cleaner				
115 27272 * Gasket, Air cleaner 120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				•
120 650399 Screw, 10-32 x 5/8" 121 30767 Spacer, Air cleaner 122E 32377 Bracket, Air cleaner 122D 32380 Bracket, Air cleaner 123 31925 Element, Air cleaner				•
122E32377Bracket, Air cleaner122D32380Bracket, Air cleaner12331925Element, Air cleaner	120	650399		Screw, 10-32 x 5/8"
122D 32380Bracket, Air cleaner123 31925Element, Air cleaner				• · · · · · · · · · · · · · · · · · · ·
123 31925 Element, Air cleaner				•
	.20		W	

		ty Description
125A	31926	Cover, Air cleaner
	650513	Nut, Wing
	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26073	Washer, Flat (Use as required)
141A		Lockwasher, Split (Use as required)
	31960	* Gasket, Carburetor
	32478	Baffle, Air
	730201	Trigger Pin Kit (Use as required)
	610118	Cover, Spark plug (Use as required)
	31992	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	650713	Screw, 5/16-18 x 5/8"
	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	610750	Grommet, Lead wire
	610758	Flywheel
	550223	Decal, Name
	32676	Decal, Solid State
	34346	Decal, Instruction
	31752	Decal, Air cleaner
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631328A	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH80-110084D Page 6 of 9 Engine Parts List #2



Ref #	Part Number	Qty	Description
178	27070		Washer, Lock 1/4 E.T. (Use as require d)
178	650675		Washer, Flat 1/4 (Use as required)
180	650701		Screw, 8-18 x 7/16" (Use as required)
222	792028		Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781		Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276		Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736		Screw, 10-16 x 3/8" (Use as required)
252	730134		Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018		Harness Assy., Adapter (Use as requir ed)
257B	610824		Flat Connector (Female terminals) (As req.)
260A	610759		Solid State Magneto
261	650489		Screw, 1/4-20 x 5/8"
261A	650669		Screw, 5/16-18 x 1-1/4"
262	610760		Solid State Transformer Ass'y.(Incl.1 73,266)
	650561		Screw, 1/4-20 x 5/8"
	610750		Grommet, Lead wire
	730198		Starter Switch Kit(Incl. 287-298) (As req.)
277	30831		Ground Wire (Incl. 75)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH80-110084D Page 8 of 9 Engine Parts List #3

ILLUSTRATION SHOWS TYPICAL PARTS ONLY. ORDER BY PART NUMBER. PARTS NOT LISTED ARE SUPPLIED BY DEM.



Ref #	Part Number 0	Oty Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
110A	32585	55 Degree Exhaust Elbow
111	650590	Nut, Conduit
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"