ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

Ref #	Part Number	Qty Description	
	33039	Cylinder (Incl.2,4,30,47,119) (3-5/16 ")	
	27652	Pin, Dowel	
4	31950	Seal, Oil	
	31940	Intake Valve (Std.)	
5	31941	Intake Valve (1/32" OS) (Incl. 9)	
	31942	Exhaust Valve (Std.)	
6	31943	Exhaust Valve (1/32" OS) (Incl. 9)	
	650592	Key, Flywheel	
	31944	Spring, Valve	
	31946	Cap, Lower valve spring (1/32" OS)	
	31945	Cap, Lower valve spring (Std.)	
	31945	Cap, Lower valve spring (Std.)	
	31946	Cap, Lower valve spring (1/32" OS)	
	20810	Pin, Valve spring retainer	
	32060B	Crankshaft (Incl. 12, 13, 17, 78 & 79)	
	29783	Pin, Crankshaft gear	
	31931	Gear, Crankshaft	
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 " Bore)	
	34509 34510	Piston, Pin & Ring Set (.010" OS)	
		Piston, Pin & Ring Set (.020" OS)	
	34850 34523	Piston, Pin & Ring Set (.030" OS)	
	34523 32620B	Piston, Pin & Ring Set (.040" OS) Piston & Pin Ass'y. (.040" OS) (Incl. 16)	
	32001C	Piston & Pin Ass y. (340 OS) (Incl. 16) Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")	
	32001C 32002B	Piston & Pin Ass y. (3id.)(ind. 16)(3 -3/16) Piston & Pin Ass'y. (.010" OS) (Incl. 16)	
	32002B 32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)	
	32619B	Piston & Pin Ass'y. (.020 OS) (Incl. 16)	
	32004	Ring Set (Std.) (3-5/16" Bore)	
	32005	Ring Set (Old:) (O o no Bole)	
	32006	Ring Set (.020" OS)	
	32623	Ring Set (.030" OS)	
	32624	Ring Set (.040" OS)	
	32321	Re-Ringing Set, Piston	
	31919	Ring, Piston pin retaining	
	33093A	Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)	
17	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)	
17	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)	
	32077	Bolt, Connecting rod	
	26073	Washer, Connecting rod	
	28264	Nut Assy., Lock	
	32150	Camshaft (MCR)	
	31939	Lifter, Valve	
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)	
	31956A	* Gasket, Cylinder cover	
	29673	* Gasket, Oil fill	
	35499	"O" Ring	
	33069	Dipstick (Incl. 25A)	
	32426	Spacer, Governor rod	
	650588	Screw, 1/4-20 x 2"	
	31927	Oil Drain Plug	
	31968 650451	Link, Governor	
	650451	Screw, 1/4-20 x 1"	
	31964 29193	Clamp, Governor lever	
	29193 31963	Ring, Retaining	
	650518	Lever, Governor adjusting Lockwasher	
	650544	Screw, 10-24 x 7/8"	
	7975	Nut, 10-24 x 7/8	
30			
www.mymowerparts.com			


Dof #	Dort Number	Description
	Part Number Qty 31965	Description Plate Covernor enring
	30312	Plate, Governor spring
		Screw, 10-32 x 1/2"
	31967	Spring, Governor
	30590A	Washer, Flat
	32425	Rod Assy., Governor
	31948	Spool, Governor
	29193	Ring, Retaining
	31947	Gear Assy., Governor
	31930	Shaft, Mechanical Governor
	32000A	* Gasket, Cylinder head
	33034	Head, Cylinder
	650694A	Screw, 5/16-18 x 2" (Use as required)
	650711	Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650628A	Screw, 5/16-18 x 2-3/8" (Use as requi red)
	650695A	Screw, 5/16-18 x 2-1/4" (Use as requi red)
	650714	Screw, 5/16-18 x 1-5/8" (Use as requi red)
	650697A	Screw, 5/16-18 x 2-1/2" (Use as requi red)
	650692	Screw, 5/16-18 x 1-3/4" (Use as requi red)
	650603	Screw, 5/16-18 x 5/8" (Use as require d)
	33636	Resistor Spark Plug (RJ-8C)
	34251	Resistor Spark Plug (RJ-17LM)
	33035	Cover, Cylinder head
	28537	Washer, Plain
	650691	Washer, Flat (Use as required)
	650690	Washer, Belleville (Use as required)
	8274	Washer, Lock (Use as required)
59	650128	Screw, 10-24 x 1/2"
60	31976	Extension, Blower housing
61	31978	Bracket, Fuel tank
63	410144B	Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210	Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
		required)
64	31979	Strap, Fuel tank
	650451	Screw, 1/4-20 x 1"
	650456	Nut, Flange whiz-lock, 1/4-20
	650517	Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561	Screw, 1/4-20 x 5/8" (Use as required)
	30063	Screw, 1/4-20 x 1/2" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	8345	Washer, Flat
	8303	Lockwasher
	29683	Strainer & Shut-off, Fuel
	26460	Clamp, Fuel line (Use as required)
	29774	Fuel Line (Braided) (8.25") (Use as r equired)
	30705	Fuel Line (Braided) (16") (Use as required)
	30962	Fuel Line (Braided) (32") (Use as req uired)
	30965	Fuel Line (Braided) (48") (Use as req uired)
	31975	Baffle, Blower housing
	650561	Screw, 1/4-20 x 5/8"
	33356	Terminal
	28545	Grommet, Plastic
	650760	Screw, 8-32 x 3/8"
	31932 31928	Bearing, Tapered roller
79	01320	Cup, Bearing

Rof #	Part Number C	Oty Description
	32031	Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required
81	31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
	32599 31972	"O" Ring * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83	32677	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 85 86 87 91 92 93 94 95 96 98 99 100 101 102 103 104 105 106 107 109 112 113 114 115 120 121	650679 650668 650666 650594 33037 8274 650595 32039 650890 26073 650624 31958 31957 35350 650128 28558 31966 31984A 650597 650591 33099 34238 33038 29752 650587 27272 650399 30767 32377	Lockwasher, 5/16" (Use as required) Screw, 10-32 x 1" Washer, Lock Nut, Flywheel, 3/4-16 Blower Housing Washer, Lock Screw, 5/16-24 x 3/8" Switch, Stop Washer, Shakeproof Washer, Flat Screw, 5/16-24 x 9/16" * Gasket, Breather Breather Assy. Tube, Breather Screw, 10-24 x 1/2" Washer, Wave Bushing, Control lever Lever, Control Screw, 10-24 x 5/8" Screw, 10-24 x 2" Spring Muffler Plug, Button (Use as required) Nut & Lockwasher Assy. Stud, Carburetor * Gasket, Air cleaner Screw, 10-32 x 5/8" Spacer, Air cleaner Bracket, Air cleaner
	32380 31925	Bracket, Air cleaner Element, Air cleaner
www.mymowerparts.com		

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HH80-110085D Page 5 of 9

Engine Parts List #1


		Description
	31926	Cover, Air cleaner
	650513	Nut, Wing
	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	650429	Screw, 5/16-18 x 3/4" (Use as require d)
	792028	Screw, 5/16-18 x 7/8" (Use as require d)
	26073	Washer, Flat (Use as required)
141A		Lockwasher, Split (Use as required)
	31960	* Gasket, Carburetor
	32478	Baffle, Air
	730201	Trigger Pin Kit (Use as required)
	610118	Cover, Spark plug (Use as required)
	31992	Spacer, Screen
	8345	Washer, 1/4 plain (Use as required)
	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	27793	Clip, Conduit
	28942	Screw, 10-32 x 3/8"
	650713	Screw, 5/16-18 x 5/8"
	26073	Washer, Flat
	33776	Screen, Starter pulley
	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	610750	Grommet, Lead wire
	610758	Flywheel
	550223	Decal, Name
	32676	Decal, Solid State
	34346	Decal, Instruction
	31752	Decal, Air cleaner
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631328A	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 7\ of\ 9}$ Engine Parts List #2

Ref #	Part Number	Qty Description
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
252	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
257B	610824	Flat Connector (Female terminals) (As req.)
260A	610759	Solid State Magneto
261	650489	Screw, 1/4-20 x 5/8"
	650669	Screw, 5/16-18 x 1-1/4"
	610760	Solid State Transformer Ass'y.(Incl.1 73,266)
	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
2//	30831	Ground Wire (Incl. 75)



www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~9~of~9}$ Engine Parts List #3

Ref #	Part Number Qt	/ Description
41	31967	Spring, Governor
62A	31977	Fuel Tank (Incl. 63)
70	29634	Fitting, Fuel line
71	26460	Clamp, Fuel line (Use as required)
72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72	30705	Fuel Line (Braided) (16") (Use as req uired)
72	30962	Fuel Line (Braided) (32") (Use as req uired)
72	30965	Fuel Line (Braided) (48") (Use as req uired)
110A	32585	55 Degree Exhaust Elbow
111	650590	Nut, Conduit
119	28534	Pipe Plug, 1/8-27 (Use as required)
119	9556	Plug, Pipe, 1/8-27 (Use as required)
184	27793	Clip, Conduit
185	28942	Screw, 10-32 x 3/8"