
ILLUSTRATION SHOWS TYPICAL PARTS ONLY, ORDER BY PART NUMBER, PARTS NOT LISTED ARE SUPPLIED BY DEM.



www.mymowerparts.com

Ref #	Part Number Qty	Description
1		Cylinder (Incl.2,4,30,47,119) (3-5/16 ")
	27652	
		Pin, Dowel
	31950	Seal, Oil
	31940	Intake Valve (Std.)
	31941	Intake Valve (1/32" OS) (Incl. 9)
	31942	Exhaust Valve (Std.)
6	31943	Exhaust Valve (1/32" OS) (Incl. 9)
7	650592	Key, Flywheel
8	31944	Spring, Valve
9	31946	Cap, Lower valve spring (1/32" OS)
	31945	Cap, Lower valve spring (Std.)
	31945	Cap, Lower valve spring (Std.)
	31946	Cap, Lower valve spring (1/32" OS)
	20810	Pin, Valve spring retainer
	32060B	Crankshaft (Incl. 12, 13, 17, 78 & 79 )
	29783	· · · · · · · · · · · · · · · · · · ·
		Pin, Crankshaft gear
	31931	Gear, Crankshaft
	32001C	Piston & Pin Ass'y. (Std.)(Incl.16)(3 -5/16")
	32002B	Piston & Pin Ass'y. (.010" OS) (Incl. 16)
	32003B	Piston & Pin Ass'y. (.020" OS) (Incl. 16)
	32619B	Piston & Pin Ass'y. (.030" OS) (Incl. 16)
	34508	Piston, Pin & Ring Set (Std.) (3-5/16 "Bore)
14	34509	Piston, Pin & Ring Set (.010" OS)
14	34510	Piston, Pin & Ring Set (.020" OS)
14	34850	Piston, Pin & Ring Set (.030" OS)
14	34523	Piston, Pin & Ring Set (.040" OS)
14	32620B	Piston & Pin Ass'y. (.040" OS) (Incl. 16)
	32004	Ring Set (Std.) (3-5/16" Bore)
	32005	Ring Set (.010" OS)
	32006	Ring Set (.020" OS)
	32623	Ring Set (.030" OS)
	32624	Ring Set (.040" OS)
	32321	Re-Ringing Set, Piston
	31919	• •
		Ring, Piston pin retaining Connecting Rod Ass'y.(Std.)(Incl.18, 19 & 20)
	33093A	
	34383	Connecting Rod Assy.(.010" US)(Incl.1 8,19,20)
	34384	Connecting Rod Assy.(.020" US)(Incl.1 8,19,20)
	32077	Bolt, Connecting rod
	26073	Washer, Connecting rod
	28264	Nut Assy., Lock
	32150	Camshaft (MCR)
	31939	Lifter, Valve
	32685	Cylinder Cover (Incl.4,25,26A,28,30,3 4 & 43)
23A	31956A	* Gasket, Cylinder cover
25A	29673	* Gasket, Oil fill
25A	35499	"O" Ring
26	33069	Dipstick (Incl. 25A)
	32426	Spacer, Governor rod
	650588	Screw, 1/4-20 x 2"
	31927	Oil Drain Plug
	31968	Link, Governor
	650451	Screw, 1/4-20 x 1"
	31964	Clamp, Governor lever
	29193	Ring, Retaining
	31963	Lever, Governor adjusting
	650518 650544	Lockwasher
	650544	Screw, 10-24 x 7/8"
38	7975	Nut, 10-24 <sub>2</sub>

www.mymowerparts.com


		Qty	Description
39	31965		Plate, Governor spring
40	30312		Screw, 10-32 x 1/2"
41	31967		Spring, Governor
42	30590A		Washer, Flat
43	32425		Rod Assy., Governor
44	31948		Spool, Governor
	29193		Ring, Retaining
	31947		Gear Assy., Governor
	31930		Shaft, Mechanical Governor
	32000A		* Gasket, Cylinder head
	33034		Head, Cylinder
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650711		Screw, 5/16-18 x 1-5/8" (Use as required)
	650628A		Screw, 5/16-18 x 2-3/8" (Use as required)
	650695A		Screw, 5/16-18 x 2-1/4" (Use as required)
	650714		Screw, 5/16-18 x 1-5/8" (Use as required)
	650697A		Screw, 5/16-18 x 2-1/2" (Use as required)
	650692		Screw, 5/16-18 x 1-3/4" (Use as required)
	650603		Screw, 5/16-18 x 5/8" (Use as required)
	33636		Resistor Spark Plug (RJ-8C)
	34251		Resistor Spark Plug (RJ-17LM)
	33035		Cover, Cylinder head
	28537 650601		Washer, Plain
	650691		Washer, Flat (Use as required)
	650690		Washer, Belleville (Use as required)
	8274		Washer, Lock (Use as required)
	650128		Screw, 10-24 x 1/2"
	31976		Extension, Blower housing
	31978		Bracket, Fuel tank
	410144B		Fuel Cap (White Plastic)(Std.)(As req uired)
63	34210		Fuel Cap (Red Plastic) (Spurt resistant, High profile) (Use as
			required)
64	31979		Strap, Fuel tank
	650451		Screw, 1/4-20 x 1"
	650456		Nut, Flange whiz-lock, 1/4-20
	650517		Screw, 1/4-20 x 27/32" (Use as requir ed)
	650561		Screw, 1/4-20 x 5/8" (Use as required )
	30063		Screw, 1/4-20 x 1/2" (Use as required )
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	8345		Washer, Flat
	8303		Lockwasher
	29683		Strainer & Shut-off, Fuel
	26460		Clamp, Fuel line (Use as required)
	29774		Fuel Line (Braided) (8.25") (Use as required)
	30705		Fuel Line (Braided) (16") (Use as required)
	30962		Fuel Line (Braided) (32") (Use as req uired)
	30965		Fuel Line (Braided) (48") (Use as req uired)
	31975		
			Baffle, Blower housing
	650561		Screw, 1/4-20 x 5/8"
	33356		Terminal
	28545		Grommet, Plastic
	650760		Screw, 8-32 x 3/8"
	31932		Bearing, Tapered roller
79	31928		Cup, Bearing

Ref # Part Number	Qty Description
80 32031	Spacer, Steel (.010" thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required
81 31971	* Gasket, Shim (.004/.005 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
82A 32599 82 31972	"O" Ring  * Gasket, Shim (.005/.007 thick) NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as req
83 32677	Cover, Cylinder NOTE: Determine the gap between the cover and the machined surface on the cylinder which can be from .001"up to .007" in which case no shim gaskets will be required. Use of gasket must be limited to a combined total of .010" thick. Steel spacersmust be used as required to eliminat
84 650668	Screw, 10-32 x 1"
84A 650679	Lockwasher, 5/16" (Use as required)
85 650666 86 650504	Washer, Lock
86 650594 87 33037	Nut, Flywheel, 3/4-16 Blower Housing
91 8274	Washer, Lock
92 650595	Screw, 5/16-24 x 3/8"
93 32039	Switch, Stop
94 650890	Washer, Shakeproof
95 26073	Washer, Flat
96 650624	Screw, 5/16-24 x 9/16"
98 31958 99 31957	* Gasket, Breather
100 35350	Breather Assy. Tube, Breather
101 650128	Screw, 10-24 x 1/2"
105 650597	Screw, 10-24 x 5/8"
109 34238	Muffler
112 33038	Plug, Button (Use as required)
113 29752 114 660697	Nut & Lockwasher Assy.
114 650587 115 27272	Stud, Carburetor  * Gasket, Air cleaner
120 650399	Screw, 10-32 x 5/8"
121 30767	Spacer, Air cleaner
122E 32377	Bracket, Air cleaner
122D 32380	Bracket, Air cleaner
123 31925	Element, Air cleaner
125A 31926	Cover, Air cleaner
126 650513 128 650713	Nut, Wing Screw, 5/16-18 x 5/8" (Use as require d)
128 650429	Screw, 5/16-18 x 3/4" (Use as require d)

Screw, 5/16-18 x 7/8" (Use as require d) WWW.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $\,$ Page 5 of 9 Engine Parts List #1


Ref #	Part Number	Qty Description
141A	8274	Lockwasher, Split (Use as required)
141	26073	Washer, Flat (Use as required)
145	31960	* Gasket, Carburetor
147	32478	Baffle, Air
156	730201	Trigger Pin Kit (Use as required)
173	610118	Cover, Spark plug (Use as required)
176	31992	Spacer, Screen
177	8345	Washer, 1/4 plain (Use as required)
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
	650675	Washer, Flat 1/4 (Use as required)
	650713	Screw, 5/16-18 x 5/8"
188	26073	Washer, Flat
	33776	Screen, Starter pulley
247	31980	Pulley, Starter
	650680	Screw, 1/4-20 x 1-1/2"
	32046	Rope Assy., Starter (Use as required)
	610750	Grommet, Lead wire
	610758	Flywheel
	34346	Decal, Instruction
	550223	Decal, Name
	32676	Decal, Solid State
	31752	Decal, Air cleaner
	32255A	Valve, Seat, Spring & Gasket Assy.
301	631328A	Carburetor (Incl. 145) (Refer to Division 5, Section A, page 94 for breakdown)
304	33237A	* Gasket Set (Incl. items marked *)



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 7\ of\ 9}$ Engine Parts List #2

Ref #	Part Number Q	ty Description
178	27070	Washer, Lock 1/4 E.T. (Use as require d)
178	650675	Washer, Flat 1/4 (Use as required)
180	650701	Screw, 8-18 x 7/16" (Use as required)
	792028	Screw, 5/16-18 x 7/8" (Use w/32817 st r.motor)
222	650781	Screw,5/16-18 x 11/16"(Use w/33835 st r.motor)
235	34276	Plate, Cover (Use as required to cover regulator mounting hole in blower housing)
236	650736	Screw, 10-16 x 3/8" (Use as required)
252	730134	Rewind Starter Kit (Incl. 165, 166, 167, 168, 169 & 291) (Use as required)
253	33018	Harness Assy., Adapter (Use as requir ed)
257B	610824	Flat Connector (Female terminals) (As req.)
260A	610759	Solid State Magneto
261	650489	Screw, 1/4-20 x 5/8"
261A	650669	Screw, 5/16-18 x 1-1/4"
	610760	Solid State Transformer Ass'y.(Incl.1 73,266)
	650561	Screw, 1/4-20 x 5/8"
	610750	Grommet, Lead wire
	730198	Starter Switch Kit(Incl. 287-298) (As req.)
277	30831	Ground Wire (Incl. 75)



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~9~of~9}$ Engine Parts List #3

41       31967       Spring, Governor         62A       31977       Fuel Tank (Incl. 63)         70       29634       Fitting, Fuel line         71       26460       Clamp, Fuel line (Use as required)         72       29774       Fuel Line (Braided) (8.25") (Use as re quired)         72       30705       Fuel Line (Braided) (16") (Use as req uired)         72       30962       Fuel Line (Braided) (32") (Use as req uired)         72       30965       Fuel Line (Braided) (48") (Use as req uired)         110A       32585       55 Degree Exhaust Elbow         111       650590       Nut, Conduit         119       9856       Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control         206       650456       Nut, Flanged whiz-lock	Ref #	Part Number Qty	Description
70       29634       Fitting, Fuel line         71       26460       Clamp, Fuel line (Use as required)         72       29774       Fuel Line (Braided) (8.25") (Use as r equired)         72       30705       Fuel Line (Braided) (32") (Use as req uired)         72       30962       Fuel Line (Braided) (48") (Use as req uired)         72       30965       Fuel Line (Braided) (48") (Use as req uired)         110A       32585       55 Degree Exhaust Elbow         111       650590       Nut, Conduit         119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	41	31967	Spring, Governor
71 26460 Clamp, Fuel line (Use as required) 72 29774 Fuel Line (Braided) (8.25") (Use as r equired) 72 30705 Fuel Line (Braided) (16") (Use as req uired) 72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 73 32585 Fuel Line (Braided) (48") (Use as req uired) 74 32585 Fuel Line (Braided) (48") (Use as req uired) 75 Degree Exhaust Elbow 76 Nut, Conduit 77 Pipe Plug, 1/8-27 (Use as required) 78 Plug, Pipe, 1/8-27 (Use as required) 79 Control Assy., Speed (Incl. 206) 70 Nut, Jam 70 Lockwasher 71 201 32420 Retainer, Control rod 70 Screw, 1/4-28 x 7/16" 71 202 32419 Bracket, Speed control	62A	31977	Fuel Tank (Incl. 63)
72       29774       Fuel Line (Braided) (8.25") (Üse as r equired)         72       30705       Fuel Line (Braided) (16") (Use as req uired)         72       30962       Fuel Line (Braided) (32") (Use as req uired)         72       30965       Fuel Line (Braided) (48") (Use as req uired)         110A       32585       55 Degree Exhaust Elbow         111       650590       Nut, Conduit         119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	70	29634	Fitting, Fuel line
72       30705       Fuel Line (Braided) (16") (Use as req uired)         72       30962       Fuel Line (Braided) (32") (Use as req uired)         72       30965       Fuel Line (Braided) (48") (Use as req uired)         110A       32585       55 Degree Exhaust Elbow         111       650590       Nut, Conduit         119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	71	26460	Clamp, Fuel line (Use as required)
72 30962 Fuel Line (Braided) (32") (Use as req uired) 72 30965 Fuel Line (Braided) (48") (Use as req uired) 110A 32585 55 Degree Exhaust Elbow 111 650590 Nut, Conduit 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 200 32421 Control Assy., Speed (Incl. 206) 201 650641 Nut, Jam 202 27070 Lockwasher 203 32420 Retainer, Control rod 204 29716 Screw, 1/4-28 x 7/16" 205 32419 Bracket, Speed control	72	29774	Fuel Line (Braided) (8.25") (Use as r equired)
72 30965 Fuel Line (Braided) (48") (Use as req uired) 110A 32585 55 Degree Exhaust Elbow 111 650590 Nut, Conduit 119 28534 Pipe Plug, 1/8-27 (Use as required) 119 9556 Plug, Pipe, 1/8-27 (Use as required) 200 32421 Control Assy., Speed (Incl. 206) 201 650641 Nut, Jam 202 27070 Lockwasher 203 32420 Retainer, Control rod 204 29716 Screw, 1/4-28 x 7/16" Bracket, Speed control	72	30705	Fuel Line (Braided) (16") (Use as req uired)
110A       32585       55 Degree Exhaust Elbow         111       650590       Nut, Conduit         119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	72	30962	Fuel Line (Braided) (32") (Use as req uired)
111       650590       Nut, Conduit         119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	72	30965	Fuel Line (Braided) (48") (Use as req uired)
119       28534       Pipe Plug, 1/8-27 (Use as required)         119       9556       Plug, Pipe, 1/8-27 (Use as required)         200       32421       Control Assy., Speed (Incl. 206)         201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	110A	32585	55 Degree Exhaust Elbow
119 9556 Plug, Pipe, 1/8-27 (Use as required) 200 32421 Control Assy., Speed (Incl. 206) 201 650641 Nut, Jam 202 27070 Lockwasher 203 32420 Retainer, Control rod 204 29716 Screw, 1/4-28 x 7/16" 205 32419 Bracket, Speed control	111	650590	Nut, Conduit
200 32421 Control Assy., Speed (Incl. 206) 201 650641 Nut, Jam 202 27070 Lockwasher 203 32420 Retainer, Control rod 204 29716 Screw, 1/4-28 x 7/16" 205 32419 Bracket, Speed control	119	28534	Pipe Plug, 1/8-27 (Use as required)
201       650641       Nut, Jam         202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	119	9556	Plug, Pipe, 1/8-27 (Use as required)
202       27070       Lockwasher         203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	200	32421	Control Assy., Speed (Incl. 206)
203       32420       Retainer, Control rod         204       29716       Screw, 1/4-28 x 7/16"         205       32419       Bracket, Speed control	201	650641	Nut, Jam
204 29716 Screw, 1/4-28 x 7/16" 205 32419 Bracket, Speed control	202	27070	Lockwasher
205 32419 Bracket, Speed control	203	32420	Retainer, Control rod
' 1	204	29716	Screw, 1/4-28 x 7/16"
206 650456 Nut, Flanged whiz-lock	205	32419	Bracket, Speed control
	206	650456	Nut, Flanged whiz-lock