










| Ref # | Part Number | Qty | Description                                                                 |
|-------|-------------|-----|-----------------------------------------------------------------------------|
|       | 1 35371     |     | Cylinder (CI liner)(3-5/16")(Incl. 2, 20 & 72)                              |
|       | 2 27652     |     | Pin, Dowel                                                                  |
| 15A   | 30700       |     | Yoke, Governor                                                              |
| 15    | 30699C      |     | Rod Assy., Governor (Incl. 15A & 15B)                                       |
| 15B   | 650494      |     | Screw, 6-40 x 5/16"                                                         |
| 16    | 33454       |     | Governor Lever Assy.                                                        |
| 17    | 29916       |     | Clamp, Governor lever                                                       |
| 18    | 650548      |     | Screw, 8-32 x 5/16"                                                         |
| 20    | 35319       |     | Seal, Oil                                                                   |
| 25    | 35256A      |     | Blower Housing Baffle (With electric starter knockout) (Use as required)    |
| 25    | 35326       |     | Baffle, Blower housing                                                      |
| 25    | 29536       |     | Blower Housing Baffle (Without electric starter knockout) (Use as required) |
| 26    | 650561      |     | Screw, 1/4-20 x 5/8"                                                        |
| 30    | 35372A      |     | Crankshaft (Incl. 108 & 109)                                                |
| 35    | 29826       |     | Screw, 10-32 x 3/4"                                                         |
| 36    | 29918       |     | Lockwasher, #8 E.T.                                                         |
| 37    | 29216       |     | Locknut, 10-32                                                              |
| 37A   | 30322       |     | Nut & Lockwasher, 8-32                                                      |
| 38    | 29642       |     | Ring, Retaining                                                             |
| 40    | 34860A      |     | Piston, Pin & Ring Set (Std.)(3-5/16" )                                     |
| 40    | 34861A      |     | Piston, Pin & Ring Set (.010" OS)                                           |
| 40    | 34862A      |     | Piston, Pin & Ring Set (.020" OS)                                           |
| 41    | 34863       |     | Piston & Pin Ass'y. (Std.)(3-5/16")(Incl. 43)                               |
| 41    | 34864       |     | Piston & Pin Ass'y. (.010" OS) (Incl. 43)                                   |
| 41    | 34865       |     | Piston & Pin Ass'y. (.020" OS) (Incl. 43)                                   |
| 42    | 34866A      |     | Ring Set (Std.) (3-5/16" Bore)                                              |
| 42    | 34867A      |     | Ring Set (.010" OS)                                                         |
| 42    | 34868A      |     | Ring Set (.020" OS)                                                         |
| 43    | 27888       |     | Ring, Piston Pin retaining                                                  |
| 45    | 35373A      |     | Rod Assy., Connecting (Incl. 46, 47 & 49)                                   |
| 46    | 650908      |     | Bolt, Connecting rod                                                        |
| 47    | 650882      |     | Connecting Rod Bolt (2 pcs. on early Specs.)                                |
| 48    | 34034       |     | Lifter, Valve                                                               |
| 49    | 35374       |     | Dipper, Oil                                                                 |
| 50    | 35375       |     | Camshaft (MCR)                                                              |
| 60    | 33273A      |     | Extension, Blower housing                                                   |
| 62    | 650760      |     | Screw, 8-32 x 3/8"                                                          |
| 63    | 28545       |     | Grommet, Plastic                                                            |
| 64    | 650802      |     | Screw, 1/4-20 x 5/8"                                                        |
| 65    | 650128      |     | Screw, 10-24 x 1/2"                                                         |
| 69    | 35262       |     | * Gasket, Flange                                                            |
| 70    | 35376       |     | Cover, Cylinder (Incl. 71, 75 & 80)                                         |
| 71    | 35377       |     | Bushing, Crankshaft                                                         |
| 72    | 27642       |     | Plug, Oil drain                                                             |
| 75    | 35319       |     | Seal, Oil                                                                   |
| 80    | 31845       |     | Shaft, Mechanical governor                                                  |
| 81    | 30590A      |     | Washer, Flat                                                                |
| 82    | 35378       |     | Gear Assy., Governor (Incl. 81)                                             |
| 83    | 30588A      |     | Spool, Governor                                                             |
| 84    | 29193       |     | Ring, Retaining                                                             |
| 86    | 650833      |     | Screw, 1/4-20 x 1-3/16 (Use as required)                                    |
| 87    | 650832      |     | Screw, 1/4-20 x 1-11/16" (Use as required)                                  |
| 89    | 32589       |     | Key, Flywheel                                                               |
| 90    | 611091      |     | Flywheel (w/ring gear)                                                      |
| 92    | 650880      |     | Washer, Lock                                                                |

| Ref # | Part Number | Qty | Description                                                                          |
|-------|-------------|-----|--------------------------------------------------------------------------------------|
|       | 93 650881   |     | Nut, 5/8-18                                                                          |
|       | 100 35135   |     | Solid State Assy.                                                                    |
|       | 101 610118  |     | Cover, Spark plug                                                                    |
|       | 102 650872  |     | Stud, Solid state mounting                                                           |
|       | 103 650814  |     | Screw, Torx T-15, 10-24 x 1"                                                         |
|       | 108 29783   |     | Pin, Crankshaft gear (Only serviceable when gear is pinned to crank.)                |
|       | 109 33245   |     | Gear, Crankshaft                                                                     |
|       | 110 35183   |     | Wire, Ground                                                                         |
|       | 119 34923A  |     | * Gasket, Cylinder head                                                              |
|       | 120 34030A  |     | Head, Cylinder                                                                       |
|       | 125 27878A  |     | Exhaust Valve (Std.) (Incl. 151)                                                     |
|       | 125 27880A  |     | Exhaust Valve (1/32" OS) (Incl. 151)                                                 |
|       | 126 34035   |     | Intake Valve (Std.) (Incl. 151)                                                      |
|       | 126 34036   |     | Intake Valve (1/32" OS) (Incl. 151)                                                  |
|       | 127 650691  |     | Washer (Do not use with No. 6021A screw.)                                            |
|       | 128 650690  |     | Washer, Belleville (Use as required)                                                 |
|       | 129 650727  |     | Screw, 5/16-18 x 1-3/4 (Use as required)                                             |
|       | 130 6021A   |     | Screw, 5/16-18 x 1-1/2" (Use as required, but do not use No. 650691 washer.)         |
|       | 130 650711  |     | Screw, 5/16-18 x 1-5/8" (Use as required) (Can use 6021A but discard 650691 washer.) |
|       | 130 650694A |     | Screw, 5/16-18 x 2" (Use as required)                                                |
|       | 131 650737  |     | Screw, 1/4-20 x 1/2" (Use as required)                                               |
|       | 131 650738  |     | Screw, 1/4-20 x 5/8 (Use as required)                                                |
|       | 131A 650713 |     | Screw, 5/16-18 x 5/8"                                                                |
|       | 133 650890  |     | Washer, Internal Lock                                                                |
|       | 135 33636   |     | Resistor Spark Plug                                                                  |
|       | 139 33369   |     | Bracket, Governor gear                                                               |
|       | 140 650836  |     | Screw, 10-24 x 1/2"                                                                  |
|       | 149A 35862  |     | Seal Assy., Intake valve                                                             |
|       | 150 27881   |     | Spring, Valve                                                                        |
|       | 151 32581   |     | Cap, Lower valve spring                                                              |
|       | 169 27896A  |     | * Gasket, Breather                                                                   |
|       | 170 28423   |     | Body, Breather                                                                       |
|       | 171 28424   |     | Element, Breather                                                                    |
|       | 172 28425   |     | Cover, Breather                                                                      |
|       | 173 35350   |     | Tube, Breather                                                                       |
|       | 174 650128  |     | Screw, 10-24 x 1/2"                                                                  |
|       | 178 29752   |     | Nut & Lockwasher, 1/4-28                                                             |
|       | 182 30088A  |     | Screw, 1/4-28 x 1"                                                                   |
|       | 184 33263   |     | * Gasket, Carburetor                                                                 |
|       | 185 34707   |     | Pipe, Intake                                                                         |
|       | 207 33878   |     | Link, Governor lever-to-throttle                                                     |
|       | 222A        |     | Pop Rivet (Can be purchased locally)                                                 |
|       | 223 650378  |     | Screw, Torx T-30, 5/16-18 x 1-1/8"                                                   |
|       | 224 27915A  |     | * Gasket, Intake pipe                                                                |
|       | 250B 33269A |     | Cover, Air cleaner                                                                   |
|       | 260 33375D  |     | Blower Housing (For electric starter)                                                |
|       | 261 650788  |     | Screw, 5/16-18 x 3/4"                                                                |
|       | 262 29747B  |     | Screw, 5/16-24 x 21/32"                                                              |
|       | 265 33272B  |     | Cover, Cylinder head                                                                 |
|       | 275 34185A  |     | Muffler                                                                              |
|       | 276 31588   |     | Plate, Muffler locking                                                               |
|       | 276 35741   |     | Plate, Muffler locking                                                               |
|       | 277 650729  |     | Screw, 5/16-18 x 3-3/16" (Use as required)                                           |

| Ref # | Part Number | Qty | Description                                                                                                                                                                                                      |
|-------|-------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 277   | 651002      |     | Screw, 5/16-18 x 4-1/4" (Use as required)                                                                                                                                                                        |
| 285   | 35287       |     | Cup, Starter                                                                                                                                                                                                     |
| 286   | 35194       |     | Screen, Starter                                                                                                                                                                                                  |
| 287   | 29752       |     | Nut, 1/4-28                                                                                                                                                                                                      |
| 290   | 29774       |     | Fuel Line (Braided 8-1/4")(21cm)(As required)                                                                                                                                                                    |
| 290   | 30962       |     | Fuel Line (Braided 32")(80cm)(As required)                                                                                                                                                                       |
| 291   | 30705       |     | Fuel Line (Braided 16")(40cm)(As required)                                                                                                                                                                       |
| 292   | 26460       |     | Fuel Line Clamp (Use as required)                                                                                                                                                                                |
| 298   | 650665      |     | Screw, 1/4-15 x 7/8"                                                                                                                                                                                             |
| 300   | 34186A      |     | Fuel Tank (Incl. 292 & 301) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. |
| 301A  | 410144B     |     | Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)                                                                                                                                                 |
| 301A  | 33032       |     | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)                                                                                                                              |
| 301A  | 34210       |     | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)                                                                                                                             |
| 305   | 33893A      |     | Oil Fill Tube                                                                                                                                                                                                    |
| 307   | 33590       |     | "O" Ring                                                                                                                                                                                                         |
| 310   | 34011A      |     | Dipstick (Incl. 307)                                                                                                                                                                                             |
| 325   | 34246       |     | Clip, Ground wire                                                                                                                                                                                                |
| 338A  | 31291       |     | Plug, Cover                                                                                                                                                                                                      |
| 340   | 34154       |     | Plate, Upper fuel tank mtg.                                                                                                                                                                                      |
| 341   | 34155       |     | Bracket, Lower fuel tank mtg.                                                                                                                                                                                    |
| 342   | 650561      |     | Screw, 1/4-20 x 5/8"                                                                                                                                                                                             |
| 361   | 30063       |     | Screw, Torx T-30, 1/4-20 x 1/2"                                                                                                                                                                                  |
| 370A  | 34686       |     | Decal, Name                                                                                                                                                                                                      |
| 370   | 34346       |     | Decal, Instruction                                                                                                                                                                                               |
| 370   | 35274       |     | Decal, Instruction                                                                                                                                                                                               |
| 379   | 631021      |     | Inlet Needle, Seat & Clip Assy.                                                                                                                                                                                  |
| 380   | 632242      |     | Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page A4-4 for breakdown or Fiche 18B, Grid D-3)                                                                                                    |
| 395   | 35763A      |     | Electric Starter Motor (12 Volt) (Refer to service number stamped on end cap of motor, or on decal, for identification. Refer to Division 5, Section D for breakdown or Fiche 18B, Grid G-6)                     |
| 400   | 33279G      |     | * Gasket Set (Incl. items marked *)                                                                                                                                                                              |
| 420   | 730225      |     | SAE 30 4-Cycle Engine Oil (Quart)                                                                                                                                                                                |
| 421   | 730226      |     | SAE 5W30 4-Cycle Engine Oil (Quart)                                                                                                                                                                              |
| 422   | 35824       |     | Muffler Optional                                                                                                                                                                                                 |




| Ref # | Part Number | Qty | Description                                                                                                                                                                                                      |
|-------|-------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37A   | 30322       |     | Nut & Lockwasher, 8-32                                                                                                                                                                                           |
| 62    | 650760      |     | Screw, 8-32 x 3/8"                                                                                                                                                                                               |
| 63    | 28545       |     | Grommet, Plastic                                                                                                                                                                                                 |
| 64    | 650802      |     | Screw, 1/4-20 x 5/8"                                                                                                                                                                                             |
| 68    | 33356       |     | Tab, Ground terminal                                                                                                                                                                                             |
| 129   | 650727      |     | Screw, 5/16-18 x 1-3/4 (Use as required)                                                                                                                                                                         |
| 131A  | 650713      |     | Screw, 5/16-18 x 5/8"                                                                                                                                                                                            |
| 131   | 650737      |     | Screw, 1/4-20 x 1/2" (Use as required)                                                                                                                                                                           |
| 131   | 650738      |     | Screw, 1/4-20 x 5/8 (Use as required)                                                                                                                                                                            |
| 222A  |             |     | Pop Rivet (Can be purchased locally)                                                                                                                                                                             |
| 250B  | 33269A      |     | Cover, Air cleaner                                                                                                                                                                                               |
| 274   | 35865       |     | Gasket, Exhaust                                                                                                                                                                                                  |
| 275   | 34185A      |     | Muffler                                                                                                                                                                                                          |
| 277   | 650729      |     | Screw, 5/16-18 x 3-3/16" (Use as required)                                                                                                                                                                       |
| 277   | 651002      |     | Screw, 5/16-18 x 4-1/4" (Use as required)                                                                                                                                                                        |
| 290   | 29774       |     | Fuel Line (Braided 8-1/4")(21cm)(As required)                                                                                                                                                                    |
| 290   | 30962       |     | Fuel Line (Braided 3/2")(80cm)(As required)                                                                                                                                                                      |
| 292   | 26460       |     | Fuel Line Clamp (Use as required)                                                                                                                                                                                |
| 298   | 650665      |     | Screw, 1/4-15 x 7/8"                                                                                                                                                                                             |
| 300   | 34186A      |     | Fuel Tank (Incl. 292 & 301) NOTE: These tanks were built with different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. |
| 301A  | 410144B     |     | Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)                                                                                                                                                 |
| 301A  | 33032       |     | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)                                                                                                                              |
| 301A  | 34210       |     | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)                                                                                                                             |
| 338A  | 31291       |     | Plug, Cover                                                                                                                                                                                                      |
| 341   | 34155       |     | Bracket, Lower fuel tank mtg.                                                                                                                                                                                    |
| 342   | 650561      |     | Screw, 1/4-20 x 5/8"                                                                                                                                                                                             |
| 414   | 33323       |     | Opt. Muffler Screen (Mini-Bike application)                                                                                                                                                                      |
| 415   | 730130      |     | Kit, Exhaust adapter (Incl. 274 & 277)                                                                                                                                                                           |
| 418   | 33700       |     | Cover & Tube, Muffler (use as required)                                                                                                                                                                          |
| 419   | 650578      |     | Screw, 8-18 x 3/8" (use as required)                                                                                                                                                                             |
| 421   | 730226      |     | SAE 5W30 4-Cycle Engine Oil (Quart)                                                                                                                                                                              |
| 422   | 35824       |     | Muffler Optional                                                                                                                                                                                                 |




| Ref # | Part Number | Qty | Description                                                                                                                                                                                                                 |
|-------|-------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 37A   | 30322       |     | Nut & Lockwasher, 8-32                                                                                                                                                                                                      |
| 64    | 650802      |     | Screw, 1/4-20 x 5/8"                                                                                                                                                                                                        |
| 129   | 650727      |     | Screw, 5/16-18 x 1-3/4 (Use as required)                                                                                                                                                                                    |
| 131   | 650737      |     | Screw, 1/4-20 x 1/2" (Use as required)                                                                                                                                                                                      |
| 131   | 650738      |     | Screw, 1/4-20 x 5/8 (Use as required)                                                                                                                                                                                       |
| 131A  | 650713      |     | Screw, 5/16-18 x 5/8"                                                                                                                                                                                                       |
| 200B  | 730152      |     | Control Bracket (Incl.1158-1171)(As required)                                                                                                                                                                               |
| 222A  |             |     | Pop Rivet (Can be purchased locally)                                                                                                                                                                                        |
| 227   | 730127      |     | Air Cleaner Assy. (Incl. 238, 239, 242, 246, 250) (Use as required)                                                                                                                                                         |
| 238   | 28820       |     | Screw, 10-32 x 1/2"                                                                                                                                                                                                         |
| 239   | 27272A      |     | * Gasket, Air cleaner                                                                                                                                                                                                       |
| 241   | 33266       |     | Bracket, Air cleaner                                                                                                                                                                                                        |
| 242   | 33267       |     | Bracket, Air cleaner                                                                                                                                                                                                        |
| 245   | 33268       |     | Element, Air cleaner                                                                                                                                                                                                        |
| 250B  | 33269A      |     | Cover, Air cleaner                                                                                                                                                                                                          |
| 251   | 650513      |     | Nut, Wing 1/4-20                                                                                                                                                                                                            |
| 290   | 29774       |     | Fuel Line (Braided 8-1/4")(21cm)(As required)                                                                                                                                                                               |
| 290   | 30962       |     | Fuel Line (Braided 3/2")(80cm)(As required)                                                                                                                                                                                 |
| 291   | 30705       |     | Fuel Line (Braided 1/2")(40cm)(As required)                                                                                                                                                                                 |
| 293   | 33715       |     | Impulse Fuel Pump NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps.    |
| 294   | 35791       |     | Fuel Pump Repair Kit NOTE: 34385 and 33715 (WIP)pumps are replaced by 35813 and 35800 (WIP) pumps. The 33010 (3000 series) repair kit is still available. The 35791 repair kit is used with the 35813 and 35800 fuel pumps. |
| 301A  | 410144B     |     | Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)                                                                                                                                                            |
| 301A  | 33032       |     | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)                                                                                                                                         |
| 301A  | 34210       |     | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)                                                                                                                                        |
| 303   | 32958       |     | Fitting, Fuel                                                                                                                                                                                                               |
| 338A  | 31291       |     | Plug, Cover                                                                                                                                                                                                                 |
| 370   | 34346       |     | Decal, Instruction                                                                                                                                                                                                          |
| 370   | 35274       |     | Decal, Instruction                                                                                                                                                                                                          |
| 421   | 730226      |     | SAE 5W30 4-Cycle Engine Oil (Quart)                                                                                                                                                                                         |
| 422   | 35824       |     | Muffler Optional                                                                                                                                                                                                            |
| 1159  | 30312       |     | Screw, 10-32 x 1/2"                                                                                                                                                                                                         |
| 1160  | 28820       |     | Screw, 10-32 x 1/2"                                                                                                                                                                                                         |
| 1160  | 27070       |     | Lockwasher                                                                                                                                                                                                                  |
| 1185  | 33816       |     | Hub & Screen Assy.                                                                                                                                                                                                          |










OPTIONAL MUFFLER  
(QUIET)



OPTIONAL 110-120 VOLT  
STARTER MOTOR KIT



| Ref # | Part Number | Qty | Description                                                                                                   |
|-------|-------------|-----|---------------------------------------------------------------------------------------------------------------|
| 1     | 35371       |     | Cylinder (Cl liner)(3-5/16")(Incl.2,2 0 & 72)                                                                 |
| 2     | 27652       |     | Pin, Dowel                                                                                                    |
| 37A   | 30322       |     | Nut & Lockwasher, 8-32                                                                                        |
| 64    | 650802      |     | Screw, 1/4-20 x 5/8"                                                                                          |
| 72    | 27642       |     | Plug, Oil drain                                                                                               |
| 90    | 611091      |     | Flywheel (w/ring gear)                                                                                        |
| 94    | 33450       |     | Lock Nut, 10-32                                                                                               |
| 95    | 30886A      |     | Spring, Governor bolt                                                                                         |
| 96    | 30845A      |     | Bolt, Governor adjusting                                                                                      |
| 100   | 35135       |     | Solid State Assy.                                                                                             |
| 101   | 610118      |     | Cover, Spark plug                                                                                             |
| 102   | 650872      |     | Stud, Solid state mounting                                                                                    |
| 103   | 650814      |     | Screw, Torx T-15, 10-24 x 1"                                                                                  |
| 129   | 650727      |     | Screw, 5/16-18 x 1-3/4 (Use as required)                                                                      |
| 131A  | 650713      |     | Screw, 5/16-18 x 5/8"                                                                                         |
| 131   | 650737      |     | Screw, 1/4-20 x 1/2" (Use as required )                                                                       |
| 131   | 650738      |     | Screw, 1/4-20 x 5/8 (Use as required)                                                                         |
| 169   | 27896A      |     | * Gasket, Breather                                                                                            |
| 170   | 28423       |     | Body, Breather                                                                                                |
| 171   | 28424       |     | Element, Breather                                                                                             |
| 172   | 28425       |     | Cover, Breather                                                                                               |
| 173   | 35350       |     | Tube, Breather                                                                                                |
| 174   | 650128      |     | Screw, 10-24 x 1/2"                                                                                           |
| 178   | 29752       |     | Nut & Lockwasher, 1/4-28                                                                                      |
| 207   | 33878       |     | Link, Governor lever-to-throttle                                                                              |
| 222A  |             |     | Pop Rivet (Can be purchased locally)                                                                          |
| 238   | 28820       |     | Screw, 10-32 x 1/2"                                                                                           |
| 239   | 27272A      |     | * Gasket, Air cleaner                                                                                         |
| 241   | 33266       |     | Bracket, Air cleaner                                                                                          |
| 242   | 33267       |     | Bracket, Air cleaner                                                                                          |
| 245   | 33268       |     | Element, Air cleaner                                                                                          |
| 250B  | 33269A      |     | Cover, Air cleaner                                                                                            |
| 251   | 650513      |     | Nut, Wing 1/4-20                                                                                              |
| 275   | 34185A      |     | Muffler                                                                                                       |
| 275B  | 391026      |     | Muffler (Incl. 284, 284A & 416) (This spark arrester muffler can be used on any model.)                       |
| 276   | 31588       |     | Plate, Muffler locking                                                                                        |
| 276   | 35741       |     | Plate, Muffler locking                                                                                        |
| 277   | 650729      |     | Screw, 5/16-18 x 3-3/16" (Use as required)                                                                    |
| 277   | 651002      |     | Screw, 5/16-18 x 4-1/4" (Use as required)                                                                     |
| 301A  | 410144B     |     | Fuel Cap (White Plastic)(Standard) (Use as required) (1.5" I.D.)                                              |
| 301A  | 33032       |     | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (Use as required) (1.5" I.D.)                           |
| 301A  | 34210       |     | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (Use as required) (1.5" I.D.)                          |
| 313A  | 33876       |     | Gasket, Stator (Used only on Std. point ign.)                                                                 |
| 338A  | 31291       |     | Plug, Cover                                                                                                   |
| 361   | 30063       |     | Screw, Torx T-30, 1/4-20 x 1/2"                                                                               |
| 377   | 30547A      |     | Breaker Points (Use with Std. point ign.)                                                                     |
| 380   | 632242      |     | Carburetor (Incl. 184 & 379) (Refer to Division 5, Section A, page A4-4 for breakdown or Fiche 18B, Grid D-3) |
| 421   | 730226      |     | SAE 5W30 4-Cycle Engine Oil (Quart)                                                                           |
| 422   | 35824       |     | Muffler Optional                                                                                              |