
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155303K Page 1 of 11 Engine Parts List #1




Ref #	Part Number	Qty	Description
1	35385		Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
	27652		Pin, Dowel
	30699C		Rod Assy., Governor (Incl. 15A & 15B)
	650494		Screw, 6-40 x 5/16"
	30700		Yoke, Governor
	33454		Governor Lever Assy.
	29916		Clamp, Governor lever
	650548		Screw, 8-32 x 5/16"
	35319		Seal, Oil Define Disver housing
	35326		Baffle, Blower housing
	650561 35425A		Screw, 1/4-20 x 5/8" Crankshaft
	29826		Screw, 10-32 x 3/4"
	29918		Lockwasher, # 8 E.T.
	30322		Locknut, Hex "Keps", 8-32
	29216		Nut & Lockwasher, 10-32 "Keps"
	29642		Ring, Retaining
	34552		Piston, Pin & Ring Set (Std.)(Incl. 4 1,42 & 43)
	34553		Piston, Pin & Ring Set (.010)(Incl. 4 1,42 & 43)
	34554		Piston, Pin & Ring Set (.020)(Incl. 4 1,42 & 43)
	34329A		Piston & Pin Ass'y. (Std.) (Incl. 43)
41	34330A		Piston & Pin Ass'y. (.010) (Incl. 43)
41	34331A		Piston & Pin Ass'y. (.020) (Incl. 43)
42	34332		Ring Set (Std.)
42	34333		Ring Set (.010)
42	34334		Ring Set (.020)
	27888		Piston Pin Retaining Ring
	35373A		Connecting Rod Ass'y. (Incl. 49)
	650908		Connecting Rod Bolt
	650882		Connecting Rod Bolt
	34034		Lifter, Valve
	35374		Dipper, Oil
	35375		Camshaft (MCR)
	33273A		Extension, Blower housing
	650128		Screw, 10-24 x 1/2"
	35262 35376		* Gasket, Cylinder cover
	35377		Cover, Cylinder (Incl. 75, 80, 311 & 312) Bushing, Crankshaft
	27642		Plug, Oil drain
	35319		Seal, Oil
	31845		Shaft, Mechanical governor
	30590A		Washer, Flat
	35378		Gear Assy., Governor (Incl. 81)
	30588A		Spool, Governor
	29193		Ring, Retaining
	650833		Screw, 1/4-20 x 1-3/16"
87	650832		Screw, 1/4-20 x 1-11/16"
89	32589		Key, Flywheel
90	611090		Flywheel
	650880		Washer, Belleville
	650881		Nut, Hex (5/8-18) (Add-on alternator)
	33450		Nut Lock, 10-32
	30886A		Spring, Extension
	30845A		Bolt, Governor spring adjusting
97			Lockwasher, Heavy split, #10 (Buy loc ally)
	35135		Lamination Assy., Solid State
	27276		Cover, Spark plug
101	610118		Cover, Spark plug (Use as required)
	www mvmo	$N \lambda / 0$	EIDARIS COM

Ref #	Part Number	Qtv	Description
	650872	<u></u>	Stud, Lamination mounting
	650814		Screw, Torx T-15, 10-24 x 1"
	34041A		* Gasket, Head
	34030A		Head, Cylinder
	27878A		Exhaust Valve (Std.) (Incl. 151)
	27880A		Exhaust Valve (1/32" OS) (Incl. 151)
	34035		Intake Valve (Std.) (Incl. 151)
	34036		Intake Valve (1/32" OS) (Incl. 151)
	26073		Washer, Flat (Use as required)
	650570		Washer, Flat (Use as required)
	650691		Washer (Use as req., but not w/6021A screw)
128	650690		Washer, Belleville
	650727		Screw, 5/16-18 x 1-3/4" (Use as required)
130A	6021A		Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
			650691 washer)
	650694A		Screw, 5/16-18 x 2" (Use as required)
	650713		Screw, 5/16-18 x 5/8" (Use as require d)
	792028		Screw, 5/16-18 x 7/8" (Use as require d)
	33636		Resistor Spark Plug (RJ17LM)
	33369		Bracket, Governor gear
	650836		Screw, 10-24 x 1/2"
	27882		Cap, Upper valve spring
	35862		Seal Assy., Intake valve
	27881		Spring, Valve
	32581		Cap, Lower valve spring
	27896A		* Gasket, Breather cover
	28423		Body, Breather
	28424		Element, Breather
	28425		Cover, Valve spring
	35350		Tube, Breather
	650128		Screw, 10-24 x 1/2"
	650597		Screw, 10-24 x 5/8"
	29752		Nut & Lockwasher, 1/4-28
	30593		Clip, Primer line (Use as required)
	30088A		Screw, 1/4-28 x 1"
	33263		* Gasket, Carburetor
	34707		Pipe, Intake
	610973		Terminal Assy. (Use as required)
	33878		Link, Governor-to-throttle
	650378		Screw, Torx T-30, 5/16-18 x 1-1/8 "
	27915A		* Gasket, Intake pipe
	650824		Stud, 1/4-20 x 7.33 (Use as required)
228A	650851		Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru elbow)
	33267		Bracket, Air cleaner
250B	33269A		Cover, Air cleaner
	33375D		Blower Housing (For electric starter)
	650788		Screw, 5/16-18 x 3/4" (Use as require d)
262	29747B		Screw, 5/16-24 x 21/32"
	33272B		Cover, Cylinder head
275B	391026		Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler can be used on any model.)
281	33013		Cover, Starter bubble
	650760		Screw, 8-32 x 3/8"
	35287		Cup, Starter
	35446		Screen, Starter (Stationary)


Ref #	Part Number C	Aty Description
290 290 290 292 298	29752 29774 30705 30962 26460 650665 34156A	Nut & Lockwasher, 1/4-28 Fuel Line (Braided 8-1/4")(21 cm)(As req.) Fuel Line (Braided 16")(41 cm)(Use as req.) Fuel Line (Braided 32")(81 cm)(Use as req.) Clamp, Fuel line (Use as required) Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355.
	410144B 33032	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16" I.D.)
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (1-3/16" I.D)
306 310A 325 325 327 340 341 342 370J	35355 29673 35941 29443 34246 35392 34154 34155 650561 34870 34387	Fuel Cap (Red plastic) (1-1/2" I.D.) * Gasket, Oil fill Dipstick (Incl. 306) Clip, Fuel line (Use as required) Clip, Ground wire (Use as required) Plug, Starter Plate, Fuel tank mounting Bracket, Fuel tank mounting Screw, 1/4-20 x 5/8" Decal, Instruction Can be used on HM80 with diecast starter. Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
370 379	34686 34346 631021 632351	Decal, Name Decal, Instruction Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 188 for breakdown or Fiche18A-1, Grid F-5)
390A	590633	Rewind Starter (Refer to Division 5, Section C, page 30 for breakdown or Fiche 18A-1, Grid G-5)
395	33329D	Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal for identification. Ref
420	33279G 730225 730226	Gasket Set (Incl. items marked*) SAE 30, 4-Cycle Engine Oil (Quart) SAE 5W30, 4-Cycle Engine Oil (Quart)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155303K Page 5 of 11 Engine Parts List #2




Ref #	Part Number Qt	y Description
1	35385	Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore)
2	27652	Pin, Dowel
	27642	Plug, Oil drain
97		Lockwasher, Heavy split, #10 (Buy loc ally)
101A	27276	Cover, Spark plug
127A	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
	27896A	* Gasket, Breather cover
	28423	Body, Breather
	28424	Element, Breather
	28425	Cover, Valve spring
173	35350	Tube, Breather
174	650128	Screw, 10-24 x 1/2"
174	650597	Screw, 10-24 x 5/8"
178	29752	Nut & Lockwasher, 1/4-28
	30593	Clip, Primer line (Use as required)
207	33878	Link, Governor-to-throttle
227	730127	Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370)
		(Use as required)
227	730164	Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Use
221	730104	as required)
		as required)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
228A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
239	27272A	* Gasket, Air cleaner
	27272A	* Gasket, Air cleaner
	33266	Bracket, Air cleaner
	33267	Bracket, Air cleaner
	28820	Screw, 10-32 x 1/2"
	34700	Element, Air cleaner
	33268	Element, Air cleaner
	33269A	Cover, Air cleaner
	650513	Nut, Wing, 1/2-20
	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
2.08	001020	can be used on any model.)
000	00400	- ,
	26460	Clamp, Fuel line (Use as required)
	29673	* Gasket, Oil fill
	35941	Dipstick (Incl. 306)
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
370B	34387	Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
380	632351	Carburetor (Incl. 184) (Refer to Division 5, Section A, page 188 for breakdown or Fiche18A-1, Grid F-5)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155303K Page 7 of 11 Engine Parts List #3



		Description
16	33454	Governor Lever Assy.
17	29916	Clamp, Governor lever
18	650548	Screw, 8-32 x 5/16"
30	35425A	Crankshaft
35	29826	Screw, 10-32 x 3/4"
	29918	Lockwasher, # 8 E.T.
	29216	Nut & Lockwasher, 10-32 "Keps"
	30322	Locknut, Hex "Keps", 8-32
	29642	Ring, Retaining
	35262	* Gasket, Cylinder cover
	35376	Cover, Cylinder (Incl. 75, 80, 311 & 312)
	31855	Retainer, Bearing
	35319	Seal, Oil
	650833	Screw, 1/4-20 x 1-3/16"
	650832 33580	Screw, 1/4-20 x 1-11/16"
	32589	Key, Flywheel
97	07070	Lockwasher, Heavy split, #10 (Buy loc ally)
	27276	Cover, Spark plug
	26073	Washer, Flat (Use as required)
	650570	Washer, Flat (Use as required)
130A	6021A	Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with
		650691 washer)
131A	650713	Screw, 5/16-18 x 5/8" (Use as require d)
	792028	Screw, $5/16-18 \times 7/8"$ (Use as require d)
	650802	Screw, $1/4-20 \times 5/8$ " (Use as required)
	650737	Screw, $1/4-20 \times 1/2$ " (Use as required)
	650738	Screw, $1/4-20 \times 5/8"$ (Use as required)
	650890	Washer, Lock, 5/16"
	30747	Clip, Spark plug shorting
	30593	Clip, Primer line (Use as required)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
220A	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
		elbow)
242	33267	Bracket, Air cleaner
250B	33269A	Cover, Air cleaner
	35865	Gasket, Exhaust (Use as required)
	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
		can be used on any model.)
.		• •
	650665	Screw, 1/4-15 x 7/8"
	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
		I.D.)
201	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
501	34210	(1-3/16" I.D)
		(דטרוסיו)
301	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
	35038	Spacer, Tank
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
-		
	730130	Exh.Adapter Kit (Incl.274,277)(Use as req.)

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155303K Page 9 of 11 Engine Parts List #4



	Part Number Qty	
97		Lockwasher, Heavy split, #10 (Buy loc ally)
	27276	Cover, Spark plug
103	650814	Screw, Torx T-15, 10-24 x 1"
127A	26073	Washer, Flat (Use as required)
127A	650570	Washer, Flat (Use as required)
	30593	Clip, Primer line (Use as required)
	650824	Stud, 1/4-20 x 7.33 (Use as required)
	650851	Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru
	000001	elbow)
242	33267	Bracket, Air cleaner
250B	33269A	Cover, Air cleaner
275B	391026	Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler
		can be used on any model.)
	35824	Muffler (Optional quiet muffler)
277A	650696	Screw, 5/16-18x2-3/4" (Used with 276A)
301	410144B	Fuel Cap (White Plastic)(Std)(1-1/2" I.D.)
301	33032	Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16"
		I.D.)
301	34210	Fuel Cap (Red Plastic) (Spurt Resistant, High Profile)
		(1-3/16" l.D)
301	35355	Fuel Cap (Red plastic) (1-1/2" I.D.)
	35392	Plug, Starter
	35038	Spacer, Tank
	650561	Screw, 1/4-20 x 5/8"
		•
	34870	Decal, Instruction Can be used on HM80 with diecast starter.
370B	34387	Decal, Instruction Can be used on HM80 with stamped steel recoil starter.
408	35570	Screen Seal (Can be used on HM80 with stamped steel
		recoil starter)
409	35569	Spacer (Can be used on HM80 with stamped steel recoil
		starter)
410	730573	Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter)
411	35568	Debris Screen (Can be used on HM80 with stamped steel recoil starter)
110	650907	Scrow $5/16_{-18} \times 1_{-5/8}$ (Cap be used on $\Box M00$ with
413	106000	Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter)
415	730130	Exh.Adapter Kit (Incl.274,277)(Use as req.)
	730572	Starter Muff Kit (Incl. 370J, 426 & 4 27) (Can be used on
420	100012	HM80 with die cast starter)
400	650000	,
429	650868	Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions).
	044077	,
430	611077	Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions).
/21	590609	Centering tube (Use with engines equipped with die cast
401		
		aluminum starter)(Use as required) (Refer to Mechanics
		Handbook for installation instructions)
431	590610	Centering tube (Use as required) (Refer to Mechanics
	-	Handbook for installation instructions).

Ref #	Part Number	Qty	Description
432	611078		A.C. Lighting Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
432	611079		D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590611		Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).
433	590636		Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions).