
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983

HM80-155305K

Page 1 of 11

Engine Parts List #1



www.mymowerparts.com

| Ref # Part Number Qt | y Description |
|----------------------|--|
| 1 35385 | Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore) |
| 2 27652 | Pin, Dowel |
| 15A 30700 | Yoke, Governor |
| 15B 650494 | Screw, 6-40 x 5/16" |
| 15 30699C | Rod Assy., Governor (Incl. 15A & 15B) |
| 16 33454 | Governor Lever Assy. |
| 17 29916 | Clamp, Governor lever |
| 18 650548 | Screw, 8-32 x 5/16" |
| 20 35319 | Seal, Oil |
| 25 35326 | Baffle, Blower housing |
| 26 650561 | Screw, 1/4-20 x 5/8" |
| 30 35425A | Crankshaft |
| 35 29826 | Screw, 10-32 x 3/4" |
| 36 29918 | Lockwasher, # 8 E.T. |
| 37A 30322 | Locknut, Hex "Keps", 8-32 |
| 37 29216 | Nut & Lockwasher, 10-32 "Keps" |
| 38 29642 | Ring, Retaining |
| 40 34552 | Piston, Pin & Ring Set (Std.)(Incl. 4 1,42 & 43) |
| 40 34553 | Piston, Pin & Ring Set (.010)(Incl. 4 1,42 & 43) |
| 40 34554 | Piston, Pin & Ring Set (.020)(Incl. 4 1,42 & 43) |
| 41 34329A | Piston & Pin Ass'y. (Std.) (Incl. 43) |
| 41 34330A | Piston & Pin Ass'y. (.010) (Incl. 43) |
| 41 34331A | Piston & Pin Ass'y. (.020) (Incl. 43) |
| 42 34332 | Ring Set (Std.) |
| 42 34333 | Ring Set (.010) |
| 42 34334 | Ring Set (.020) |
| 45 35373A | Connecting Rod (Incl. 49) |
| 46 650908 | Connecting Rod Bolt |
| 47 650882 | Connecting Rod Bolt |
| 48 34034 | Lifter, Valve |
| 49 35374 | Dipper, Oil |
| 50 35375 | Camshaft (MCR) |
| 60 33273A | Extension, Blower housing |
| 65 650128 | Screw, 10-24 x 1/2" |
| 69 35262 | * Gasket, Cylinder cover |
| 70 35376 | Cover, Cylinder (Incl. 75, 80, 311 & 312) |
| 71 35377 | Bushing, Crankshaft |
| 72 27642 | Plug, Oil drain |
| 75 35319 | Seal, Oil |
| 80 31845 | Shaft, Mechanical governor |
| 81 30590A | Washer, Flat |
| 82 35378 | Gear Assy., Governor (Incl. 81) |
| 83 30588A | Spool, Governor |
| 84 29193 | Ring, Retaining |
| 86 650833 | Screw, 1/4-20 x 1-3/16" |
| 87 650832 | Screw, 1/4-20 x 1-11/16" |
| 89 32589 | Key, Flywheel |
| 90 611090 | Flywheel |
| 92 650880 | Washer, Belleville |
| 93 650881 | Nut, Hex (5/8-18) (Add-on alternator) |
| 94 33450 | Nut Lock, 10-32 |
| 95 30886A | Spring, Extension |
| 96 30845A | Bolt, Governor spring adjusting |
| 97 | Lockwasher, Heavy split, #10 (Buy loc ally) |
| 100 35135 | Lamination Assy., Solid State |
| 101 610118 | Cover, Spark plug (Use as required) |
| 101A 27276 | Cover, Spark plug |
| 102 650872 | Stud, Lamination mounting |

Stud, Lamination mounting WWW.mymowerparts.com


| Ref# | Part Number C | ty Description |
|------|---------------|--|
| | 650814 | Screw, Torx T-15, 10-24 x 1" |
| | 34041A | * Gasket, Head |
| | 34030A | Head, Cylinder |
| | 27878A | Exhaust Valve (Std.) (Incl. 151) |
| | 27880A | Exhaust Valve (32" OS) (Incl. 151) |
| | 34035 | Intake Valve (Std.) (Incl. 151) |
| | | |
| | 34036 | Intake Valve (1/32" OS) (Incl. 151) |
| | 650691 | Washer (Use as req., but not w/6021A screw) |
| | 26073 | Washer, Flat (Use as required) |
| | 650570 | Washer, Flat (Use as required) |
| | 650690 | Washer, Belleville |
| | 650727 | Screw, 5/16-18 x 1-3/4" (Use as requi red) |
| | 650694A | Screw, 5/16-18 x 2" (Use as required) |
| 130A | 6021A | Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with |
| | | 650691 washer) |
| 131Δ | 650713 | Screw, 5/16-18 x 5/8" (Use as require d) |
| | 792028 | Screw, 5/16-18 x 7/8" (Use as require d) |
| | 33636 | Resistor Spark Plug (RJ17LM) |
| | 33369 | . , |
| | | Bracket, Governor gear |
| | 650836 | Screw, 10-24 x 1/2" |
| | 27882 | Cap, Upper valve spring |
| | 35862 | Seal Assy., Intake valve |
| | 27881 | Spring, Valve |
| | 32581 | Cap, Lower valve spring |
| | 27896A | * Gasket, Breather cover |
| | 28423 | Body, Breather |
| | 28424 | Element, Breather |
| | 28425 | Cover, Valve spring |
| | 35350 | Tube, Breather |
| | 650128 | Screw, 10-24 x 1/2" |
| 174 | 650597 | Screw, 10-24 x 5/8" |
| 178 | 29752 | Nut & Lockwasher, 1/4-28 |
| 179B | 30593 | Clip, Primer line (Use as required) |
| 182 | 30088A | Screw, 1/4-28 x 1" |
| 184 | 33263 | * Gasket, Carburetor |
| 185 | 34707 | Pipe, Intake |
| 206 | 610973 | Terminal Assy. (Use as required) |
| | 33878 | Link, Governor-to-throttle |
| | 650378 | Screw, Torx T-30, 5/16-18 x 1-1/8 " |
| | 27915A | * Gasket, Intake pipe |
| | 650824 | Stud, 1/4-20 x 7.33 (Use as required) |
| | 650851 | Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru |
| | | elbow) |
| | | |
| | 33267 | Bracket, Air cleaner |
| | 33269A | Cover, Air cleaner |
| | 33375D | Blower Housing (For electric starter) |
| | 650788 | Screw, 5/16-18 x 3/4" (Use as require d) |
| 262 | 29747B | Screw, 5/16-24 x 21/32" |
| 265 | 33272B | Cover, Cylinder head |
| 275B | 391026 | Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler |
| | | can be used on any model.) |
| 075 | 222004 | • |
| | 33280A | Muffler |
| | 650729 | Screw, 5/16-18 x 3-3/16" |
| | 33013 | Cover, Starter bubble |
| | 650760 | Screw, 8-32 x 3/8" |
| 285 | 35287 | Cup, Starter |
| | | 4 |

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155305K Page 4 of 11

Engine Parts List #1


| | | Qty Description |
|--|--|--|
| 287 290 290 290 292 298 300 | 35446 29752 29774 30705 30962 26460 650665 34156A | Screen, Starter (Stationary) Nut & Lockwasher, 1/4-28 Fuel Line (Braided 8-1/4")(21 cm)(As req.) Fuel Line (Braided 16")(41 cm)(Use as req.) Fuel Line (Braided 32")(81 cm)(Use as req.) Clamp, Fuel line (Use as required) Screw, 1/4-15 x 7/8" Fuel Tank (Incl. 292 & 301) NOTE: These tanks were builtwith different size fuel inlet openings. Tanks with the 1-3/16" I.D. opening use fuel cap 34210. Tanks with the 1-1/2" I.D. opening use fuel cap 35355. |
| | 410144B 33032 | Fuel Cap (White Plastic)(Std)(1-1/2" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16" I.D.) |
| 301 | 34210 | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (1-3/16" I.D) |
| 306 310A 325 325 327 340 341 342 370J 370 370A | 35355 29673 35941 29443 34246 35392 34154 34155 650561 34870 34346 34686 34387 | Fuel Cap (Red plastic) (1-1/2" I.D.) * Gasket, Oil fill Dipstick (Incl. 306) Clip, Fuel line (Use as required) Clip, Ground wire (Use as required) Plug, Starter Plate, Fuel tank mounting Bracket, Fuel tank mounting Screw, 1/4-20 x 5/8" Decal, Instruction Can be used on HM80 with diecast starter. Decal, Name Decal, Instruction Can be used on HM80 with stamped steel recoil starter. |
| | 631021 632351 | Inlet Needle, Seat & Clip Assy. Carburetor (Incl. 184) (Refer to Division 5, Section A, page 188 for breakdown or Fiche18A-1, Grid F-5) |
| 390A | 590633 | Rewind Starter (Refer to Division 5, Section C, page 30 for breakdown or Fiche 18A-1, Grid G-5) |
| 395 | 33329D | Starter Motor Kit (110-120 Volt) This 110-120 volt starter motor kit may have been added to this engine. It can be added only if cylinder hasdrilled and tapped starter mounting bosses and a ring gear flywheel. Refer to service number stamped on end cap of motor, or on decal for identification. Ref |
| 420 | 33279G 730225 730226 | Gasket Set (Incl. items marked*) SAE 30, 4-Cycle Engine Oil (Quart) SAE 5W30, 4-Cycle Engine Oil (Quart) |



www.mymowerparts.com


For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155305K Page 6 of 11 Engine Parts List #2

| Ref # | Part Number Qty | Description |
|-------|-----------------|--|
| | 35385 | Cylinder (Incl. 2,20,72,72A) (3-1/8" Bore) |
| | 27652 | Pin, Dowel |
| | 27642 | Plug, Oil drain |
| 97 | 21042 | Lockwasher, Heavy split, #10 (Buy loc ally) |
| | 27276 | · · · · · · · · · · · · · · · · · · · |
| | | Cover, Spark plug |
| | 26073 | Washer, Flat (Use as required) |
| | 650570 | Washer, Flat (Use as required) |
| | 27896A | * Gasket, Breather cover |
| | 28423 | Body, Breather |
| | 28424 | Element, Breather |
| | 28425 | Cover, Valve spring |
| | 35350 | Tube, Breather |
| | 650128 | Screw, 10-24 x 1/2" |
| | 650597 | Screw, 10-24 x 5/8" |
| | 29752 | Nut & Lockwasher, 1/4-28 |
| 179B | 30593 | Clip, Primer line (Use as required) |
| 207 | 33878 | Link, Governor-to-throttle |
| 227 | 730127 | Air Cleaner Ass'y. (Incl.238,239,240,241,243,245 & 370) |
| | | (Use as required) |
| 227 | 730164 | Air Cleaner Ass'y. (Incl. 238, 239, 240, 241, 243 & 245) (Use |
| 221 | 730104 | as required) |
| | | • • |
| | 650824 | Stud, 1/4-20 x 7.33 (Use as required) |
| 228A | 650851 | Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru |
| | | elbow) |
| 239 | 27272A | * Gasket, Air cleaner |
| | 27272A | * Gasket, Air cleaner |
| | 33266 | Bracket, Air cleaner |
| | 33267 | Bracket, Air cleaner |
| | 28820 | Screw, 10-32 x 1/2" |
| | 33268 | Element, Air cleaner |
| | 34700 | Element, Air cleaner |
| | 33269A | Cover, Air cleaner |
| | 650513 | · |
| | 391026 | Nut, Wing, 1/2-20 Nutflor (loc), 384, 384, 8, 416, A) (This aparts arresting muffler |
| 2/30 | 391020 | Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler |
| | | can be used on any model.) |
| 275 | 33280A | Muffler |
| 277 | 650729 | Screw, 5/16-18 x 3-3/16" |
| 292 | 26460 | Clamp, Fuel line (Use as required) |
| 306 | 29673 | * Gasket, Oil fill |
| 310A | 35941 | Dipstick (Incl. 306) |
| | 34870 | Decal, Instruction Can be used on HM80 with diecast starter. |
| | 34387 | Decal, Instruction Can be used on HM80 with stamped steel |
| 2.02 | | recoil starter. |
| 000 | 000054 | |
| 380 | 632351 | Carburetor (Incl. 184) (Refer to Division 5, Section A, page |
| | | 188 for breakdown or Fiche18A-1, Grid F-5) |



www.mymowerparts.com

| Ref # | Part Number Qty | Description |
|--------|-----------------|--|
| 16 | 33454 | Governor Lever Assy. |
| 17 | 29916 | Clamp, Governor lever |
| 18 | 650548 | Screw, 8-32 x 5/16" |
| | 35425A | Crankshaft |
| | 29826 | Screw, 10-32 x 3/4" |
| | 29918 | Lockwasher, #8 E.T. |
| | 29216 | Nut & Lockwasher, 10-32 "Keps" |
| | 30322 | Locknut, Hex "Keps", 8-32 |
| | 29642 | Ring, Retaining |
| | 35262 | * Gasket, Cylinder cover |
| | 35376 | Cover, Cylinder (Incl. 75, 80, 311 & 312) |
| | 31855 | Retainer, Bearing |
| | 35319 | Seal, Oil |
| | 650833 | Screw, 1/4-20 x 1-3/16" |
| | 650832 | · |
| | | Screw, 1/4-20 x 1-11/16" |
| | 32589 | Key, Flywheel |
| 97 | 07070 | Lockwasher, Heavy split, #10 (Buy loc ally) |
| | 27276 | Cover, Spark plug |
| | 26073 | Washer, Flat (Use as required) |
| | 650570 | Washer, Flat (Use as required) |
| 130A | 6021A | Screw, 5/16-18 x 1-1/2" (Use as required, but do notuse with |
| | | 650691 washer) |
| 131 | 650802 | Screw, 1/4-20 x 5/8" (Use as required) |
| 131 | 650737 | Screw, 1/4-20 x 1/2" (Use as required) |
| | 650738 | Screw, 1/4-20 x 5/8" (Use as required) |
| | 650713 | Screw, 5/16-18 x 5/8" (Use as require d) |
| | 792028 | Screw, 5/16-18 x 7/8" (Use as require d) |
| | 650890 | Washer, Lock, 5/16" |
| | 30747 | Clip, Spark plug shorting |
| | 30593 | Clip, Primer line (Use as required) |
| | 650824 | Stud, 1/4-20 x 7.33 (Use as required) |
| | 650851 | Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru |
| 220/ (| | elbow) |
| 242 | 33267 | , |
| | 33269A | Bracket, Air cleaner Cover, Air cleaner |
| | | • |
| | 35865 | Gasket, Exhaust (Use as required) |
| | 33280A | Muffler Muffler (Incl. 204, 204), 8, 44CA) (This analy avvection resuffler |
| 2/58 | 391026 | Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler |
| | | can be used on any model.) |
| 276A | 34479A | Spark Arrester Kit (Incl. 277A) (Also as an optional part) |
| 277 | 650729 | Screw, 5/16-18 x 3-3/16" |
| 298 | 650665 | Screw, 1/4-15 x 7/8" |
| 301 | 410144B | Fuel Cap (White Plastic)(Std)(1-1/2" I.D.) |
| | 33032 | Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16" |
| | | I.D.) |
| 2∩1 | 34210 | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) |
| 301 | <u>∪</u> | (1-3/16" I.D) |
| 004 | 05055 | , |
| | 35355 | Fuel Cap (Red plastic) (1-1/2" I.D.) |
| | 35038 | Spacer, Tank |
| | 34870 | Decal, Instruction Can be used on HM80 with diecast starter. |
| 415 | 730130 | Exh.Adapter Kit (Incl.274,277)(Use as req.) |



www.mymowerparts.com

| Ref # | Part Number | Qty Description |
|-------------------------------------|---|--|
| 103 127A 127A 179B 228A | 27276 650814 26073 650570 30593 650824 650851 | Lockwasher, Heavy split, #10 (Buy loc ally) Cover, Spark plug Screw, Torx T-15, 10-24 x 1" Washer, Flat (Use as required) Washer, Flat (Use as required) Clip, Primer line (Use as required) Stud, 1/4-20 x 7.33 (Use as required) Stud, 1/4-20 x 8.1 (Use as required) (Used with drilled thru elbow) |
| 250B | 33267 33269A 391026 | Bracket, Air cleaner Cover, Air cleaner Muffler (Incl. 284, 284A & 416A) (This spark arresting muffler can be used on any model.) |
| 276A 277A 301 | 35824 34479A 650696 410144B 33032 | Muffler (Optional quiet muffler) Spark Arrester Kit (Incl. 277A) (Also as an optional part) Screw, 5/16-18x2-3/4" (Used with 276A) Fuel Cap (White Plastic)(Std)(1-1/2" I.D.) Fuel Cap (Red Plastic) (Spurt Resistant, Low Profile) (1-3/16" I.D.) |
| 301 | 34210 | Fuel Cap (Red Plastic) (Spurt Resistant, High Profile) (1-3/16" I.D) |
| 327 339 342 370J | 35355 35392 35038 650561 34870 34387 | Fuel Cap (Red plastic) (1-1/2" I.D.) Plug, Starter Spacer, Tank Screw, 1/4-20 x 5/8" Decal, Instruction Can be used on HM80 with diecast starter. Decal, Instruction Can be used on HM80 with stamped steel recoil starter. |
| 408 | 35570 | Screen Seal (Can be used on HM80 with stamped steel recoil starter) |
| 409 | 35569 | Spacer (Can be used on HM80 with stamped steel recoil starter) |
| 410 | 730573 | Debris Screen Kit (Incl. 360, 370B, 387, 411 &413) (Can be used on HM80 with stamped steel recoil starter) |
| 411 | 35568 | Debris Screen (Can be used on HM80 with stamped steel recoil starter) |
| 413 | 650907 | Screw, 5/16-18 x 1-5/8" (Can be used on HM80 with stamped steel recoil starter) |
| | 730130 730572 | Exh.Adapter Kit (Incl.274,277)(Use as req.) Starter Muff Kit (Incl. 370J, 426 & 427) (Can be used on HM80 with die cast starter) |
| 429 | 650868 | Screw, 8-18 x 1-1/8" (3 Required) (Use as required) (Refer to Mechanics Handbook for installation instructions). |
| 430 | 611077 | Alternator, Add on (Use as required) (Refer to Mechanics Handbook for installation instructions). |
| 431 | 590609 | Centering tube (Use with engines equipped with die cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions) |
| 431 | 590610 | Centering tube (Use as required) (Refer to Mechanics Handbook for installation instructions). |

www.mymowerparts.com

For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 HM80-155305K Page 11 of 11 Engine Parts List #4

| Ref # Part Number 432 611078 | Qty Description A.C. Lighting Connector (Use as required) (Refer to |
|---------------------------------|---|
| 432 611079 | Mechanics Handbook for installation instructions). D.C. Charging Connector (Use as required) (Refer to Mechanics Handbook for installation instructions). |
| 433 590611 | Alternator Shaft (4.00") (Use with engines equipped with cast aluminum starter)(Use as required) (Refer to Mechanics Handbook for installation instructions). |
| 433 590636 | Alternator Shaft (Use with engines equipped with stamped steel starter)(Use as required) (Refer to Mechanics Handbook for installation instructions). |