
For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983
TVM140-70381K
Page 1 of 6
Engine Parts List #1



www.mymowerparts.com

| Rof # | Part Number    | Qty  | Description   |
|-------|----------------|------|---|
|       | 35137A         | ωιy  | Cylinder (Incl.8, 11, 94, 94A)(2-5/8")(CI)              |
|       | 28277          |      | Washer, Flat  |
|       | 35082          |      | Rod, Governor   |
|       | 32651          |      | Lever, Governor   |
|       | 31335          |      | Clamp, Governor lever                                   |
|       | 650548         |      | Screw, 8-32 x 5/16"                                     |
|       | 34043          |      | Spring, Extension                                       |
|       | 32630          |      | Seal, Oil   |
|       | 29536          |      | Baffle, Blower housing (Use as requir ed)               |
|       | 35256A         |      | Blo.Hsg.Baffle (W/E.S.knock-out)(As r eq.)              |
|       | 650561         |      | Screw, 1/4-20 x 5/8"                                    |
|       | 27652          |      | Pin, Dowel  |
|       | 34880          |      | Crankshaft (Incl. 13 & 14)                              |
|       | 29783          |      | Pin, Crankshaft gear                                    |
| 14    | 27884          |      | Gear, Crankshaft  |
| 15    | 34531          |      | Piston, Pin & Ring Set (2-5/8") (Std.)                  |
| 15    | 34532          |      | Piston, Pin & Ring Set (.010" OS)                       |
| 15    | 34533          |      | Piston, Pin & Ring Set (.020" OS)                       |
| 15A   | 33312B         |      | Piston & Pin Ass'y. (Incl.17)(2-5/8") (Std.)            |
| 15A   | 33313B         |      | Piston & Pin Ass'y. (Incl. 17) (.010" OS)               |
| 15A   | 33314B         |      | Piston & Pin Ass'y. (Incl. 17) (.020" OS)               |
| 16    | 34854          |      | Ring Set (2-5/8") (Std.)                                |
|       | 34855          |      | Ring Set (.010" OS)                                     |
|       | 34856          |      | Ring Set (.020" OS)                                     |
|       | 27888          |      | Ring, Piston pin retaining                              |
|       | 31380C         |      | Rod Assy., Connecting (Incl. 19)                        |
|       | 650662C        |      | Bolt, Connecting rod (Incl. 2 pieces)                   |
|       | 34034          |      | Lifter, Valve   |
|       | 34006          |      | Camshaft (MCR)  |
|       | 30622A         |      | Extension, Blower housing                               |
|       | 650128         |      | Screw, 10-24 x 1/2"                                     |
|       | 30688          |      | Screw, 1/4-20 x 1/2"                                    |
|       | 31356          |      | Pump Assy., Oil   |
|       | 30684          |      | * Gasket, Cylinder cover                                |
|       | 31549          |      | Flange Ass'y. (Incl. 29,30,31,33,94 & 94A)              |
|       | 27642          |      | Plug, Pipe (sq.hd, 1/4-28)                              |
|       | 28926          |      | Seal, Oil   |
|       | 27897          |      | Seal, Oil   |
|       | 30668          |      | Shaft, Mech. Governor                                   |
|       | 31707A         |      | Governor Spacer Assy. (Incl. 33)                        |
|       | 30590A         |      | Washer, Flat (2 required)                               |
|       | 30591<br>29193 |      | Gear Assy., Governor                                    |
|       | 30588A         |      | Ring, Retaining   |
|       | 31355          |      | Spool, Governor<br>Screen, Oil filter (Use as required) |
|       | 29117          |      | Screw, 8-32 x 5/16" (Use as required)                   |
|       | 650488         |      | Screw, 1/4-20 x 1-1/4"                                  |
|       | 32783          |      | Intake Valve (Std.) (Incl. 44)                          |
|       | 32784          |      | Intake Valve (3.1.32" OS) (Incl. 44)                    |
|       | 27878A         |      | Exhaust Valve (Std.) (Incl. 44)                         |
|       | 27880A         |      | Exhaust Valve (3dd.) (Incl. 44)                         |
|       | 27882          |      | Cap, Upper valve spring                                 |
|       | 27881          |      | Spring, Valve   |
|       | 32581          |      | Cap, Lower valve spring                                 |
|       | 32589          |      | Key, Flywheel   |
|       | 650815         |      | Washer, Belleville                                      |
|       | 8116           |      | Nut, Washer, 1/2-20                                     |
|       | 28938B         |      | * Gasket, Head  |
| 50    | WWW mymo       | XX74 |   |


www.mymowerparts.com

|     |         | Qty | Description   |
|-----|---------|-----|---|
|     | 30938A  |     | Head, Cylinder (Incl. 54)                                     |
|     | 33636   |     | Resistor Spark Plug (RJ-8)                                    |
|     | 34251   |     | Resistor Spark Plug (RJ-17LM)                                 |
|     | 30939A  |     | Cover Assy., Cylinder head                                    |
| 54A | 26073   |     | Washer, Flat (Use as required)                                |
| 54A | 650690  |     | Washer, Belleville (Use as required)                          |
| 54B | 650691  |     | Washer, Flat (Use as required)                                |
| 54  | 650694A |     | Screw, 5/16-18 x 2" (Use as required)                         |
| 54  | 650697A |     | Screw, 5/16-18 x 2-1/2" (Use as required)                     |
|     | 27896   |     | * Gasket, Breather cover                                      |
|     | 28423   |     | Body, Breather  |
|     | 28424   |     | Element, Breather   |
|     | 28425   |     | Cover, Valve spring box                                       |
|     | 27627   |     | Tube, Breather  |
|     | 650128  |     | Screw, 10-24 x 1/2"   |
|     | 33263   |     | * Gasket, Carburetor  |
|     | 34108   |     | Pipe, Intake  |
|     | 33629   |     | * Gasket, Air cleaner   |
|     | 27915   |     | * Gasket, Intake to cylinder                                  |
|     |         |     | ·   |
|     | 650378  |     | Screw, 5/16-18 x 1-1/8"                                       |
|     | 33860   |     | Link, Throttle  |
|     | 33151   |     | Link, Governor spring   |
|     | 34109A  |     | Control Assy., Speed (Incl. 76, 77 & 78)                      |
|     | 31342   |     | Spring, Compression   |
|     | 650549  |     | Screw, 5-40 x 7/16"   |
|     | 610973  |     | Terminal Ass'y. (Use as required)                             |
|     | 30200   |     | Screw, 10-24 x 9/16"  |
|     | 34152A  |     | Blower Housing  |
|     | 29747B  |     | Screw, 5/16-24 x 21/32"                                       |
|     | 27930   |     | * Gasket, Exhaust   |
|     | 31574   |     | Muffler   |
|     | 31588   |     | Plate, Muffler locking  |
| 85  | 30196   |     | Screw, 5/16-18 x 3/4" (Use as require d)                      |
| 85  | 650696  |     | Screw, 5/16-18 x 2-3/4" (Use as requi red)                    |
| 85  | 650697A |     | Screw, 5/16-18 x 2-1/2" (Use as requi red)                    |
| 86  | 32125   |     | Cup, Starter  |
| 87  | 35009   |     | Screen, Starter   |
| 88  | 29716   |     | Screw, 1/4-28 x 7/16"   |
| 90  | 33032   |     | Fuel Cap (Use as required)                                    |
| 90  | 34210   |     | Fuel Cap (Use as required)                                    |
| 91  | 29774   |     | Fuel Line (8-1/4") (Use as required)                          |
| 91  | 30962   |     | Fuel Line (32") (Use as required)                             |
|     | 27793   |     | Clip, Conduit   |
|     | 28942   |     | Screw, 10-32 x 3/8"   |
|     | 27625   |     | Plug, Oil fill (Incl. 94A)                                    |
|     | 29673   |     | * Gasket, Oil fill  |
|     | 34178A  |     | Dipstick (Incl. 95A) NOTE: Some models are equipped with      |
| 00  | 01170/1 |     | three oil fill locations, two in cylinder and one in mounting |
|     |         |     | flange. When replacing dipsticks, be sure to order correct    |
|     |         |     |   |
|     |         |     | style.  |
| 95A | 33590   |     | "O" Ring  |
|     | 6201    |     | Screw, 1/4-28 x 7/8" (Use as required )                       |
|     | 650372  |     | Screw, 1/4-20 x 13/16" (Use as requir ed)                     |
|     | 34231   |     | Ground Wire   |
|     | 33323   |     | Screen, Muffler (Use as required)                             |
|     | 27276   |     | Cover, Spark plug (Use as required)                           |
|     | 610118  |     | Cover, Spark plug (Use as required)                           |
| 123 | 010110  |     | coron, opan plag (coo ao roquirou)                            |

## www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page\ 4\ of\ 6}$ Engine Parts List #1

| Ref # | Part Number ( | Qty | Description  |
|-------|---------------|-----|--|
| 124   | 650738        |     | Screw, 1/4-20 x 5/8  |
| 125   | 34107         |     | Screen, Intake pipe  |
| 126   | 33261         |     | Bracket, Intake pipe   |
| 133B  | 730127        |     | A/C Assy. (Incl.65,66,67,68A,69,70,13 4)                                       |
| 154A  | 550223        |     | Decal, Name  |
| 154   | 34346         |     | Decal, Instruction   |
| 157   | 631021        |     | Inlet Needle, Seat & Clip Assy.  |
| 158   | 632034        |     | Carburetor (Incl. 62) (Refer to Division 5, Section A, page 152 for breakdown) |
| 160   | 590420        |     | Rewind Starter (Refer to Division 5, Section C, page 25 for breakdown)         |
| 164   | 33234A        |     | * Gasket Set (Incl. items marked *)  |



www.mymowerparts.com

## For Discount Tecumseh Engine Parts Call 606-678-9623 or 606-561-4983 $_{\rm Page~6~of~6}$ Engine Parts List #2

| - D.C. | Ded Markey | ٠. | December 2   |
|--------|------------|----|--|
|        |            |    | Description October 1987                                       |
|        | 33876      |    | Gasket, Stator   |
|        | 650489     |    | Screw, 1/4-20 x 5/8"   |
|        | 26073      |    | Washer, Flat (Use as required)                                 |
|        | 650690     |    | Washer, Belleville (Use as required)                           |
|        | 34912      |    | * Gasket, Blower housing                                       |
|        | 29747B     |    | Screw, 5/16-24 x 21/32"  |
|        | 27930      |    | * Gasket, Exhaust  |
| 83C    | 391026     |    | Muffler (Incl. 115, 116 & 117) (This spark arrestor mufflercan |
|        |            |    | be used on any model)  |
| 85     | 30196      |    | Screw, 5/16-18 x 3/4" (Use as require d)                       |
|        | 650696     |    | Screw, 5/16-18 x 2-3/4" (Use as requi red)                     |
|        | 650697A    |    | Screw, 5/16-18 x 2-1/2" (Use as requi red)                     |
|        | 29774      |    | Fuel Line (8-1/4") (Use as required)                           |
|        | 30962      |    | Fuel Line (32") (Use as required)                              |
|        | 26460      |    | Clamp, Fuel line (Use as required)                             |
|        | 33951A     |    | Tube, Oil fill   |
|        | 34910      |    | Element, Air cleaner   |
|        | 34909      |    | Body, Air cleaner  |
|        | 650834     |    | Screw, 10-32 x 1-17/32"  |
|        | 650784     |    | Screw, 10-24 x 11/16"  |
|        | 34911      |    | Cover, Air cleaner   |
|        | 33323      |    | Screen, Muffler (Use as required)                              |
|        | 33700      |    | Cover & tube, Muffler (Use as require d)                       |
|        | 650578     |    | Screw, 8-18 x 3/8" (Use as required)                           |
|        | 31288      |    | Muffler Adapter Kit (Incl.82 & 85)(As req.)                    |
|        | 730130     |    | Muffler Adap. Kit (Incl.82 & 85)(As r eq.)                     |
|        | 30547A     |    | Contact Assy., Breaker   |
|        | 30548B     |    | Condenser  |
|        | 611038     |    | Magneto NOTE: The complete magneto is not available as         |
| 139    | 011030     |    | an assembly. The magneto number is shown for reference         |
|        |            |    |  |
|        |            |    | purposes only. Order component parts individually as shown     |
|        |            |    | in parts list. (Refer to Division 5, Section B, page 39 for    |
|        |            |    | breakdown)   |
| 162    | 33329D     |    | Starter Motor Kit (110-120 volt) (Refer to service number      |
|        |            | ;  | stamped on end cap of motor, or on decal, for identification.  |
|        |            |    | For breakdown see Division 5, Section D, Page 16.)             |
| 163    | 611042     |    | Flywheel (Ring gear flywheel requiredon engines using          |
| 100    | 0110-12    |    | 110-120 volt starter motor kits listed above) (Use on Std.     |
|        |            |    | point ignitions)   |
|        |            |    | ,  |
| 163    | 611085     |    | Flywheel (Ring gear flywheel requiredon engines using          |
|        |            |    | 110-120 volt starter motor kits listed above) (Use on solid    |
|        |            | ;  | state ignitions)   |
|        |            |    |  |