


21AE682L766 Big Red Roto-Tiller (2009)
Depth Regulator & Tine Shield

Page 1 of 23




21AE682L766 Big Red Roto-Tiller (2009)
Depth Regulator & Tine Shield

Page 2 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	710-3005	1	/P	Hex Bolt, 3/8-16 x 1-1/4
2	GW-1113-1099	1	/P	Bushing Spacer, .5 x .375 x .3
3	710-04049	1	/P	Hex Flange Bolt, 5/16-18 x .625
4	712-04065	1	/P	Flangelock Nut, 3/8-16
5	1900864	1	/P	Depth Regulator
6	GW-9120	1	/P	Retaining Ring
7	GW-9119	1	/P	Depth Regulator Knob
8	1900867001	1	/P	Depth Regulator Bar Drag
9	710-0599	1	/P	Thread-forming Screw, 1/4-20 x 1/2
10	710-04043	1	/P	Hex Flange Bolt, 5/16-18
11	GW-9929	1	/P	Washer, 1.12 x .34 x .06
12	1904563	1	/P	Hood
13	GW-2525	1		Hood Bracket
14	715-04034	1	/P	Roll Pin (Spirol), 1/4 x 1
15	750-04556	1		Split Spacer
16	732-04320	1	/P	Spring
17	710-0597	1	/P	Hex Bolt, 1/4-20 x 1
18	712-04064	1	/P	Locknut, 1/4-20

21AE682L766 Big Red Roto-Tiller (2009)
Drive Lever & Yoke Assembly

Page 3 of 23




21AE682L766 Big Red Roto-Tiller (2009)
Drive Lever & Yoke Assembly

Page 4 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	647-04006	1	/P	Forward/Reverse Lever
2	1908156	1	/P	Clutch Pawl Spring
3	710-0805	1	/P	Hex Bolt, 5/16-18 x 1 1/2
4	GW-2447	1	/P	Bushing, .5 x .316 x .375
5	736-0607	1	/P	External Tooth Lockwasher, 5/16
6	912-3010	1	/P	Hex Nut, 5/16-18
7	686-04006	1	S	Roller Assembly
8	1900468010	1	/P	Yoke (Left)
9	1900469001	1	/P	Yoke (Right)
10	1900860001	1	/P	Yoke Pivot Link
11	710-0514	1	/P	Hex Bolt, 3/8-16 x 1
12	936-0169	1	/P	Lockwasher, 3/8
13	736-3050	1	/P	Flat Washer, 3/8
14	912-3017	1	/P	Hex Nut, 3/8-16
15	GW-1113-1099	1	/P	Bushing Spacer, .5 x .375 x .3
16	GW-2595099	1	/P	Knob

21AE682L766 Big Red Roto-Tiller (2009)
Drive System


Page 5 of 23



21AE682L766 Big Red Roto-Tiller (2009)
Drive System

Page 6 of 23


Ref #	Part Number	Qty	S/P/F	Description
1	GW-9362	1	/P	Spring Pin, 1/8"
2	936-0326	1	/P	Flat Washer, .510 x 1.0 x .125
3	GW-9934	1	/P	Shoulder Washer, 1.25 x .50 x .25
4	GW-9932	1	/P	Disc Spring Washer
5	GW-2628	1	/P	Wheel Speed Shift Lever
6	1902240	1	/P	Knob
7	GW-9317	1	/P	Cotter Pin, 3/32" x 1"
8	GW-1033	1	/P	Swivel
9	936-0275	1	/P	Flat Washer, .344 x .688 x .065
10	714-04048	1	/P	Hair Pin Cotter
11	912-0158	1	/P	Hex Locknut, 5/16"-18
12	710-0514	1	/P	Hex Head Screw, 3/8-16 x 1"
13	936-0169	1	/P	Lockwasher, 3/8"
14	736-3050	1	/P	Flat Washer, .406 x .810 x .051
15	GW-1113-1099	1	/P	Bushing Spacer, .5 x .375 x .3
16	GW-9120	1	/P	Retaining Ring
17	GW-2102	1		Belt Adjustment, 3-7/8"
18	GW-2100	1	/P	Belt Adjustment Rod
19	912-3012	1	/P	Hex Nut, 1/2-20
20	710-0539	1	/P	Hex Head Screw, 3/8-24 x 1.75
21	756-04171	1	/P	Reverse Disc
22	GW-9245	1	/P	Forward Drive Belt
23	619-04124	1	/P	Engine Power Take-off Pulley
24	736-04192	1	/P	Flat Washer, .766 x 1.0 x .031
24	736-04187	1	/P	Flat Washer, .766 x 1.0 x .062
25	GW-9303	1	/P	Engine Pulley Key, 3/16"x 2-1/2"
26	710-0376	1	/P	Hex Head Screw, 5/16-18 x 1"
27	912-3010	1	/P	Hex Nut, 5/16-18
28	GW-1034A	1	/P	Engine Mounting Bar
29	GW-9147	1	/P	Thread Protector Plug
30	710-0672	1	/P	Hex Head Screw, 5/16-24 x 1.125
31	936-0119	1	/P	Lockwasher, 5/16"
32	719-04222-0637	1	/P	Motor Mount
33	736-3052	1	/P	Flat Washer, .406 x 1.0 x .105
34	710-0606	1	/P	Hex Screw, 1/4-20 x 1-1/2
35	934-04231	1	/P	Wheel Assembly, 16 x 4.6 x 8"
35	634-04230-0662	1		Rim Assembly
35	734-0808-0901	1	S	Tire, 16.2 x 4.6
36	712-04064	1	/P	Hex Flange Nut, 1/4-20
37	1900870001	1	/P	Clutch Bracket



21AE682L766 Big Red Roto-Tiller (2009)
Electric Start System

Page 8 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	GW-96515	1	/P	Battery Cable
2	GW-97020	1	/P	Terminal Insulating Boot
3	710-0599	1	/P	TT-Screw, 1/4-2 x 1/2"
4	1186309	1	/P	Hex Bolt, 1/4-20 x 5/8"
5	1900873	1	/P	Battery Hold-down Clamp w/ Att. Key Switch Plate
6	925-0267B	1	/P	Key Switch (Incl. 2 Keys)
7	750-0748	1		Spacer
8	1186073	1	/P	Carriage Bolt, 1/4-20 x 1-1/4"
9	712-3006	1	/P	Hex Nut, 1/4"-20
10	925-1707D	1	/P	12-Volt Battery
11	GW-96514099	1	/P	Starter Solenoid
12	936-0119	1	/P	Lockwasher, 5/16"
13	1186211	1	/P	Hex Nut, 5/16 "-24
14	936-0147	1	/P	External Tooth Lockwasher
15	GW-9853	1	/P	Hex Nut, #10-32
16	GW-96510	1	/P	Battery Cable
17	GW-2571	1	/P	Battery Bracket
18	710-3022	1	/P	Hex Head Screw, 3/8-16 x 2.75"
19	GW-9265	1	/P	Plastic Tie
20	725-0157	1	/P	Plastic Tie
21	725-04346	1		Wire Harness & Connecting Terminal Assembly
22	1186389	1	/P	Flangelock Nut, 1/4"-20
23	1901202	1	/P	Ground Cable




21AE682L766 Big Red Roto-Tiller (2009)
Forward Interlock System

Page 10 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	725-04368	1		PTO Switch
2	736-0508	1		Internal L-Washer, 9/16"
3	725-0157	1	/P	Plastic Tie

21AE682L766 Big Red Roto-Tiller (2009) Handle Assembly

Page 11 of 23



21AE682L766 Big Red Roto-Tiller (2009)
Handle Assembly

Page 12 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	GW-9548	1	/P	Hex Bolt, 1/2-13 x 3-1/2
2	GW-9119	1	/P	Handlebar Height Adjustment Knob
3	GW-9120	1	/P	Retaining Ring
4	GW-1881	1	/P	Handlebar Height Adjustment Stud
5	912-0206	1	/P	Hex Nut, 1/2-13
6	1900854010	1	/P	Handlebar Hgt, Adj. Clamp (LT)
7	1900856010	1	/P	Handlebar Hgt. Adj. Ratchet (LT)
8	1900857010	1	/P	Handlebar Hgt. Adj. Ratchet (RT)
9	1900855010	1	/P	Handlebar Hgt. Adj. Clamp (RT)
10	1900858010	1	/P	Handlebar Mounting Base
11	649-04020-0638	1	/P	Handlebars
12	720-04083	1	/P	Handlebars Grip
13	1918111	1		Curved Head Bolt, 1.4-20 x 2
14	1186389	1	/P	Hex Nut, 1.4• h-20
15	1909286	1	S	Throttle Control & Cable, 66"
16	725-0157	1	/P	Plastic Tie
17	GW-9219	1	/P	Wire Harness Retainer Plug
18	725-04367	1		Handlebar Wire Harness Assembly
19	GW-2563	1	S	Switch Assembly
20	710-0779A	1	/P	Pan Head Screw, #10-16 x 1/2
21	GW-9733	1	/P	Phillips Head Screw, 10-32 x 1/2
22	786-04003-0638	1	/P	Operator Presence Control Lever
23	GW-9199	1	/P	Pivot Pin
24	GW-9514	1	/P	Retaining Ring
25	GW-9387	1	/P	Return Spring
26	912-3010	1	/P	Hex Nut, 5/16-18
27	936-0119	1	/P	Washer, 5/16
28	710-0805	1	/P	Hex Head Screw, 5/16-18 x 1.5
29	1901835	1		Plug Cap

21AE682L766 Big Red Roto-Tiller (2009)
Label Map Big Red Horse


Page 13 of 23

777S30648




Electric Start

777I20945




777I20944




Model
Plate

Tine Shield

777I23103



777S32664



777X43688

Place near fuel cap



777I20358

Place on Fuel
Tank



777I20946 x 2



777I22626



777D11174




21AE682L766 Big Red Roto-Tiller (2009)
Label Map Big Red Horse

Page 14 of 23

Ref #	Part Number	Qty	S/P/F	Description
777S30648	777S30648	1	/P	LABEL-ENGINE IGNIT
777I20945	777I20945	1	/P	LABEL-TINES/PTO CLUTCH TBILT
777I20944	777I20944	1	/P	LABEL-FORWARD INTR
777I23103	777I23103	1		LABEL:TILLER:TNSHLD:OPRINST
777X43688	777X43688	1		LABEL-ETHANOL
777I20358	777I20358	1		LABEL-PLACE HAND HERE
777S32664	777S32664	1		LABEL:TILLER/680 TINE SHIELD
777D11174	777D11174	1		LABEL-TILLER HANDLE BIG RED
777I22626	777I22626	1		LABEL:TILLER HANDLE 680
777I20946	777I20946	1		LABEL-FORWARD INTRLK TBILT

21AE682L766 Big Red Roto-Tiller (2009)
Quick Reference


Page 15 of 23



21AE682L766 Big Red Roto-Tiller (2009)
Quick Reference

Page 16 of 23

Ref #	Part Number	Qty	S/P/F	Description
	759-3336	1	/P	Spark Plug
	BS-491588S	1	/P	Pre Filter
	BS-491435S	1	/P	Air Filter
	951-3013	1	S	Fuel Filter
	GW-9245	1	/P	Drive Belt - FWD
	N/A	1		Drive Belt - REV
	N/A	1		Idler Pulley
	1909286	1	S	Clutch Cable - FWD
	N/A	1		Clutch Cable - REV
	742-04223-0637	1	/P	Tines - LH
	742-04224-0637	1	/P	Tines - RH
	934-04231	1	/P	Wheel Assembly
	720-04083	1	/P	Foam Grip
	GW-2595099	1	/P	Shift Control Knob
	GW-9119	1	/P	Depth Regulator Knob




21AE682L766 Big Red Roto-Tiller (2009)
Tiller Shaft Assembly

Page 18 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	1915068	1	/P	Self-Sealing Screw, 1/4"-20 x 5/8" These Screws have a psecial Sealing design and cannot be reused. Replaces with new hardware.
2	GW-20873	1	/P	Tiller Housing Cover
3	911-04082	1	/P	Tine Shaft
4	941-3037	1	/P	Ball Bearing
5	1901976	1	/P	Worm Gear
6	GW-1104	1	/P	Woodruff Key
7	921-04035	1	/P	Oil Seal
8	916-0101	1	/P	External Retaining Ring
9	718-04614	1	/P	Dog Clutch
10	GW-9301099	1	/P	Key, 3/8" x 1"
11	GW-2127	1	/P	Spring
12	1915069	1	/P	Self-Sealing Screw, 1/4"-20 x 7/8" These Screws have a psecial Sealing design and cannot be reused. Replaces with new hardware.
13	718-04406	1	/P	Cap
14	736-04305	1	/P	Flat Washer, 1.75 x 1.5 x .062 Washers of multiple thickness are used as required toobtain a thickness of .005" to .015" of allowable end-play in thedrive shaft.
14	736-04306	1	/P	Flat Washer, 1.75 x 1.5 x .005 Washers of multiple thickness are used as required toobtain a thickness of .005" to .015" of allowable end-play in thedrive shaft.
14	736-04307	1	/P	Flat Washer, 1.75 x 1.5 x .03 Washers of multiple thickness are used as required toobtain a thickness of .005" to .015" of allowable end-play in thedrive shaft.
14	736-04308	1	/P	Flat Washer, 1.75 x 1.5 x .01 Washers of multiple thickness are used as required toobtain a thickness of .005" to .015" of allowable end-play in thedrive shaft.
15	941-04299	1	/P	Cup Bearing
16	GW-11602	1	/P	Shaft
17	921-04030	1	/P	Oil Seal
18	716-04102	1	/P	Retaining Ring
19	1902000	1	/P	Attachment Housing
20	1909157	1		Oil Dipstick
21	941-04298	1	/P	Cone Bearing

21AE682L766 Big Red Roto-Tiller (2009)
Tines

Page 19 of 23



21AE682L766 Big Red Roto-Tiller (2009)
Tines

Page 20 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	686-04068-0637	1	/P	Tine Holder
2	710-3096	1	/P	Hex Bolt, 3/8-16 x 2"
3	912-3000	1	/P	Hex Locknut, 3/8"-16
4	742-04223-0637	1	/P	Bolo Tine Left
5	742-04224-0637	1	/P	Bolo Tine Right
6	710-0514	1	/P	Hex Head Screw, 3/8-16 x 1"

21AE682L766 Big Red Roto-Tiller (2009)
Wheel Shaft Assembly

Page 22 of 23

Ref #	Part Number	Qty	S/P/F	Description
1	1186299	1	S	Hex Head Screw, #10-32 x 3/8"
2	GW-9463	1	/P	Knob
3	GW-2263	1	/P	Plate
4	1186349	1	/P	Hex Flange Bolt, 3/8-16 x 1-1/2"
5	710-04043	1	/P	Hex Flange Bolt, 5/16-18 x 3/4"
6	936-0275	1	/P	Flat Washer, 5/16"
7	GW-9362	1	/P	Spring Pin, 1/8"
8	912-3012	1	/P	Hex Nut, 1/2-20
8	936-0326	1	/P	Flat Washer, .510 x 1.0 x .125 not shown
9	GW-9934	1	/P	Shoulder Washer, 1/25 x .50 x .25
10	GW-9932	1	/P	Disc Spring Washer, 1.97 x 1.0 x .118
11	GW-2628	1	/P	Wheel Speed Shift Lever
12	GW-2523	1	S	Power Unit Transmission Cover
13	GW-1123	1	/P	Transmission Cover Gasket
14	710-0376	1	/P	Hex Head Screw, 5/16-18 x 1"
15	912-3010	1	/P	Hex Nut, 5/16"-18
16	1901439	1	/P	Plunger Spring
17	GW-1035	1	/P	Plunger
18	1901440	1	/P	Clip Ring
19	712-04065	1	/P	Flange Lock Nut, 3/8-16
20	1902004	1	/P	Screw, 3/8-16x1-1/2"
21	786-04002	1	/P	Tines/PTO Clutch Lever
22	710-3013	1	/P	Hex Head Screw, 1/4-20 x 1/2"
23	741-04008	1	/P	Tines/PTO Clutch Bushing
24	GW-9516	1	/P	External Retaining Ring
25	GW-2461	1	/P	Tines/PTO Clutch Shaft
26	GW-9911	1	/P	Hi-Collar Lockwasher, 1/4"
27	GW-9672	1	S	Socket Head Screw, 1/4-20 x 3/8"
28	916-0101	1	/P	External Retaining Ring
29	1909139	1	S	Dog Clutch
30	GW-9301099	1	/P	Key, 3/16 x 1"
31	710-0157	1	/P	Hex Head Screw, 5/16-24 x 3/4"
32	736-04193	1	/P	Spring Washer, .827 x .331 x .098
33	GW-2107	1	/P	Transmission Drive Pulley
34	GW-50027	1	/P	Flat Washer, 1/25 x .687 x .075
35	1186310	1	/P	Flange Nut, 1/4-20 x .75
36	718-04007	1	/P	Front Bearing Cap
37	921-04044	1	/P	Oil Seal
38	736-04305	1	/P	Flat Washer, 1.175 x 1.5 x .062
38	736-04306	1	/P	Flat Washer, 1.175 x 1.5 x .005
38	736-04307	1	/P	Flat Washer, 1.175 x 1.5 x .03
38	736-04308	1	/P	Flat Washer, 1.175 x 1.5 x .01
39	941-04299	1	/P	Cup Bearing
40	GW-2655	1		Main Drive Shaft
41	921-04030	1	/P	Oil Seal
42	716-04102	1	/P	Retaining Ring
43	715-0121	1	/P	Roll Pin (Spirol), 1/4 x 2
44	718-04006	1		Pinion Bearing
45	GW-9604	1	/P	O-Ring
46	736-04310	1		Flat Washer, 1/234 x 1.015 x .062
46	GW-1132-1	1	/P	Flat Washer, 1/234 x 1.015 x .033
46	GW-1132-3	1	/P	Flat Washer, 1/234 x 1.015 x .01
47	GW-9404	1	/P	Ball Bearing

21AE682L766 Big Red Roto-Tiller (2009)
Wheel Shaft Assembly

Page 23 of 23

Ref #	Part Number	Qty	S/P/F	Description
48	GW-1126	1	/P	Washer
49	GW-1222	1	/P	Pinion Stem
50	716-04119	1		External Retaining Ring, 1.387 ID
51	GW-2656	1	/P	Worm Gear
52	GW-9300	1	/P	Key, 3/16" x 5.8"
53	GW-1233	1	/P	Fast Speed Pinion Gear
54	921-04031	1	/P	Oil Seal
55	716-04104	1	/P	External Retaining Ring
56	736-04257	1	/P	Flat Washer, 1.375 x 1.015 x .005
56	736-04258	1	/P	Flat Washer, 1.375 x 1.015 x .01
56	736-04259	1		Flat Washer, 1.375 x 1.015 x .015
56	736-04260	1		Flat Washer, 1.375 x 1.015 x .03
56	736-04309	1	/P	Flat Washer, 1.375 x 1.015 x .062
57	941-04300	1	/P	Bushing, 1.25 x 1.005 x 1.5
58	611-04077	1	S	Wheel Shaft
59	714-04014	1	/P	Hi-Pro Key, .250 x 1.8125
60	GW-1223	1	/P	Slow Speed Gear
61	GW-1232	1	/P	Fast Gear Speed
62	GW-1237	1	/P	Dog Clutch
63	GW-1112	1	/P	Clutch Guide Pin, 1/4"
64	1911372	1	/P	Spring Pin, 3/16" x 1-1/4"
65	619-04000-0637	1	/P	Wheel Speed Shifting Lever
66	921-04034	1	/P	Oil Seal
67	GW-1442	1	S	Wheel Speed Shifting Pin
68	611-04003	1	/P	Wheel Speed Shifting Shaft
69	GW-1441	1	/P	Spring
70	GW-2109099	1	/P	Transmission Housing
71	GW-9359	1	/P	Alignment Pin
72	1100067	1	/P	Hex Screw, 1/2-13 x 2"
73	GW-9928	1	/P	Disc Spring Washer
74	GW-2126	1		Post
75	1105620	1	/P	Pipe Plug, 1/4"
76	GW-9122	1	/P	Plug.Red Plastic
77	1900870001	1	/P	Clutch Bracket
78	941-04298	1	/P	Cone Bearing