


HORSE-OPC (7&8HP) (S/N 00923347-00940749)
DEPTH REGULATOR & TINE HOOD ASSEMBLIES

Page 1 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
 DEPTH REGULATOR & TINE HOOD ASSEMBLIES

Page 2 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-9712	1	S	SCR-HH 3/8-16X1.25
2	GW-1113-1	1	S	BUSHING-.5X.375X.3
3	GW-9913	1	S	WASHER-LK .375
4	GW-9802	1	S	NUT-HEX 3/8-16 ZP
5	GW-1117A	1	S	DEPTH REGULATOR W/KNOB #9119 REF.#7 & #9120 RETAINING RING; REF.#6
6	GW-9120	1	/P	RING-TOLERANCE .5325 ID
7	GW-9119	1	/P	KNOB-CONTROL
8	GW-2121	1	S	BAR-DRAG RED
9	GW-9552	1	S	SCR-HWH 1/4-20 X .5 STH
10	GW-90044	1	S	SCR-HFLK 5/16-18X.75 ZP
12	GW-9929	1	/P	WASHER-#1.125X.344 ZP
13	GW-2629	1		HOOD W/DECALS OPC SERVICE (REF.#14)
14	GW-2719	1		DECAL-HOOD INST
15	GW-2527	1	/P	BRKT W/ROLL PIN (9308) (REF.#16)
16	GW-9308	1	S	PIN-ROLL .25 X 1 (SPIROL)
17	GW-9534	1	/P	SPACER-.250X.343X.375
18	GW-9384	1	S	SPRING-TORSION
19	GW-9734	1	S	SCR-HH 1/4-20X1.0
20	GW-9811	1	S	NUT-LK 1/4-20

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
ELECTRIC START SYSTEM

Page 3 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
ELECTRIC START SYSTEM

Page 4 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-96515	0	/P	CABLE-BATTERY 10"
2	GW-97020	0	/P	BOOT-BATTERY CABLE
3	GW-9552	0	S	SCR-HWH 1/4-20 X .5 STH
4	GW-9780	0	S	SCR-HH 1/4-20X.625
5	GW-2648	0	S	WIRE-RECHARGE 5&7 BRIGGS INCLUDES TERMINAL & EYELET
6	GW-2616	0	S	CLAMP-KEYSWITCH W/DECAL OPC
7	GW-97127	0		DECAL-KEYSWITCH
8	GW-9230	0	F	KEYSWITCH W/KEYS (INCLUDES 2 #9243 KEYS, 1 LOCKWASHER & 1 MOUNTING NUT)
9	GW-9243	0	S	KEYS(1 PAIR) FOR SWITCH
10	GW-9566	0	S	SCR-CARR 1/4-20X1.25
11	GW-9910	0	S	WASHER-LK .25 ZP
12	GW-9800	0	S	NUT-HEX 1/4-20 ZP
13	GW-9092B	0	S	BATTERY-12 VOLT HORSE
14	GW-1959	0	/P/F	KIT-SOL W/HDW
15	GW-9912	0	S	WASHER-LK .312 ZP
16	GW-9826	0	S	NUT-HEX 5/16-24
17	GW-9921	0	S	WASHER-EXTERNAL TOOTH 1
18	GW-9809	0	S	NUT-HH M10-32X.125
19	GW-96510	0	/P	CABLE-BATTERY 12"
20	GW-2571	0	/P	BRKT-BATTERY OPC PNT
21	GW-90047	0	S	SCR-HFLK 3/8-16X1.50
23	GW-9265	0	/P	TIE-TWIST LOCK
24	GW-9009	0	/P	TUBE-VENT BATTERY/HSE
25	GW-1475	0		TUBING-RUBBER
26	GW-9224	0		CLAMP
27	GW-9202	0	S	TIE-RED
28	GW-2647	0	F	ASSM-HARNESS 2647/20857 (FOR B & S ENGINE)
29	GW-2613	0	F	HARNESS-WIRE 3.5 (FOR KOHLER ENGINE)

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
FORWARD INTERLOCK SYSTEM

Page 5 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
FORWARD INTERLOCK SYSTEM

Page 6 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-2552	0	/P/F	HARNESS-WIRE ENG OPC (PARTS NOT AVAILABLE SEPARATELY)
2	GW-9971	0	/P	WASHER-LK .438 EXT TOOTH
3	GW-9851	0	S	NUT-HEX/JAM 7/16-20
4	N/A	0	F	GROMMET-7 T/L & 8 KOH OPC
5	N/A	0		SCR #8-18 SELF TAP
6	GW-9205	0	/P	CLIP-CONNECTOR
7	GW-9202	0	S	TIE-RED
8	GW-2551	0	/P	HARNESS-WIRE OPC HORSE

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
HANDLE BAR ASSEMBLY

Page 7 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
HANDLE BAR ASSEMBLY

Page 8 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-9548	0	/P	BOLT 1/2-13X3.5 FH GR5
2	GW-9119	0	/P	KNOB-CONTROL
3	GW-9120	0	/P	RING-TOLERANCE .5325 ID
4	GW-1881	0	/P	STUD-H/BAR W/NUT & RING
5	GW-9803	0	S	NUT-HEX JAM 1/2-13
6	GW-1021-1	0	S	CLAMP-LH HORSE 1021-1
7	GW-2542-1	0	S	RATCHET-H/BAR RED 2542-1
8	GW-2542-2	0	S	RATCHET-RH RED HORSE 2542-2
9	GW-1021-2	0	S	CLAMP-RH HORSE 1021-2
10	GW-2534A	0	S	BASE-H/BAR RED 2534A
11	GW-2704	0	/P	ASSM-HANDLEBAR W/GRIPS
12	GW-9125	0	S	GRIP-H/BAR SMOOTH
13	GW-2715	0	/P	DECAL-CONTROL PANEL HORSE
14	GW-9547	0	/P	BOLT-CH 1/4-20X2.00 ZP
15	GW-9844	0	S	NUT-HF/LK 1/4-20 ZP
16	GW-9444	0	S	CABLE-THROTTLE 7 I/C B&S
?16A	GW-9650	0		CABLE-THROTTLE 8HP OPC
17	GW-2722	0		DECAL-FWD INTERLOCK
18	GW-9202	0	S	TIE-RED
19	GW-9219	0	/P	RETAINER-HARNESS H/B OPC
20	GW-2551	0	/P	HARNESS-WIRE OPC HORSE
21	GW-9250	0	S	SWITCH-H/B OPC
22	GW-9385	0	/P	PIN-LK .11X.58 HORSE OPC
23	GW-2543	0	S	HOUSING-SWITCH OPC
24	GW-9533	0		SCR-HW M10-24X.5 STH ZP
24A	GW-9533	0		SCR-HW M10-24X.5 STH ZP
25	GW-2546	0	S	LEVER-HORSE OPC
26	GW-9199	0	/P	PIN-PIVOT OPC LEVER
27	GW-9514	0	/P	RING-KLIP 5304-25
28	GW-9387	0	/P	SPRING-H/B LEVER

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
POWER UNIT TRANSMISSION ASSEMBLIES

Page 9 of 21



HORSE-OPC (7&8HP) (S/N 00923347-00940749)
POWER UNIT TRANSMISSION ASSEMBLIES

Page 10 of 21

Ref #	Part Number	Qty	S/P/F	Description
	GW-1360A	0	S	OIL SAE TILLER GEAR LUBE
1	GW-9782	0	S	SCR 10-32
2	GW-9463	0	/P	KNOB-TAPERED
3	GW-2263	0	/P	PLATE-TINE ENGAGE W/DECAL #2720 REF.#4
4	GW-2720	0	S	DECAL-TINE ENGAGE
5	GW-90047	0	S	SCR-HFLK 3/8-16X1.50
7	GW-90044	0	S	SCR-HFLK 5/16-18X.75 ZP
8	0	0		THIS REF.# NOT USED
9	GW-9902	0	S	WASHER-FLAT 5/16 SAE
10	GW-2149	0	S	BRKT-H HOOD, W/ DECAL #2721 REF.#86
11	GW-9362	0	/P	PIN -- SPRING, 1/8" DIAMETER
12	GW-9838	0	F	NUT-HEX 1/2-20
13	GW-9934	0	/P	WASHER-SHOULDER ZP (SHLDR FACES DISC WASHERS)
14	GW-9932	0	/P	WASHER-1.97X1X.118 (CONC SURF FACE EACH OTHER)
15	N/A	0		LEVER, WHEEL SPEED SHIFT (SHOWN FOR REF. ONLY)
16	GW-2523	0	S	COVER-TRANS RED
16A	GW-2566	0	/P	ASSM-TRANS COVER OPC (COMPL. ASSY W/ NUETRAL SPRING ASSY PARTS (#S 18-24)
17	GW-1123	0	/P	GASKET-TRANS COVER
18	GW-9751	0	S/F	SCR-HH 5/16-18X1.0 G5 ZP (RET. NEUTR. PLUNGER)
19	GW-9801	0	S	NUT-HEX 5/16-18 ZP
20	GW-1496	0	S/F	SPRING-REV PLUNGER ZP
21	GW-1035	0	/P/F	ASSM-NEUTRAL PLUNGER W/CLIP RING #9504 REF. #22
22	GW-9504	0	S	RING-KLIP EXT .594 ID ZP (RET. NEUTR. PLUNGER)
23	GW-9831	0	S	NUT-HFLK 3/8-16 ZP
24	GW-9545	0	S	SCR 3/8-16X1.5 UNC-2AG
25	GW-2122	0	S	LEVER-ECCENTRIC RED (SEE REF.#S 1-4)
26	GW-9743	0	S	SCR-HH 1/4-20X.5 GR5 YEL
27	GW-2123	0	S	BUSHING-.87X.5X.62 ECC
28	GW-9516	0	/P	RING-RETAINING 5100-50 (SNAP RING)
29	GW-2130	0	S	ECCENTRIC -- SHAFT, TINES/PTO CLUTCH LEVER
30	GW-9911	0	/P	WASHER-LK .25 HI-COLLAR
31	GW-9672	0	S	SCR-HXSKT 1/4-20X.38 G8
32	GW-50043	0	S	WASHER-#1.25X.75X.06 (DRIVE SHAFT)
33	GW-9500	0	S	RING-RETAIN EXT .707 ID (SNAP RING)
34	GW-2120-3	0	S	KIT-CLUTCH DOGS TILLER (POWER UNIT)
35	GW-9301	0	S	KEY-.188 SQX1.0 (USE ON DRVE AND PNION SHAFTS)
36	GW-9655	0	S	SCR-HH 5/16-24X.75 G5 ZP

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
POWER UNIT TRANSMISSION ASSEMBLIES

Page 11 of 21

Ref #	Part Number	Qty	S/P/F	Description
37	GW-9944	0	S	WASHER-.827X.331X.098 (CONCAVE)
38	GW-2107	0	/P	PULLEY-TRANS MACH
39	GW-50027	0	/P	WASHER-SHLDR HARDENED
40	GW-9701	0	S	SCR-HH 1/4-20X.75 G5 ZP
41	GW-9910	0	S	WASHER-LK .25 ZP
42	GW-2424	0	S	COVER-FRONT
43	GW-85030	0	S	SEAL-PINION SHAFT FRONT
44	GW-1124-2	0	S	GASKET-BRG COVER FRONT
45	GW-1224-1	0	S	SHIM-1.75X1.5X.01
45	GW-1224-2	0	S	SHIM-1.75X1.5X.03
45	GW-1224-3	0	S	SHIM-1.75X1.5X.005
45	GW-1224-4	0	S	SHIM-1.75X1.5X.062
46	GW-1714	0	S	KIT-BRG CONE&RACE-DRIVESHAFT (CONE & CUP SOLD AS SET ONLY)
47	GW-1985	0	F	KIT-TRANS DRSHAFT HORSE, MN DRVE, PWR UNIT
48	GW-9617	0	S	SEAL-OIL DRIVESHAFT REAR
49	GW-9517	0	S	RING-RETAINING 5000-181 (SNAP RING)
50	GW-9309	0	S	PIN-SPIROL .25 X 2.0 (RET. #1060A PLG REF. #51)
51	GW-1060A	0	/P	PLUG-PINION BRG W/RING #9604 REF.#52
52	GW-9604	0	/P	RING-O 1 ID
53	GW-1132-1	0	/P/F	SHIM-1.234X1.015X.033
53	GW-1132-2	0	/P/F	SHIM-1.234X1.015X.062
53	GW-1132-3	0	/P/F	SHIM-1.234X1.015X.01
54	GW-9404	0	/P	BRG-BALL (7 BALLS)
55	GW-1126	0	/P	WASHER-# 1X.484X.06 (1 USED ON LT & RT SIDES)
56	GW-1222	0	/P	GEAR-SPLINE 10 TEETH MACH
57	GW-9502	0	/P	RING-RETAINING 5100-150 (SNAP RING)
58	GW-1221	0		GEAR-WORM 36 TEETH MACH
59	GW-9300	0	/P	KEY
60	GW-1233	0	/P	GEAR-SPUR 20 TEETH MACH
61	GW-9621	0	S	SEAL-OIL WHEELSHAFT
62	GW-9511	0	S	RING-HEAVY EXT .906 ID (SNAP RING)
63	GW-1166-1	0	S	SHIM-1.375X1.015X.062
63	GW-1166-2	0	/P	SHIM-1.375X1.015X.03
63	GW-1166-3	0	/P	SHIM-1.375X1.015X.015
63	GW-1166-4	0	S	SHIM-1.375X1.015X.01
63	GW-1166-5	0	S	SHIM-1.375X1.015X.005
64	GW-1086	0	S	BUSHING-1.25X1.005X1.5
65	GW-1878	0	/P	KIT-WHEELSHAFT (INCL #9357 KEY REF.#66, & 2 #9511 RET. RINGS REF.#62
66	GW-9357	0	S	KEY-HI PRO .25X1.812
67	GW-1223	0	/P	GEAR-SPUR 56 TEETH MACH
68	GW-1232	0	/P	GEAR-SPUR 46 TEETH MACH
69	GW-1237	0	/P	CLUTCH-MACH
70	GW-1112	0	/P	PIN-CLUTCH .25 2.65
71	GW-9307	0	S	PIN-SPIROL .188 X 1.25
72	GW-1029	0	S	LEVER-ECC. #1029
73	GW-9622	0	S	SEAL-OIL ECCENTRIC


HORSE-OPC (7&8HP) (S/N 00923347-00940749)
POWER UNIT TRANSMISSION ASSEMBLIES

Page 12 of 21

Ref #	Part Number	Qty	S/P/F	Description
74	GW-1442	0	S	PIN-.375 X .72
75	GW-2712	0	S	SHAFT-ECCENTRIC HORSE TLR
76	GW-1441	0	/P	SPRING .845 X 1.25
77	GW-1440	0	S	WASHER # .875 X .65 X .06
78	GW-2260	0	S/F	CASE-TRANS W/PIN #9359 REF.#79
79	GW-9359	0	/P/F	PIN-DRIVE .375X.75 ZP
80	GW-9560	0	S	SCR-HH 1/2-13X2.0 G5 ZP
81	GW-9928	0	/P	WASHER-DISC SPRING (CONCAVE)
82	GW-2126	0		POST (TC)W/ THREADED HOLE FOR #9560 BOLT #80
83	GW-9726	0	S	PLUG-PIPE 1/4 NPT (OIL LEVEL CHECK & DRAIN)
84	GW-9122	0	/P	PLUG-CAP (RED)
85	GW-9205	0	/P	CLIP-CONNECTOR
86	GW-2721	0	S	DECAL-FWD INTERLOCK WIRE

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
TILLER ATTACHMENT TRANSMISSION ASSEMBLIES

Page 13 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
TILLER ATTACHMENT TRANSMISSION ASSEMBLIES

Page 14 of 21

Ref #	Part Number	Qty	S/P/F	Description
	GW-1360A	0	S	OIL SAE TILLER GEAR LUBE
1	GW-9780	0	S	SCR-HH 1/4-20X.625
2	GW-2451	0	S	COVER-W/5 SCRS(TLR) (9780 REF.#1)
3	GW-1129-1	0	S	GASKET-TILLER COVER .010"
3	GW-1129-2	0	S	GASKET-TILLER COVER .030"
4	GW-1026	0	S	SHAFT-TILLER
5	GW-11522	0		KIT-BEARING CUP & CONE (CONE & CUP SOLD AS SET ONLY)
6	GW-2675	0		GEAR-WORM MACH
7	GW-97067	0		KEY-WOODRUFF .250X1.01
8	GW-9618	0	S	SEAL-OIL TILLERSHAFT
8A	GW-94017	0		WASHER-1.75X1.260X.054
9	GW-9500	0	S	RING-RETAIN EXT .707 ID (SNAP RING)
10	GW-2120-1	0	S	KIT-CLUTCH DOGS TILLER
11	GW-9301	0	S	KEY-.188 SQX1.0
12	GW-2127	0	/P	SPRING (TC)
13	GW-1138-1	0	S	SHIM-1.0X.7656X.062
14	GW-9773	0	S	SCR-HFLK 1/4-20X.875
15	GW-1115	0	S	CAP-REAR #1115
16	GW-1124-2	0	S	GASKET-BRG COVER
17	GW-1224-1	0	S	SHIM-1.75X1.5X.01
17	GW-1224-2	0	S	SHIM-1.75X1.5X.03
17	GW-1224-3	0	S	SHIM-1.75X1.5X.005
17	GW-1224-4	0	S	SHIM-1.75X1.5X.062
18	GW-1714	0	S	KIT-BRG CONE&RACE-DRIVESHAFT (CONE AND CUP SOLD AS SET ONLY)
19	GW-1986	0	F	KIT-TLR DRIVESHAFT HORSE 3
20	GW-9617	0	S	SEAL-OIL DRIVESHAFT, FRONT
21	GW-9517	0	S	RING-RETAINING 5000-181 (SNAP RING)
22	GW-50043	0	S	WASHER-#1.25X.75X.06 (DRIVE SHAFT)
23	GW-2206	0	F	HSG-TLR ATT W/SLEEVE/RACEH3
24	GW-2136	0		ASSM-OIL DIPSTICK
25	N/A	0	F	WASHER, NYLON 1/4" NOT REUSABLE

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
TINE ASSEMBLIES

Page 15 of 21




HORSE-OPC (7&8HP) (S/N 00923347-00940749)
TINE ASSEMBLIES

Page 16 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-2415	0	S	HOLDER-TINE RED
2	GW-9669	0		SCR-HH 1/2-20X4.75 GR5
3	GW-9914	0	S	WASHER-LK .5
4	GW-9952	0		WASHER-1.5X.531X.187
5	GW-9301	0	S	KEY-.188 SQX1.0
6	GW-1270-1A	0	S	TINE-BOLO LT W/HDW (USED ON LEFT & RIGHT SIDE TINE ASS'S. STAMPED EITHER "ER" OR "AR")
7	GW-1270-2A	0	S	TINE-BOLO RT W/HDW (USED ON LEFT & RIGHT SIDE TINE ASS'S. STAMPED EITHER "ER" OR "AR")
8	GW-9711	0	S	SCR-HH 3/8-16X1.0 G5 ZP
9	GW-9913	0	S	WASHER-LK .375
10	GW-9802	0	S	NUT-HEX 3/8-16 ZP
	GW-1245K	0	S/F	TINES-BOLO HORSE/PONY/ECONO
	GW-10355	0	F	KIT-TINE HOLDER W/HDW
	GW-10802	0	/P/F	TINES-CUSTOM TILLING
	GW-2475-1	0	S	TINE-HARD FACED LT
	GW-2475-2	0	S	TINE-HARD FACED RT
	GW-9807	0	S	NUT-H/LK 3/8-16 (USED IN PLACE OF REF.#9 & #10 WHEN USING CUSTOM TINES)

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
WHEEL SPEED LEVER, BELT DRIVE, ENGINE & WHEELS

Page 17 of 21



HORSE-OPC (7&8HP) (S/N 00923347-00940749)
WHEEL SPEED LEVER, BELT DRIVE, ENGINE & WHEELS

Page 18 of 21

Ref #	Part Number	Qty	S/P/F	Description
	GW-1234-1	0	S	TIRE-BTT 4.80/4.00X8.00
	GW-2708	0		RIM-WHEEL 8" GRAY
1	GW-9362	0	/P	PIN-SPRING .125 X 1
2	GW-9838	0		NUT-HEX 1/2-20 (CALL TECHNICAL SERVICE DEPARTMENT FOR TIGHTENING INSTRUCTIONS)
3	GW-9934	0	/P	WASHER-# SHOULDER ZP (SHOULDER FACES DISC WASHERS)
4	GW-9932	0	/P	WASHER-# 1.97X1X.118 (CONCAVE SURFACES FACE EACH OTHER)
5	GW-2628	0	/P	LVR-W/KNOB - WHEEL SPEED (INCLUDES REF #6 AND REF. #18)
6	GW-2596	0	S	KNOB-WHEEL SPEED HORSE (INCLUDES #9120 RETAINING RING (REF. #18) AND DECAL INLAY)
7	GW-9317	0	/P	PIN-COTTER .094X1.0
8	GW-1231	0	/P	ROD-CONNECTING
9	GW-1033	0	/P	SWIVEL
10	GW-9902	0	S	WASHER-FLAT 5/16 SAE
11	GW-9338	0	S	PIN-CLIP .08
12	GW-9808	0	S	NUT-H/LK 5/16-18
13	GW-90046	0	S	SCR-HFLK 3/8-16X1.00 ZP
14	GW-9913	0	S	WASHER-LK .375 @ DEPL
15	GW-9904	0	S	WASHER-FLAT 3/8 SAE
16	GW-2146	0	/P	BUSHING-.5X.375X.325
17	GW-1113-1	0	S	BUSHING-.5X.375X.3
18	GW-9120	0	/P	RING-TOLERANCE .5325 ID
19	GW-1920	0	/P	KIT-ADJ BLOCK 4 SP (INCL. 13,15,20)
20	GW-2100	0	/P	BAR-ADJUST
21	GW-97125	0		DECAL-STARTING STABIL (FOR B & S ENGINE)
22	GW-9715	0	S	SCR-HH 3/8-24X1.5 G5
23	GW-1919	0	/P	KIT-ADJ BLOCK/REV DISC (INCL. 19)
23	GW-2111	0	S	DISC-REV
24	GW-9245	0	/P	BELT-V (SPECIALLY MADE - NO SUBSTITUTE RECOMMENDED DUE TO EXTRA STRENGTH REQUIRED)
25	GW-1483	0	S	PULLEY-ENG MACH
26	GW-1138-1	0	S	SHIM-1.0X.7656X.062
26	GW-1138-2	0	S	SHIM-1.0X.7656X.031
27	GW-9303	0	/P	KEY-.188 SQ X 2.33
28	GW-9751	0	S	SCR-HH 5/16-18X1.0 G5 ZP
29	GW-9801	0	S	NUT-HEX 5/16-18 ZP
30	GW-1034	0	S	BAR-ENG MTG W/CAP PLUG
31	GW-9147	0	/P	PLUG-CAP (RED)
32	GW-9572	0	S	BOLT-HH 5/16-24X1.125 G5 ZP
33	GW-9912	0	S	WASHER-LK .312 ZP
34	GW-2565	0	S	MOUNT-MOTOR HSE OPC PNT


HORSE-OPC (7&8HP) (S/N 00923347-00940749)
WHEEL SPEED LEVER, BELT DRIVE, ENGINE & WHEELS

Page 19 of 21

Ref #	Part Number	Qty	S/P/F	Description
35	0	0	F	7 HP BRIGGS & STRATTON ENGINE - RECOIL START
35	0	0	F	7 HP BRIGGS & STRATTON ENGINE - ELECTRIC START
36	0	0	F	8 HP BRIGGS & STRATTON ENGINE - RECOIL START
36	0	0	F	8 HP BRIGGS & STRATTON ENGINE - ELECTRIC START
37	0	0	F	8 HP KOHLER MAGNUM ENGINE - RECOIL START
37	0	0	F	8 HP KOHLER MAGNUM ENGINE - ELECTRIC START
38	GW-55053	0		DECAL-HOT SURFACE
39	GW-97126	0		DECAL-STABIL STARTING - FOR KOHLER ENGINE
40	GW-2522	0	/P	WEIGHT-ENG ECONO PNT (B & S ENGINE ONLY)
41	GW-9966	0	S	SCR-HH 5/16-18X2.25 G5ZP
42	GW-20553	0	/P	SPACER-.88X.385X.09 ZP
43	GW-9322	0	S	PIN-SPIROL .313 X 1.5
44	GW-9142	0		ASSM-STD TIRE
45	GW-9143	0	S	TIRE-LT BT GARDEN TRAC
45A	GW-9144	0	S	TIRE-RT BT GARDEN TRAC
46	GW-9145	0	S	CAP-HUB BLK PLASTIC

HORSE-OPC (7&8HP) (S/N 00923347-00940749)
WHEELS/TIRES/PTO DRIVE LEVER ASSEMBLY

Page 20 of 21



HORSE-OPC (7&8HP) (S/N 00923347-00940749)
WHEELS/TIRES/PTO DRIVE LEVER ASSEMBLY

Page 21 of 21

Ref #	Part Number	Qty	S/P/F	Description
1	GW-2574	0	S	ASSM-FOR/REV LEVER
2	GW-2163	0	S	SPRING-.436 X 3.25
3	GW-9466	0	S	SCR-HH 5/16-18X1.5 G5 ZP
4	GW-2447	0	/P	BUSHING-.5X.316X.375 PM
5	GW-9931	0	S	WASHER-LK .312 EXT TOOTH
6	GW-9801	0	S	NUT-HEX 5/16-18 ZP
7	GW-2162	0	S	ASSM-ROLLER PAINT
8	GW-2165-1	0	S	YOKE-LH RED
9	GW-2165-2	0	S	YOKE-RH RED
10	GW-2164	0	S	YOKE-RED 2164
11	GW-9710	0	S	SCR-HH 3/8-16X1.0 G5 ZP
12	GW-9913	0	S	WASHER-LK .375 @ DEPL
13	GW-9904	0	S	WASHER-FLAT 3/8 SAE
14	GW-2146	0	/P	BUSHING-.5X.375X.325
15	GW-9802	0	S	NUT-HEX 3/8-16 ZP
16	GW-1113-1	0	S	BUSHING-.5X.375X.3
17	N/A	0		KNOB NOT AVAILABLE SEPARATELY DUE TO SPECIAL PROC. REQ'D TO ATTACH KNOB TO LEVER
18	GW-90046	0	S	SCR-HFLK 3/8-16X1.00 ZP