


5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
ELECTRIC START ASSEMBLY

Page 1 of 19




5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
ELECTRIC START ASSEMBLY

Page 2 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                 |
|-------|-------------|-----|-------|-------------------------------------------------------------|
| 1     | 96512       | 0   |       | BATTERY                                                     |
| 2     | 9462        | 0   |       | CAP-YELLOW                                                  |
| 2A    | 9248        | 0   |       | CAP-BATTERY WHITE (PONY)                                    |
| 3     | 9009        | 0   | S     | TUBE-VENT BATTERY/HSE                                       |
| 4     | 1475        | 0   |       | TUBING-RUBBER                                               |
| 5     | 9224        | 0   |       | CLAMP                                                       |
| 6     | 9552        | 0   | S     | SCR-HWH 1/4-20 X .5 STH                                     |
| 7     | 11361       | 0   |       | HDW PKG-BATTERY TERMINAL                                    |
| 8     | 1908112     | 0   | S     | ASSM-KEYSWITCH ELEC TLR                                     |
| 9     | 1904570     | 0   |       | KEYSWITCH W/DECAL PONY                                      |
| 10    | 1904548     | 0   | S     | DECAL-IGNITION TILLERS                                      |
| 11    | 96520       | 0   | S     | KEYS-IGN T/BLAZER 1 PAIR                                    |
| 12    | 96509       | 0   |       | CABLE-BATTERY-12"                                           |
| 13    | 96510       | 0   | S     | CABLE-BATTERY 12"                                           |
| 14    | 1908118     | 0   | S/F   | KIT-WIRE HARNESS ASSM (AVAILABLE AS COMPLETE ASSEMBLY ONLY) |
| 15    | 97020       | 0   | S     | BOOT-BATTERY CABLE                                          |
| 16    | 96514       | 0   | S     | SOLENOID                                                    |
| 17    | 20837       | 0   | S     | BRKT-BATTERY OPC PNT                                        |
| 18    | 1186023     | 0   |       | NUT-WELD 5/16-18                                            |
| 19    | 1186331     | 0   | S     | SCR-HFLK 5/16-18X1.00 ZP                                    |
| 20    | 1177548     | 0   | S     | WASHER-LK .312 EXT TOOTH                                    |
| 21    | 1186389     | 0   | /P    | NUT-HF/LK 1/4-20 ZP                                         |
| 22    | 1100242     | 0   | S     | WASHER-LK .312 ZP                                           |
| 23    | 1186211     | 0   | /P    | NUT-HEX 5/16-24                                             |
| 24    | 9853        | 0   | S     | NUT W/LKWASHER #10-32 ZP                                    |
| 25    | 0           | 0   |       | LOCKWASHER                                                  |
| 26    | 0           | 0   |       | NUT                                                         |
| 27    | 1901894     | 0   | /P    | WIRE-RECHARGE 5&7 BRIGGS                                    |
| 28    | 9218        | 0   | S     | CLIP-SPECIAL                                                |
| 29    | 9265        | 0   | S     | TIE-TWIST LOCK                                              |
| 30    | 9202        | 0   | S     | TIE-RED                                                     |
| 31    | 1901202     | 0   | /P    | CABLE-BATTERY 15"                                           |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
ENGINE, PULLEYS & BELTS

Page 3 of 19



#1900706 RED SPRAY PAINT


5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
ENGINE, PULLEYS & BELTS

Page 4 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                                  |
|-------|-------------|-----|-------|------------------------------------------------------------------------------|
| 1     | 20754       | 0   |       | BRKT-ENG LT P4                                                               |
| 2     | 20755       | 0   | S     | BRKT-ENG RT PNT                                                              |
| 3     | 20673       | 0   | S     | PAN-ENG BRKT PNT                                                             |
| 4     | 90044       | 0   |       | SCR-HFLK 5/16-18X.75 ZP                                                      |
| 5     | 9912        | 0   |       | WASHER-LK .312 ZP                                                            |
| 6     | 9758        | 0   |       | SCR-HH 5/16-18X1.5 G5 ZP                                                     |
| 7     | 9801        | 0   |       | NUT-HEX 5/16-18 ZP                                                           |
| 8     | 1900396     | 0   | /P    | SCR-HW M10-32X.5 THRD ROLL                                                   |
| 8     | 9768        | 0   |       | SCR-HH SEMS 10-32 X .5 ZP (EARLY UNITS)                                      |
| 9     | 0           | 0   |       | ENGINE,B&S 5HP STANDARD RECOIL WITH MAGNETRON MODEL 130292 TYPE 3220-01      |
| 9     | 0           | 0   |       | ENGINE,B&S 5HP ELEC. START WITH MAGNETRON MODEL 130297 TYPE 3221-01          |
| 10    | 97075       | 0   | S     | BELT-FLAT (SEE BELT SET BELOW)                                               |
| 11    | 20881       | 0   |       | PULLEY-REV DRILL/TAP                                                         |
| 12    | 9561        | 0   | S     | SCR-SS 1/4-20 X .25 (SECURES REVERSE ENGINE PULLEY)                          |
| 13    | 9361        | 0   | S     | KEY-WOODRUFF #5                                                              |
| 14    | 1909404     | 0   | /P    | BELT-V GROOVE FWD SMFRAME (SEE BELT SET BELOW)                               |
| 15    | 20765       | 0   |       | PULLEY-ENGINE MACH                                                           |
| 16    | 9655        | 0   | S     | SCR-HH 5/16-24X.75 G5 ZP                                                     |
| 17    | 9944        | 0   | S     | WASHER-.827X.331X.098 (CONCAVE SURFACE FACES FORWARD PULLEY)                 |
| 18    | 9301        | 0   | S     | KEY-.188 SQX1.0                                                              |
| 19    | 97077       | 0   |       | SPACER-.938X.755X1.19 (ON FORWARD PTO SHAFT BETWEEN ENGINE & FORWARD PULLEY) |
| 20    | 1138-2      | 0   | S     | SHIM-1.0X.7656X.031 (ON FORWARD PTO SHAFT BETWEEN ENGINE & SPACER)           |
| 21    | 20555       | 0   |       | GUIDE-BELT FWD                                                               |
| 22    | 9573        | 0   | S     | SCR-HWH 1/4-20 X .75 STH                                                     |
| 23    | 9900        | 0   |       | WASHER-FLAT 1/4 SAE                                                          |
| 24    | 20916       | 0   | S     | COVER-BELT W/DECAL (INCL. 29)                                                |
| 25    | 9848        | 0   |       | NUT-HFLK 5/16-18 ZP                                                          |
|       | 11535       | 0   |       | KIT-SVC 5HP PONY VA TILLER (INCL. 10 & 14)                                   |
| 26    | 9552        | 0   | S     | SCR-HWH 1/4-20 X .5 STH                                                      |
| 27    | 20514       | 0   |       | GUIDE-BELT REV PNT                                                           |
| 28    | 1900767     | 0   |       | DECAL-STABIL STARTING                                                        |
| 29    | 20818       | 0   | S     | DECAL-BELT COVER OPC                                                         |
|       | 1900706     | 0   | S     | PAINT-RED SPRAYCAN POWDER                                                    |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
FORWARD/REVERSE IDLER ASSEMBLY

Page 5 of 19




5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
FORWARD/REVERSE IDLER ASSEMBLY

Page 6 of 19

| Ref # | Part Number | Qty | S/P/F | Description                              |
|-------|-------------|-----|-------|------------------------------------------|
| 1     | 9837        | 0   | S     | NUT-LOCK 3/8-16 NYLON ZP                 |
| 2     | 20513       | 0   |       | BUSHING-.54X.38X.08                      |
| 3     | 9460        | 0   | F     | IDLER-REV                                |
| 3     | 1909266     | 0   | S/F   | PULLEY-IDLER REVERSE                     |
| 4     | 9090        | 0   | S     | PULLEY-IDLER FORWARD                     |
| 5     | 9091        | 0   |       | SPACER-IDLER FWD                         |
| 6     | 9338        | 0   | S     | PIN-CLIP .08                             |
| 7     | 9807        | 0   |       | NUT-H/LK 3/8-16                          |
| 8     | 9801        | 0   |       | NUT-HEX 5/16-18 ZP                       |
| 9     | 9912        | 0   |       | WASHER-LK .312 ZP                        |
| 10    | 20545       | 0   | S     | WASHER-#.75X.32X.09 ZP                   |
| 11    | 9479        | 0   | S     | BUSHING-.438X.323X.712                   |
| 12    | 20899       | 0   | S     | ARM-IDLER FWD PNT                        |
| 13    | 20760       | 0   | F     | IDLER-REV                                |
| 13    | 1909682010  | 0   | F     | ARM-IDLER REV RED                        |
| 13A   | 90029       | 0   | F     | SCR-HH 3/8-16X1.25                       |
| 14    | 1492        | 0   | S     | SPRING-.436 X 3.25                       |
| 15    | 20517-01    | 0   |       | LINK-FWD                                 |
| 16    | 20517-02    | 0   |       | LINK-REV                                 |
| 17    | 9340        | 0   |       | PIN-CLEVIS .375X.719 ZP                  |
| 18    | 20751       | 0   |       | MOUNT BAR-PNT (20691)                    |
| 19    | 9966        | 0   |       | SCR-HH 5/16-18X2.25 G5ZP                 |
| 20    | 20842       | 0   | S     | SHIFT BASE-OPC PNT                       |
| 21    | 20553       | 0   | S     | SPACER-.88X.385X.09 ZP                   |
| 22    | 9532        | 0   | S     | RING-KLIP .500 ZINC                      |
| 23    | 20546       | 0   | S     | WASHER-#.88X.51X.063 ZP                  |
| 24    | 20838       | 0   | S     | BELLCRANK-OPC PNT                        |
| 25    | 9712        | 0   |       | SCR-HH 3/8-16X1.25                       |
| 26    | 20506       | 0   |       | PIVOT-ROD (FOR MANEUVERING CLUTCH LEVER) |
| 27    | 20532       | 0   | S     | BUSHING-.5X.38X.4                        |
| 28    | 90045       | 0   |       | SCR-HFLK 5/16-18X1.00 ZP                 |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
HANDLE BARS & CONTROL LEVERS

Page 7 of 19



#1900706 RED SPRAY PAINT

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
HANDLE BARS & CONTROL LEVERS

Page 8 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                                     |
|-------|-------------|-----|-------|---------------------------------------------------------------------------------|
| 1     | 20928       | 0   | S     | ASSM-HANDLEBAR W/GRIPS (INCL. 2,3,3A,4)                                         |
| 2     | 9126        | 0   | S     | GRIP-H/B 1" PONY/P-J OPC                                                        |
| 3     | 1901867     | 0   | /P    | DECAL-CONTROL PANEL                                                             |
| 3A    | 20924       | 0   | S     | DECAL-GRAPHICS PANEL PONY                                                       |
| 4     | 9251        | 0   |       | BUSHING-NYLON (PART OF OPERATOR CONTROL PANEL)                                  |
| 5     | 20703       | 0   |       | ASSM-STUD H/B                                                                   |
| 5A    | 9955        | 0   | S     | WASHER-1.0X.38X.375                                                             |
| 6     | 1900475010  | 0   | /P    | PLATE-HANDLEBAR ADJUST                                                          |
| 7     | 9711        | 0   |       | SCR-HH 3/8-16X1.0 G5 ZP (USED TO ATTACH HANDLEBARS TO TABS ON TRANS. TOP COVER) |
| 8     | 9904        | 0   | S     | WASHER-FLAT 3/8 SAE (HANDLEBAR ATTACHMENT)                                      |
| 9     | 9837        | 0   | S     | NUT-LOCK 3/8-16 NYLON ZP (HANDLEBAR ATTACHMENT)                                 |
| 10    | 9338        | 0   | S/F   | PIN-CLIP .08                                                                    |
| 11    | 20830       | 0   |       | ROD-REV W/GRIP OPC (INCL. #9198)                                                |
| 12    | 9198        | 0   |       | GRIP-CONTROL ROD                                                                |
| 13    | 9442        | 0   | S     | CABLE-WHEEL CLUTCH OPC (INCL. 14,15,19,21-23)                                   |
| 14    | 9057        | 0   | S     | KNOB-WHEEL DRIVE CABLE                                                          |
| 15    | 9826        | 0   |       | NUT-HEX 5/16-24                                                                 |
| 16    | 9709        | 0   | F     | SCR-HH 3/8-16X.75 G5 ZP                                                         |
| 17    | 9913        | 0   | F     | WASHER-LK .375 @ DEPL                                                           |
| 18    | 9440        | 0   |       | CABLE-THROTTLE PONY OPC                                                         |
| 19    | 9202        | 0   | S     | TIE-RED (TO SECURE CABLES TO HANDLEBARS)                                        |
| 20    | 9212        | 0   | S     | KNOB-THROTTLE CABLE                                                             |
| 21    | 9722        | 0   |       | SCR-RH M10-32X.5 MACH                                                           |
| 22    | 9909        | 0   |       | WASHER-LK M10                                                                   |
| 23    | 9809        | 0   |       | NUT-HH M10-32X.125                                                              |
| 24    | 9390        | 0   | S     | GRIP-PADDLE SM FRAME OPC                                                        |
| 25    | 20863       | 0   | S     | BAIL W/GRIPS OPC (INCL. TWO #24)                                                |
| 26    | 20862       | 0   | S     | ASSM-ADJUSTMENT OPC (INCL. 27-30, 38-39)                                        |
| 27    | 9532        | 0   | S     | RING-KLIP .500 ZINC                                                             |
| 28    | 20808       | 0   | S     | ADJUSTER-RT SIDE OPC                                                            |
| 29    | 20809       | 0   | S     | ADJUSTER-LT SIDE OPC                                                            |
| 30    | 9059        | 0   | S     | SPRING-ADJUSTER OPC                                                             |
| 31    | 9522        | 0   |       | WELDNUT 5/16-18                                                                 |
| 32    | 9386        | 0   |       | RING-KLIP .188 DIA                                                              |
| 33    | 20831       | 0   | S     | ROD-CONTROL OPC                                                                 |
| 34    | 97083       | 0   |       | ASSM-PIN & CLIP (SMALL FRAME)                                                   |
| 35    | 9853        | 0   | S     | NUT W/LKWASHER #10-32 ZP                                                        |
| 36    | 20806       | 0   | S     | BRACKET-BAIL OPC                                                                |
| 37    | 20888       | 0   | S     | SWIVEL-SMALL FRAME                                                              |
| 38    | 9432        | 0   |       | BUSHING-.5X.334X2.88                                                            |


5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
HANDLE BARS & CONTROL LEVERS

Page 9 of 19

| Ref # | Part Number | Qty | S/P/F | Description               |
|-------|-------------|-----|-------|---------------------------|
| 39    | 9973        | 0   |       | WASHER-.75X.51X.06 ZP     |
| 40    | 90070       | 0   |       | SCR-HH 1/4-20X.75 G5 ZP   |
| 41    | 9811        | 0   |       | NUT-LK 1/4-20             |
| 42    | 9552        | 0   | S     | SCR-HWH 1/4-20 X .5 STH   |
|       | 1900706     | 0   | S     | PAINT-RED SPRAYCAN POWDER |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
HOOD & DEPTH REGULATOR

Page 10 of 19




5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
HOOD & DEPTH REGULATOR

Page 11 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                           |
|-------|-------------|-----|-------|-----------------------------------------------------------------------|
| 1     | 20861       | 0   | S     | HOOD W/DECALS PONY OPC (INCL. 17)                                     |
| 2     | 1904568     | 0   | S     | HOOD W/DECALS PONY (INCL 17)<br>(15008,15009, 0400101 & HIGHER)       |
| 2     | 9913        | 0   |       | WASHER-LK .375 @ DEPL                                                 |
| 3     | 2527        | 0   | S     | BRKT W/ROLL PIN (9308)                                                |
| 4     | 90038       | 0   |       | SCR-HFLK 5/16-18X.62 G5ZP                                             |
| 5     | 9811        | 0   |       | NUT-LK 1/4-20                                                         |
| 6     | 9734        | 0   |       | SCR-HH 1/4-20X1.0                                                     |
| 7     | 9384        | 0   | S     | SPRING-TORSION                                                        |
| 8     | 9438        | 0   |       | SPACER-.250X.343X.375                                                 |
| 9     | 9308        | 0   | S     | PIN-ROLL .25 X 1                                                      |
| 10    | 1117A       | 0   | S     | DEPTH REGULATOR W/KNOB (INCL. 11 & 12)                                |
| 11    | 9120        | 0   | S     | RING-TOLERANCE .5325 ID                                               |
| 12    | 9119        | 0   | S     | KNOB-CONTROL (INCL. 11)                                               |
| 13    | 9712        | 0   |       | SCR-HH 3/8-16X1.25                                                    |
| 14    | 1113-1      | 0   | S     | BUSHING-.5X.375X.3                                                    |
| 15    | 9802        | 0   |       | NUT-HEX 3/8-16 ZP                                                     |
| 16    | 20775       | 0   | S     | DRAG BAR-BENT                                                         |
| 17    | 20925       | 0   | S     | DECAL-HOOD OPER INST                                                  |
| 17    | 1904545     | 0   |       | DECAL-HOOD INST PONY (15008 & 15009<br>0400101 & HIGHER)              |
| 18    | 9553        | 0   | S     | SCR-HWH 5/16-18 X .5 STH                                              |
| 19    | 9552        | 0   | S     | SCR-HWH 1/4-20 X .5 STH (ATTACHES<br>HOOD TO DEPTH REGULATOR BRACKET) |
|       | 1900706     | 0   | S     | PAINT-RED SPRAYCAN POWDER                                             |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
MAIN DRIVE SHAFT & GEAR ASSEMBLY

Page 12 of 19




5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
MAIN DRIVE SHAFT & GEAR ASSEMBLY

Page 13 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                               |
|-------|-------------|-----|-------|-----------------------------------------------------------|
| 1     | 1714        | 0   | S     | KIT-BRG<br>CONE&RACE-DRIVESHAFT(FRONT OF<br>DRIVE SHAFT)  |
| 2     | 20718       | 0   | S     | GEAR-SPUR 30 TEETH                                        |
| 3     | 9301        | 0   | S     | KEY-.188 SQX1.0                                           |
| 4     | 10360       | 0   | F     | KIT-DRIVESHAFT                                            |
| 4     | 11603       | 0   | F     | KIT-DRIVESHAFT SMFR                                       |
| 5     | 1224-1      | 0   | S/F   | SHIM-1.75X1.5X.01 (SEE NOTE 1)                            |
| 5     | 1224-2      | 0   | S/F   | SHIM-1.75X1.5X.03 (SEE NOTE 1)                            |
| 5     | 1224-3      | 0   | S/F   | SHIM-1.75X1.5X.005 (SEE NOTE 1)                           |
| 5     | 1325C       | 0   | S     | SHIM SET-DRIVESHAFT-HORSE                                 |
| 6     | 9655        | 0   | S     | SCR-HH 5/16-24X.75 G5 ZP                                  |
| 7     | 9944        | 0   | S     | WASHER-.827X.331X.098 (CONCAVE<br>SURFACE ( FACES PULLEY) |
| 8     | 9301        | 0   | S     | KEY-.188 SQX1.0                                           |
| 9     | 20880       | 0   |       | PULLEY-TRANS MACH                                         |
| 10    | 1440        | 0   | S     | WASHER # .875 X .65 X .06                                 |
| 11    | 85030       | 0   |       | SEAL-PINION SHAFT PT/85030/00                             |
| 12    | 9500        | 0   | S     | RING-RETAIN EXT .707 ID                                   |
| 13    | 9953        | 0   | S     | WASHER-1.022X.752X .059                                   |
| 14    | 9428        | 0   | S     | BUSHING-1.24X.75X1.8 GRVD                                 |
| 15    | 9677        | 0   | S     | SCR-SS 5/16-18X.375                                       |
| 16    | 20791       | 0   | S     | SHAFT-PINION(P-V)                                         |
| 17    | 20792       | 0   | S     | GEAR-PINION P/M                                           |
| 18    | 9093        | 0   | S     | RING-BOWED EXT .461 ID                                    |
| 19    | 20799       | 0   | S     | PINION W/GEAR&SNAP RING                                   |
| 20    | 9517        | 0   | S     | RING-RETAINING 5000-181                                   |
| 21    | 94018       | 0   | S     | WASHER-2.5X.316X.06                                       |
|       | 1360A       | 0   |       | OIL (1901964)                                             |
|       | 1901964     | 0   |       | OIL-GEAR 1 QT 140WT                                       |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
TINES & WHEELS

Page 14 of 19




5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
TINES & WHEELS

Page 15 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                              |
|-------|-------------|-----|-------|--------------------------------------------------------------------------|
| 1     | 9711        | 0   |       | SCR-HH 3/8-16X1.0 G5 ZP                                                  |
| 2     | 1270-2A     | 0   | S     | TINE-BOLO RT W/HDW                                                       |
| 3     | 9802        | 0   |       | NUT-HEX 3/8-16 ZP                                                        |
| 4     | 9913        | 0   |       | WASHER-LK .375 @ DEPL                                                    |
| 5     | 9761        | 0   |       | SCR-HH 3/8-16X2.00 G8                                                    |
| 6     | 9807        | 0   |       | NUT-H/LK 3/8-16                                                          |
| 7     | 1270-1A     | 0   | S     | TINE-BOLO LT W/HDW                                                       |
| 8     | 1902154010  | 0   | S     | HOLDER-TINE PONY                                                         |
|       | 1901118     | 0   | S     | TINES-BOLO HORSE/PONY/ECONO (INCL. 8 EA RH & LH TINES, 16 EA # 1,3,4)    |
|       | 10802       | 0   | S/F   | TINES-CUSTOM TILLING (INCL. 8 #2475-1, 8 #2475 -2, 16 #9711, & 16 #9807) |
|       | 2475-1      | 0   | S/F   | TINE-HARD FACED LT                                                       |
|       | 2475-2      | 0   | S/F   | TINE-HARD FACED RT                                                       |
|       | 9807        | 0   | F     | NUT-H/LK 3/8-16                                                          |
| 9     | 20918-01    | 0   | S     | ASSM-TIRE&WHL LH GRAY                                                    |
| 10    | 20918-02    | 0   | S     | ASSM-TIRE&WHL RH GRAY                                                    |
| 9     | 20678-01    | 0   |       | ASSM-TIRE LT 4.10 X 6"                                                   |
| 10    | 20678-02    | 0   |       | ASSM-TIRE RT 4.10 X 6"                                                   |
|       | 20676       | 0   |       | TIRE-4.10 X 6"                                                           |
|       | 20917       | 0   |       | RIM-WHEEL 6" GRAY                                                        |
| 11    | 9380        | 0   | S     | PIN-CLEVIS                                                               |
| 12    | 9338        | 0   | S     | PIN-CLIP .08                                                             |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
TRANS. HSG. & SEALS/GASKETS

Page 16 of 19



SAE 140wt. Tiller Gear Lube  
#1360A = 2qt.  
#1901964 = 1qt.


5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
TRANS. HSG. & SEALS/GASKETS

Page 17 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                                |
|-------|-------------|-----|-------|------------------------------------------------------------|
| 1     | 9621        | 0   | S     | SEAL-OIL WHEELSHAFT                                        |
| 2     | 9726        | 0   | S     | PLUG-PIPE 1/4 NPT                                          |
| 3     | 97076       | 0   | S     | SEAL-BORE                                                  |
| 4     | 90044       | 0   |       | SCR-HFLK 5/16-18X.75                                       |
| 5     | 85030       | 0   |       | SEAL-PINION SHAFT PT/85030/00                              |
| 6     | 11513       | 0   |       | KIT-COVER TRANS W/HDW (INCL. FOUR #18 & TWO EA. # 21 & 22) |
| 7     | 20694       | 0   | S     | GASKET-TRANS COVER                                         |
| 8     | 20893       | 0   | S     | ASSM-TRANS A-UNIT P/ECHO                                   |
| 9     | 9467        | 0   | S     | PLUG-OIL FILL 3/4-10                                       |
| 10    | 20889       | 0   |       | PLATE-CABLE MT PNT                                         |
| 11    | 97073       | 0   | S     | SEAL-TILLER SHAFT                                          |
| 12    | 90038       | 0   |       | SCR-HFLK 5/16-18X.62 G5                                    |
| 13    | 20873       | 0   | S     | COVER-TILLER HSG MACH (INCL. 5 #19)                        |
| 14    | 1129-1      | 0   | S     | GASKET-TILLER COVER (FITS ALL COVERS)                      |
| 15    | 1915089     | 0   | /P    | KIT-SEALING SCRS (3)                                       |
| 16    | 1115        | 0   |       | CAP-REAR #1115                                             |
| 17    | 1124-2      | 0   | S     | GASKET-BRG COVER                                           |
| 18    | 90045       | 0   |       | SCR-HFLK 5/16-18X1.00                                      |
| 19    | 1908211     | 0   | S     | SCR-HXSKT 1/4-20X.625                                      |
| 20    | 0           | 0   |       | ITEM NO LONGER USED                                        |
| 21    | 9913        | 0   |       | WASHER-LK .375                                             |
| 22    | 9709        | 0   |       | SCR-HH 3/8-16X.75 G5                                       |
|       | 1360A       | 0   |       | OIL (1901964)                                              |
|       | 1901964     | 0   |       | OIL-GEAR 1 QT 140WT                                        |

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
WHEEL & TILLER SHAFT ASSEMBLY

Page 18 of 19



SAE 140wt. Tiller Gear Lube  
#1360A = 2qt.  
#1901964 = 1qt.

5008(S) PONY OPC (5HP)(S/N 150080400101-UP)  
WHEEL & TILLER SHAFT ASSEMBLY

Page 19 of 19

| Ref # | Part Number | Qty | S/P/F | Description                                |
|-------|-------------|-----|-------|--------------------------------------------|
| 1     | 9621        | 0   | S     | SEAL-OIL WHEELSHAFT - LEFT AND RIGHT SIDES |
| 2     | 9511        | 0   | S     | RING-HEAVY EXT .906 ID                     |
| 3     | 1166-1      | 0   | S     | SHIM-1.375X1.015X.062                      |
| 3     | 1166-2      | 0   | S     | SHIM-1.375X1.015X.03                       |
| 3     | 1166-3      | 0   | S     | SHIM-1.375X1.015X.015                      |
| 3     | 1166-4      | 0   | S     | SHIM-1.375X1.015X.01                       |
| 4     | 1086        | 0   | S     | BUSHING-1.25X1.005X1.5                     |
| 5     | 20711       | 0   | S     | ASSM-WHEEL SHAFT W/KEY                     |
| 6     | 9373        | 0   | S     | KEY-HI PRO .25X1.312                       |
| 7     | 20535       | 0   | F     | GEAR-WORM 46 TEETH MACH                    |
| 7     | 20914       | 0   | S/F   | GEAR-WHEEL DRIVE MACH                      |
| 8     | 9935        | 0   | S     | WASHER-1.468X1.016X.062                    |
| 9     | 20712       | 0   | S     | CLUTCH-MACH                                |
| 10    | 20879       | 0   | S     | WELD-ECCENTRIC                             |
| 11    | 1442        | 0   | S     | PIN-.375 X .72                             |
| 12    | 9055        | 0   | S     | SPRING-.850 X .875 LONG                    |
| 13    | 9622        | 0   | S     | SEAL-OIL ECCENTRIC                         |
| 14    | 20757       | 0   |       | LEVER-CABLE ADJ PNT                        |
| 15    | 9743        | 0   |       | SCR-HH 1/4-20X.5 GR5 YEL                   |
| 16    | 97074       | 0   | S     | BEARING-BALL                               |
| 17    | 20896       | 0   | S     | SHAFT-W/KEY (TILLER)                       |
| 18    | 1104        | 0   | S     | KEY-WOODRUFF .25X1.12                      |
| 19    | 20776       | 0   |       | GEAR-TILLER MACH                           |
| 19    | 20913       | 0   | S     | GEAR-TILLER MACH                           |
|       | 1360A       | 0   |       | OIL (1901964)                              |
|       | 1901964     | 0   |       | OIL-GEAR 1 QT 140WT                        |