


21A-512-081 Tuffy Tiller 12227  
Belt Drive Shaft Assembly

Page 1 of 15




21A-512-081 Tuffy Tiller 12227  
Belt Drive Shaft Assembly

Page 2 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                                                                           |
|-------|-------------|-----|-------|-------------------------------------------------------------------------------------------------------|
| 1     | 1100004     | 1   | S     | Hex Screw, 5/16-24 x 3/4, Grade 5 For Model 12227                                                     |
|       | 1100005     | 1   |       | Hex Screw, 5/16-24 x 1, Grade 5 For Model 12209                                                       |
| 2     | 9944        | 1   | S     | Belleville Washer                                                                                     |
| 3     | 55031       | 1   | S     | Transmission Pulley For Model 12227                                                                   |
|       | 1916532     | 1   | S     | Transmission Pulley For Model 12209                                                                   |
| 4     | 9301        | 1   | S     | Key, Transmission Pulley, 3/16 x 1                                                                    |
| 5     | 50027       | 1   | S     | Support Washer, Front                                                                                 |
| 6     | 9517        | 1   | S     | Snap Ring                                                                                             |
| 7     | 1714        | 2   | S     | Bearing, Tapered Roller (with race)                                                                   |
| 8     | 50043       | 1   | S     | Support Washer, Rear                                                                                  |
| 9     | 1904281     | 1   | /P    | Drive Shaft Ass'y                                                                                     |
| 10    | 1224-1      | A/R | S     | Shim, Rear Bearing Cap, 010" thick As Required                                                        |
|       | 1224-2      | A/R | S     | Shim, same as above, except 030" thick As Required                                                    |
|       | 1224-3      | A/R | S     | Shim, same as above, except 005" thick As Required                                                    |
|       | 1224-4      | A/R | S     | Shim, same as above, except 062" thick As Required                                                    |
|       | 1325C       | A/R | S     | Shim Set As Required; (Incl the following shims two #1224-1, two 1224-2, one 1224-3, and one #1224-4) |

21A-512-081 Tuffy Tiller 12227  
Drive Shafts Assembly

Page 3 of 15




21A-512-081 Tuffy Tiller 12227  
Drive Shafts Assembly

Page 4 of 15

| Ref # | Part Number | Qty | S/P/F | Description                    |
|-------|-------------|-----|-------|--------------------------------|
| 1     | 9512        | 2   | S     | Retainer, Snap Ring, "E" Type  |
| 2     | 9511        | 4   | S     | Retainer, Snap Ring            |
| 3     | 31166-1     | A/R |       | Shim, 0 062" thick As Required |
|       | 1166-2      | A/R | S     | Shim, 0.030" thick As Required |
|       | 1166-3      | A/R | S     | Shim, 0 015" thick As Required |
|       | 1166-4      | A/R | S     | Shim, 0 010" thick As Required |
|       | 1166-5      | A/R | S     | Shim, 0 005" thick As Required |
| 4     | 1086        | 4   | S     | Bronze Bushing                 |
| 5     | 55004       | 1   | S     | Wheel Shaft For Model 12227    |
|       | 1916741     | 1   | S     | Wheel Shaft For Model 12209    |
| 6     | 9305        | 1   | S     | Key, Hi-Pro, 1/4 x 1           |
| 7     | 1132-2      | 4   | S     | Spacer                         |
| 8     | 1904278     | 1   | S     | Worm Gear, Wheel Shaft         |
| 9     | 1915074     | 1   | S     | Tiller Shaft                   |
| 10    | 1104        | 1   | S     | Woodruff Key                   |
| 11    | 1904279     | 1   | S     | Worm Gear, Tiller Shaft        |

21A-512-081 Tuffy Tiller 12227  
Handle Bar Assembly

Page 5 of 15




21A-512-081 Tuffy Tiller 12227  
Handle Bar Assembly

Page 6 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                         |
|-------|-------------|-----|-------|-----------------------------------------------------|
| 1     | 55104       | 1   | S     | Upper Handlebar (Incl. Ref 2); For Model 12227      |
|       | 1916996     | 1   | S     | Upper Handlebar (Incl Refs 2 & 28); For Model 12209 |
| 2     | 1916928     | 1   |       | Decal, Forward Clutch Bail                          |
| 3     | 1100799     | 6   | S     | Hex Hd Screw, 5/16-18 x 1-1/2                       |
| 4     | 1100806     | 1   | S     | Hex Hd. Screw, 1/4-20 x 1-1/4                       |
| 5     | 55044       | 1   | S     | Bracket, Forward Clutch Cable                       |
| 6     | 1916106001  | 1   | /P    | Bail, Forward Clutch                                |
| 7     | 9855        | 1   | S     | Screw, #10-24 x 2                                   |
| 8     | 1916712     | 1   | /P    | Spring, Forward Clutch                              |
| 9     | 1100242     | 6   | S     | Lock Washer, 5/16                                   |
| 10    | 1186230     | 6   | S     | Hex Lock Nut, 5/16-18                               |
| 11    | 9811        | 1   |       | Hex Lock Nut, 1/4-20                                |
| 12    | 55048       | 1   | S     | Cable Ass'y, Forward Clutch                         |
| 13    | 1100068     | 2   | S     | Hex Hd. Screw, 3/8-16 x 3/4                         |
| 14    | 9837        | 2   | S     | Hex Lock Nut, 3/8-16                                |
| 15    | 1107383     | 2   | S     | Flat Washer, 3/8                                    |
| 16    | 1100044     | 2   | S     | Hex Hd Screw, 5/16-18 x 3/4                         |
| 17    | 1916107001  | 2   | /P    | Handlebar Support                                   |
| 18    | 1110107     | 2   | S     | Hex Lock Nut, 5/16-18                               |
| 19    | 1916108001  | 1   | /P    | Lower Handlebar                                     |
| 20    | 9386        | 1   |       | Klip Ring                                           |
| 21    | 9856        | 1   | S     | Clevis Pin                                          |
| 22    | 9552        | 4   | S     | Hex Screw, 1/4-20 x 1/2, Self-Tap For Model 12227   |
|       | 9552        | 6   | S     | Hex Screw, 1/4-20 x 1/2, Self-Tap For Model 12209   |
| 23    | 1901273010  | 1   |       | Panel                                               |
| 24    | 55097       | 1   |       | Decal, Model Name/Logo For Model 12227              |
|       | 1916818     | 1   |       | Decal, Model Name/Logo For Model 12209              |
| 25    | 1916674001  | 1   | S     | Bracket, Reverse Clutch Cable For Model 12209       |
| 26    | 1916719     | 1   | S     | Cable Ass'y, Reverse Clutch For Model 12209         |
| 27    | 1186227     | 1   | S     | Hex Nut, #10-24                                     |
| 28    | 1916929     | 1   | S     | Decal, Reverse Drive Control For Model 12209        |
| 29    | 1735531     | 1   | S     | Cable Tie For Model 12209                           |

21A-512-081 Tuffy Tiller 12227  
Power Train Assembly

Page 7 of 15



21A-512-081 Tuffy Tiller 12227  
Power Train Assembly

Page 8 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                                                                                                                                         |
|-------|-------------|-----|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     |             | 1   |       | Engine, Recoil Start Contact your local authorized engine service dealer for engine parts and service. Refer to your engine nameplate for engine model/type number. |
| 2     | 1917326001  | 1   | S     | Bracket, Belt Cover                                                                                                                                                 |
| 3     | 1100242     | 8   | S     | Lock Washer, 5/16 For Model 12227 - S/N 122271100101-122271199999                                                                                                   |
| 4     | 1111696     | 9   |       | Lock Washer, 5/16 For Model 12209                                                                                                                                   |
|       |             | 2   |       | Hex Hd Screw, 5/16-24 x 1/2 For Model 12227 - S/N 122271100101-122271199999                                                                                         |
|       |             | 3   |       | Hex Hd Screw, 5/16-24 x 1/2 For Model 12209                                                                                                                         |
| 5     | 1904557     | 1   |       | Decal, Hot Surfaces Warning                                                                                                                                         |
| 6     | 1917128     | 1   | /P    | Belt Cover (Incl Ref 5)                                                                                                                                             |
| 7     | 9552        | 7   | S     | Hex Hd Flange Screw, Self-Tapping, 1 /4-20 x 1 /2                                                                                                                   |
| 8     | 1186230     | 4   | S     | Hex Nut, 5/16-18                                                                                                                                                    |
| 9     | 50027       | 1   | S     | Support Washer                                                                                                                                                      |
| 10    | 1916114001  | 1   |       | Engine Bracket, Right For Model 12227 - S/N 122271100101-122271199999                                                                                               |
|       | 1916795001  | 1   | /P    | Engine Bracket, Right For Model 12209; For Model 12227 - S/N 122271200101-122271299999                                                                              |
| 11    | 1138-2      | A/R | S     | Shim As Required                                                                                                                                                    |
| 12    | 9301        | 1   | S     | Key, 3/16" x 1"                                                                                                                                                     |
| 13    | 55035       | 1   | S     | Pulley, Engine Drive For Model 12227 - S/N 122271100101-122271199999                                                                                                |
|       | 1916531     | 1   | S     | Pulley, Engine Drive For Model 12209                                                                                                                                |
| 14    | 1916559001  | 1   |       | Reverse Idler Bracket For Model 12209                                                                                                                               |
| 15    | 1100005     | 3   |       | Hex Hd. Screw, 5/16-24 x 1                                                                                                                                          |
| 16    | 1916113001  | 1   |       | Engine Bracket, Left For Model 12227 - S/N 122271100101-122271199999                                                                                                |
|       | 1916794001  | 1   | S     | Engine Bracket, Left For Model 12209                                                                                                                                |
| 17    | 1100799     | 5   | S     | Hex Hd Screw, 5/16-18 x 1-1/2                                                                                                                                       |
| 18    | 1916652001  | 1   | S     | Guard, Belts/Pulleys                                                                                                                                                |
| 19    | 1916726     | 1   | /P    | Forward Belt Guide For Model 12209                                                                                                                                  |
| 20    | 9558        | 1   |       | Hex Hd. Screw, 3/8-16 x 1-1/2                                                                                                                                       |
| 21    | 9090        | 1   | S     | Forward Idler Pulley                                                                                                                                                |
| 22    | 1916116001  | 1   | /P    | Forward Idler Lever                                                                                                                                                 |
| 23    | 1110108     | 1   | S     | Lock Nut, 3/8-16                                                                                                                                                    |
| 24    | 1107382     | 2   | /P    | Flat Washer                                                                                                                                                         |
| 25    | 9386        | 1   |       | Klip Ring                                                                                                                                                           |
| 26    | 55037       | 1   | S     | Forward Drive Belt For Model 12227 - S/N 122271100101-122271199999                                                                                                  |
|       | 1916657     | 1   | /P    | Forward Drive Belt For Model 12209                                                                                                                                  |
| 27    | 55034       | 1   | S     | Forward Return Spring                                                                                                                                               |
| 28    | 55033       | 1   |       | Bushing, Forward Idler Lever                                                                                                                                        |
| 29    | 1916658     | 1   | /P    | Reverse Drive Belt For Model 12209                                                                                                                                  |


21A-512-081 Tuffy Tiller 12227  
Power Train Assembly

Page 9 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                                                  |
|-------|-------------|-----|-------|------------------------------------------------------------------------------|
| 30    | 9944        | 1   | S     | Belleville Washer                                                            |
| 31    | 55031       | 1   | S     | Transmission Pulley For Model 12227 - S/N 122271100101-122271199999          |
|       | 1916532     | 1   | S     | Transmission Pulley For Model 12209                                          |
| 32    | 1916117001  | 1   | /P    | Bracket, Cable Mounting                                                      |
| 33    | 1900766     | 1   |       | Decal, Stabilization                                                         |
| 34    | 1186328     | 4   | S     | Hex Hd Screw, 5/16-18 x 5/8                                                  |
| 35    | 9856        | 1   | S     | Clevis Pin                                                                   |
| 36    | 1107383     | 1   | S     | Flat Washer, 3/8                                                             |
| 37    | 1916536     | 1   |       | Bushing For Model 12209                                                      |
| 38    | 1916578001  | 1   |       | Reverse Idler Arm For Model 12209                                            |
| 39    | 1916535     | 1   | /P    | Pulley, Reverse Idler For Model 12209                                        |
| 40    | 1111606     | 1   |       | Hex Hd Screw, 5/16-18 x 2                                                    |
| 41    | 1110107     | 2   | S     | Lock Nut, 5/16-18 For Model 12209                                            |
| 42    | 1916725     | 1   | S     | Belt Guide For Model 12209                                                   |
| 43    | 1916724     | 1   | /P    | Reverse Return Spring For Model 12209                                        |
| 44    | 1108841     | 1   | S     | Key, 3/16" x 1-1/2"                                                          |
| 45    | 55036       | 1   | S     | Spacer For Model 12227 - S/N 122271100101-122271199999                       |
| 46    | 55039       | 1   | S     | Forward Belt Guide For Model 12227 - S/N 122271100101-122271199999           |
| 47    | 1100004     | 2   | S     | Hex Hd. Screw, 5/16-24 x 3/4 For Model 12227 - S/N 122271100101-122271199999 |

21A-512-081 Tuffy Tiller 12227  
Tine Hood Assembly

Page 10 of 15




21A-512-081 Tuffy Tiller 12227  
Tine Hood Assembly

Page 11 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                           |
|-------|-------------|-----|-------|-------------------------------------------------------|
| 1     | 9552        | 2   | S     | Hex Hd. Flange Screw, Self-Tapping, 1/4-20 x 1 1/2    |
| 3     | 1917536     | 1   | /P    | Decal, Hood                                           |
| 5     | 1904572     | 1   | S     | Tine Hood (Incl tine flap and Ref 3); For Model 12227 |
|       | 1917594     | 1   | S     | Tine Hood (Incl tine flap and Ref 3); For Model 12209 |
| 6     | 1100088     | 2   |       | Hex Hd Screw, 5/16-18 x 1/2                           |
| 7     | 1186391     | 2   | S     | Hex Flange Lock Nut, 5/16-18                          |
| 8     | 1916118001  | 1   | S     | Depth Regulator Lever                                 |
| 8A    | 9308        | 2   | S     | Spirol Pin 2                                          |
| 9     | 9384        | 1   | S     | Spring, Depth Regulator                               |
| 10    | 9534        | 1   | S     | Spacer 1                                              |
| 11    | 1100069     | 1   | S     | Hex Hd Screw, 1/4-20 x 1                              |
| 12    | 9811        | 1   |       | Hex Lock Nut, 1/4-20                                  |
| 13    | 1916119001  | 1   | S     | Hood Bracket, Right Hand                              |
| 14    | 1916120001  | 1   | S     | Hood Bracket, Left Hand                               |
| 15    | 11000242    | 2   |       | Lock washer, 5/16                                     |
| 16    | 1186331     | 2   | S     | Hex Hd Flange Screw, 5/16-18 x 1                      |
| 17    | 1186230     | 2   | S     | Hex Nut, 5/16-18                                      |
| 18    | 1100808     | 2   |       | Hex Hd Screw, 5/16-18 x 1-1/4                         |
| 19    | 55088       | 2   | S     | Bushing                                               |
| 20    | 1916121001  | 1   | S     | Drag Bar                                              |

21A-512-081 Tuffy Tiller 12227  
Tines And Wheels Assembly


Page 12 of 15



21A-512-081 Tuffy Tiller 12227  
Tines And Wheels Assembly

Page 13 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                                                                          |
|-------|-------------|-----|-------|------------------------------------------------------------------------------------------------------|
| 1     | 9711        | 16  |       | Hex Hd Screw, 3/8-16 x 1, Grade 5                                                                    |
| 2     | 50049-01    | 8   | S     | Bolo Tine - Right Hand Single tine used on left side of tiller Incl two each Refs 1 & 3)             |
| 3     | 1733398     | 18  | S     | Hex Lock Nut, 3/8-16                                                                                 |
| 4     | 9555        | 2   |       | Hex Hd Screw, 3/8-16 x 1-3/4                                                                         |
|       | 1901        | 1   | S     | Bolo Tine Replacement set Incl. eight right hand tines, eight left hand tines and required hardware. |
| 5     | 50049-02    | 8   | S     | Bolo Tine - Left Hand Single tine used on right side of tiller (Incl. two each Refs 1 & 3)           |
| 6     | 1916747001  | 2   | S     | Tine Holder For Model 12209                                                                          |
|       | 1915075001  | 2   | S     | Tine Holder For Model 12227                                                                          |
| 7     | 1917486     | 2   | /P    | Wheel & Tire Ass'y For Model 12209                                                                   |
|       | 1917487     | 2   | S     | Wheel & Tire Ass'y                                                                                   |
|       | 55095-01    | 1   | S     | Wheel & Tire Ass'y - Left Side For Model 12227                                                       |
| 8     | 55095-02    | 1   | S     | Wheel & Tire Ass'y - Right Side For Model 12227                                                      |
| 9     | 9380        | 2   | S     | Clevis Pin, 3/2" x 1-3/4"                                                                            |
| 10    | 9338        | 2   | S     | Hair Pin Cotter                                                                                      |



21A-512-081 Tuffy Tiller 12227  
Transmission Assembly

Page 15 of 15

| Ref # | Part Number | Qty | S/P/F | Description                                  |
|-------|-------------|-----|-------|----------------------------------------------|
| 1     | 9727        | 1   | S     | Plug, Transmission Oil Fill                  |
| 2     | 1186328     | 8   | S     | Hex Hd. Flange Screw, 5/16-18 x 5/8, Grade 5 |
| 5     | 1916641001  | 1   | /P    | Front Cover, Transmission                    |
| 5A    | 50074       | 1   | S     | Rear Cover, Transmission                     |
| 6     | 50032       | 2   | S     | Gasket, Housing Cover                        |
| 7     | 9617        | 1   | S     | Oil Seal, Drive Shaft                        |
| 8     | 9621        | 2   | S     | Oil Seal, Wheel Shaft                        |
| 9     | 1915084010  | 1   | S     | Transmission Housing Ass'y                   |
| 10    | 1909374     | 2   | S     | Oil Seal, Tine Shaft                         |
| 11    | 55011-1     | 1   | S     | Bearing Cap Gasket, 010" thick               |
|       | 55011-2     | 1   |       | Bearing Cap Gasket, 030" thick               |
| 12    | 1916111001  | 1   | S     | Rear Bearing Cap                             |
| 13    | 1186331     | 2   | S     | Hex Hd Flange Screw, 5/16-18 x 1             |
| 14    | 1100044     | 1   | S     | Hex Hd Flange Screw, 5/16-18 x 3/4           |
| 15    | 1100242     | 1   | S     | Lock Washer, 5/16                            |