


125-574-190 26" Hi-Wheel SP Mower (1985)
Chassis Assembly

Page 1 of 11



125-574-190 26" Hi-Wheel SP Mower (1985)
Chassis Assembly


Page 2 of 11

Ref #	Part Number	Qty	S/P/F	Description
1	734-0424	1		16" Wheel Ass'y. Comp.-Rear
2	718-0132	1		Oil Cap
3	734-0180	1		Rear Wheel Rim Only
4	734-0391	1		Rear Wheel Tire Only 16 x 1 .75
5	741-0138	1		Ball Brg. .630" I.D.
6	734-0642	1		Wheel Ass'y. Comp. Front 8 x 1.75
7	741-0267	1		Flanged Ball Brg. 3/8" I.D.
8	741-0484	1	S	Flanged Ball Brg. 1/2" I.D.
9	750-0434	1	/P	Spacer 3/8" I.D.
10	08100	1		Top Drive Frame Cover
11	08187	1		Gear Box Cover
12	10254	1	/P	Pinion Ass'y.
13	711-0426	1		Wheel Spacer
14	714-0229	1		#2 Woodruff Key 3/32 x 1/2" Dia. Hdn.
15	710-0322	1	S	Hex Sems Bolt 5/16-18 x 1.00" Lg.*
16	710-0421	1		Set Scr. 5/16-18 x .25" Cup
17	10320	1		Bottom Drive Frame
18	15493	1		Top Drive Frame Ass'y.
19	10322	1		Drive Shaft
20	10328	1		Bottom Drive Frame Ass'y.
21	710-0776	1	S	Hex Self-Tap Scr. 1/4-20 x .62" Lg.
22	711-0169	1		Collar 5/8" I.D.
23	10883	1		Drive Frame Stop
25	712-0267	1	S	Hex Nut 5/16-18 Thd.*
26	710-0198	1	S	Hex Sems Bolt 5/16-18 x .75" Lg.*
27	710-0227	1	/P	Hex Wash. Hd. AB-Tap Scr. #8 x .50" Lg.
28	715-0150	1	/P	Spring Pin 3/16" Dia. x 1.12" Lg.
29	717-0108	1	S	Gear Box
30	732-0305	1		Extension Spring
31	735-0193	1		"O"-Ring
32	736-0119	1	S	L-Wash. 5/16" I.D.*
33	741-0138	1		Ball Brg..630" I.D.
34	748-0110	1	/P	Flange Brg. .630" I.D.
35	738-0141	1	S	Shld. Bolt .443" Dia. x .330
36	748-0135	1		Bevel Gear.62" I.D. 28 0 Teeth
37	748-0180	1		Pivot Slide
38	748-0182	1		Drive Pinion
39	748-0226	1		Hex Flange Brg. .503" I.D.
40	748-0269	1	S	Flange Brg. .503" I.D. w/ Groove
41	754-0143	1		3V-Belt 28" Lg.
42	756-0154	1		Double Pulley
43	756-0155	1		3/8" V-Pulley .502" I.D. x 6.5" O.D.
44	712-0375	1	/P	Hex L-Nut 3/8-16 Thd.
45	736-0169	1	S	L-Wash. 3/8" I.D.*
46	10293	1		Wheel Brk't. Ass'y. L.H.
47	10294	1		Wheel Brk't. Ass'y. R.H.
48	10297	1		Rear Wheel Brk't. Assy.
49	15329	1		Lift Bracket Shaft Ass'y.
50	15331	1		Connecting Link Ass'y.
51	15340	1		Frame
52	15341	1		Lift Handle Support Brk't.
53	15342	1		Lift Handle
54	710-0198	1	S	Hex Sems Bolt 5/16-18 x .75" Lg.*

125-574-190 26" Hi-Wheel SP Mower (1985)
Chassis Assembly

Page 3 of 11

Ref #	Part Number	Qty	S/P/F	Description
55	710-0260	1	S	Carriage Bolt 5/16-18 x .62" Lg.*
56	712-0116	1	S	Hex Ins. L-Nut 3/8-24 Thd.
57	712-0267	1	S	Hex Nut 5/16-18 Thd.*
58	714-0104	1	S	Intern. Cot. Pin 5/16" Dia.
59	714-0115	1	S	Cot. Pin 1/8" Dia. x 1.00" Lg.*
60	720-0142	1	/P	Grip Black
61	735-0126	1	S	Rubber Wash. .33" I.D. x .87" O.D.
62	736-0119	1	S	L-Wash. 5/16" I.D.*
63	736-0235	1		Fl-Wash. .406" I.D. x 1.25" O.D. x .164
64	736-0272	1	S	Fl-Wash. .510" I.D. x 1.0" O.D. x .060
65	736-0300	1	S	Fl-Wash. .385" I.D. x .87" O.D. x .06
66	710-0427	1	S	Hex Bolt 3/8-16 x 2.00" Lg.*
67	736-0105	1	/P	Bell-Wash. .400" I.D. x .88" O.D.
68	711-0425	1		Spacer.523" I.D. x .640" O.D. x 1.955
69	712-0181	1	S	Hex Top L-Nut 3/8-16 Thd.
70	736-0192	1	S	Fl-Wash. .531" I.D. x .93" O.D.
71	738-0114	1		Shld. Bolt .498" Dia. x 4.755
72	732-0206	1		Extension Spring .56" O.D. x 8.25" Lg.
73	712-0429	1	S	Hex Ins. L-Nut 5/16-18 Thd.
74	712-0324	1	/P	Hex Ins. L-Nut 1/4-20 Thd.



125-574-190 26" Hi-Wheel SP Mower (1985)
Deck Assembly

Page 5 of 11

Ref #	Part Number	Qty	S/P/F	Description
1	742-0147	1	S	26" Blade
2	10423	1		Belt Guard Cup Ass'y.
3	10426	1		Belt Keeper Ass'y.
4	710-0152	1	S	Hex Bolt 3/8-24 x 1.00" Lg.*
5	736-0169	1	S	L-Wash. 3/8" I.D.
6	736-0235	1		Fl-Wash. .406" I.D. x 1.25" O.D.
7	712-0267	1	S	Hex Nut 5/16-18 Thd.*
8	736-0119	1	S	L-Wash. 5/16" I.D.*
9	754-0143	1		3V-Belt 28" Lg.
10	756-0154	1		Double Pulley
11	756-0155	1		3/8" V-Pulley .502" I.D. x 6.5" O.D.
12	11634-462	1		Chute Cover Ass'y. Comp.
13	11396	1		Adapter Plate
14	711-0571	1		Hinge Pin
15	726-0106	1	S	Cap Speed Nut 1/4" Rod
16	732-0261	1		Torsion Spring
17	12453	1		Deck Belt Guard Plate
18	12469	1		Deck Idler Brkt. Ass'y.
19	15325	1		26" Deck Ass'y.
20	15343	1		Cable Support Brkt.
21	710-0322	1	S	Hex Sems Bolt 5/16-18 x 1.00" Lg.
22	710-0599	1	/P	Hex Wash. S-Tap Scr. 1/4-20 0 x .50" Lg.
23	710-0603	1	/P	Hex Wash. Hd. B-Tap Scr. 5/16-18 x .50" Lg.
24	710-0643	1	/P	Hex L-Bolt 5/16-18 x 1.00" Lg.
25	710-0698	1	/P	Hex Bolt 1/4-28 x 1.50" Lg.*
26	711-0405	1		Blade Spindle
27	712-0116	1	S	Hex Ins. L-Nut 3/8-24 Thd.
28	712-0117	1	S	Hex Cent. L-Nut 1/4-28 Thd.
29	712-0242	1	S	Hex Jam Nut 5/8-11 Thd.*
30	712-0267	1	S	Hex Nut 5/16-18 Thd.*
31	710-0888	1	/P	Hex Bolt 5/16-24 x 1.00" Lg. (Grade 8)
32	714-0365	1	S	#6 Hi-Pro Key 5/32 x 5/8" Dia.
33	714-0388	1	S	#61 Hi-Pro Key 3/16" x 5/8" Dia.
34	731-0675	1		Plastic Tube .52" I.D. x 7.0" Lg.
35	732-0448	1		Ext. Spring .50" O.D. x 5.2" Lg.
36	736-0119	1	S	L-Wash. 5/16" I.D.*
37	736-0158	1	S	L-Wash. 5/8" I.D.*
38	710-0459	1	S	Hex Bolt 3/8-24 x 1.50" Lg. (Grade 5)
39	13703	1		Bearing Shield
40	736-0329	1	S	L-Wash. 1/4" I.D.*
41	736-0343	1	/P	Fl-Wash. .330" I.D. x 1.25" O.D. x .120
42	08253	1	S	Bearing Housing
43	741-0919	1	S	Ball Brg. .787" I.D. x 1.85" O.D.
44	750-0258	1	/P	Spacer.315" I.D. x .75" O.D. x .37" Lg.
45	750-0142	1	S	Spacer.836" I.D. x 1.01" O.D. x .320" Lg.
46	748-0168	1		Spacer.630" I.D. x 1.135" O.D. x .195" Lg.
47	754-0267	1	S	"V"-Belt-A Sec. x 59.0" Lg.
48	756-0116	1	S	"V"-Id ler 3.06 " O.D.
49	756-0143	1		5/8" V-Pulley .625" I.D. x 7.0" O.D.
50	712-0123	1	/P	Hex Nut 5/16-24 Thd.*
51	736-0119	1	S	L-Wash. 5/16" I.D.*
52	736-0217	1	S	L-Wash. 3/8" I.D. Heavy Duty
53	10769			Parts Accessory Kit


125-574-190 26" Hi-Wheel SP Mower (1985)
Deck Assembly

Page 6 of 11

Ref #	Part Number	Qty	S/P/F	Description
54	746-0488	1		Clutch Cable 56.0"

125-574-190 26" Hi-Wheel SP Mower (1985)
Engine Mounting Assembly

Page 7 of 11




125-574-190 26" Hi-Wheel SP Mower (1985)
Engine Mounting Assembly

Page 8 of 11

Ref #	Part Number	Qty	S/P/F	Description
1	751-0225	1		Fuel Tank
2	726-0183	1		Hose Clamp 3/8" I.D.
3	751-0297	1		Fuel Control Valve
4	749-0523	1		Strut
5	751-0173	1	S	Fuel Line
6	751-0171	1	S	Fuel Tank Fitting
7	712-0123	1	/P	Hex Nut 5/16-24" Thd.*
8	736-0119	1	S	L-Wash. 5/16" I.D.*
9	712-0267	1	S	Hex Nut 5/16-18" Thd.*
10	710-0260	1	S	Carriage Bolt 5/16-18 x .62" Lg.*
11	710-0158	1	S	Hex Bolt 5/16-24 x 1.25" Lg.*
12	14426	1		Fuel Tank Mntg. Brk't.
13	726-0209	1	/P	Cable Tie 30.6" Lg.
14	723-0155	1		Fuel Gauge
15	735-0149	1	S	Bushing

125-574-190 26" Hi-Wheel SP Mower (1985)
Handle Assembly

Page 9 of 11



125-574-190 26" Hi-Wheel SP Mower (1985)
Handle Assembly

Page 10 of 11

Ref #	Part Number	Qty	S/P/F	Description
1	720-0204	1	/P	Grip Black
2	746-0378	1		Throttle Control Ass'y. Comp.
3	746-0488	1		Clutch Cable 56" Long
4		1		Engine
5	12570	1		Link Bracket
6	15335	1		Handle Panel Ass'y.
7	710-0458	1	/P	Carriage Bolt 5/16-18 x 1.75" Lg.*
8	711-0619	1		Adj. Ferrule 1/4-20 Thd.
9	712-0267	1	S	Hex Nut 5/16-18 Thd.*
10	712-0324	1	/P	Hex Ins. L-Nut 1/4-20 Thd.
11	712-0798	1	/P	Hex Nut 3/8-16 Thd.*
12	732-0305	1		Extension Spring
13	736-0119	1	S	L-Wash. 5/16" I.D.*
14	736-0169	1	S	L-Wash. 3/8" I.D.*
15	738-0234	1		Shld. Bolt .500" Dia. x .295
16	747-0162	1		Lockout Rod
17	747-0163	1		Rod .214" Dia. x 14.87" Lg.
18	12571	1		Bracket
19	12548	1		Drag Shield Adapter
20	710-0436	1	S	Hex B-Tap Scr. #10 x .62" Lg.
21	710-0567	1	S	Hex Bolt 1/4-28 x .62" Lg.*
22	712-0138	1	S	Hex Nut 1/4-28 Thd.*
23	726-0130	1	S	Speed Nut 10Z U-Type
24	735-0182	1		Drag Shield 4.65" x 20.0" Lg.
25	736-0329	1	S	L-Wash. 1/4" I.D.*
26	12921	1		Clutch Grip Ass'y.
27	711-0415	1	S	Clevis Pin .375" Dia.
28	714-0104	1	S	Intern. Cot. Pin 5/16" Dia.
29	749-0556	1		R.H. Handle (Chrome)
	749-0554	1		R.H. Handle (Painted)
30	16047	1		Clutch Cable Brkt.
31	15482	1		Blade Clutch Grip Ass'y.
32	710-0641	1	/P	Hex Bolt 1/4-20 x 2.25" Lg.*
33	710-0599	1	/P	Hex Wash. S-Tap Scr. 1/4-20 x .50 Lg.
34	731-0607	1		Lock Pin
35	712-0291	1	S	Hex Cent. L-Nut 1/4-20 Thd.
36	732-0334	1	S	Compression Spring .50" O.D. x .50" Lg.
37	736-0498	1	/P	Internal Tooth L-Wash.
38	749-0557	1		L.H. Handle (Chrome)
	749-0555	1		L.H. Handle (Painted)
39	750-0566	1	S	Spacer.255" I.D.
40	710-0429	1	S	Hex B-Tap Scr. #10 x .38" Lg.
41	751-0333	1		Casing Clamp
42	710-0224	1	S	Hex Wash. Hd. AB-Tap Scr. #10 x .50" Lg.
43	712-0344	1		Speed Nut 10Z
44	725-0157	1	/P	Cable Tie Self Clinching
45	710-0158	1	S	Hex Bolt 5/16-24 x 1.25" Lg.*
46	736-0119	1	S	L-Wash. 5/16" I.D.*
47	712-0123	1	/P	Hex Nut 5/16-24 Thd.*
48	714-0365	1	S	#6 Hi-Pro Key 5/32 x 5/8" Dia.
49	750-0565	1		Spacer.255" I.D. x .375" O.D.
50	732-0441	1		Lock Spring
51	712-0256	1		Hex Bolt 5/16-24 Thd.

125-574-190 26" Hi-Wheel SP Mower (1985)
Handle Assembly

Page 11 of 11

Ref #	Part Number	Qty	S/P/F	Description
52	736-0119	1	S	L-Wash. 5/16" I.D.*
53	749-0523	1		Strut
54	710-0260	1	S	Carriage Bolt 5/16-18 x .62" Lg.*
55	736-0119	1	S	L-Wash. 5/16" I.D.*
56	712-0267	1	S	Hex Nut 5/16-18 Thd.*
57	12894	1		Casing Clamp
58	710-0456	1		Hex Wash-Hd. Tap Scr. #10 x .50" Lg.
	8574-000-5	1		Hardware Pack (574)
	8573-000-5	1		Hardware Pack (573)