



315-151-190 3 HP Snow Thrower (1985)
Snow Thrower Assembly

Page 2 of 3

Ref #	Part Number	Qty	S/P/F	Description
1	731-0609	1		Clutch Control Handle Ass'y.
2	750-0589	1	S	Spacer.325" I.D. x .625" O.D. x.87" Lg.
3	731-0525	1		Control Panel Half
4	710-0796	1	/P	Truss Mach. Hi-B Tap Scr. #12 x 1.50" Lg.
5	710-0442	1	S	Hex Bolt 5/16-18 x 1.50" Lg.*
6	731-0524	1		Control Disc Pin
7	746-0506	1	S	Clutch Cable 35" Lg. Black
8	731-0526	1		Clutch Panel Half
9	726-0100	1	S	Push Nut 3/8" Rod
10	720-0171	1	S	Knob Black 3/8" Dia. Hole
11	736-0140	1	S	FI-Wash. .385" I.D x .62" O.D.
12	784-5179	1		Chute Crank Ass'y.
13	735-0218	1	S	Chute Crank Grommet
14	710-0895	1		Hex Tap Scr. 1/4" x .75" Lg.
15	784-5178	1	S	Upper Chute Crank Brkt.
16	749-0604	1		Lower Handle
17	751-0354	1	S	Primer
18	725-0954	1	S	Starter Key
19	726-0188	1		Cable Tie
20	784-5168	1		Dash Panel Ass'y.
22	736-0119	1	S	L-Wash. 5/16" I.D.*
23	712-0267	1	S	Hex Nut 5/16-18 Thd.*
24	710-0442	1	S	Hex Bolt 5/16-18 x 1.50" Lg.
25	723-0354	1	S	Primer Hose 118" I.D. x 11"
28	726-0207	1		Hose Clamp .406" Dia.
29	751-0173	1	S	Gas Line 9" Lg.
30	784-5177	1	S	Engine Support Brkt.
31	710-0892	1	S	Hex L-Wash. Hd. AB Tap Scr. 1/4 x .62" Lg.
32	749-0605	1		Wheel Axle
33	784-5180	1	S	Idler Brake Brkt. Ass'y.
34	748-0192	1	/P	Spacer
35	756-0313	1	/P	FI-Idler 2.00" x 1" w/ Flange
36	756-0416	1	S	3/8" V-Pulley .625" I.D. x 2.25
37	736-0242	1	/P	Bell-Wash. .345" I.D. x .88"
38	736-0329	1	S	L-Wash. 1/4" I.D.*
39	710-0157	1	/P	Hex Scr. 5/16-24 x .75" Lg.*
40	710-0892	1	S	Hex L-Wash. Hd. AB-Tap Scr. 1/4 x.62"
41	784-5176	1		Belt Cover
42	712-0296	1	S	Hex L-Nut 3/8-24 Thd.
43	754-0285	1	S	V-Belt 1/2" x 34" Lg.
44	712-0267	1	S	Hex Nut 5/16-18 Thd.*
45	736-0119	1	S	L-Wash. 5/16" I.D.*
46	748-0234	1	/P	Shld. Spacer 1.0" O.D. x .315 I.D.
47	715-0151	1		Spring Pin Spir. 1/4" Dia. x 1.00" Lg.
48	753-0398	1		Kit-Bearing, Cup and Pulley
49	710-0352	1	/P	Hex "B"-Tap Scr. 1/4-20 x .38" Lg.
50	784-5174	1	S	Bearing Cup
51	753-0374	1		Kit-Bearing and Collar
52	784-5150	1		Blower Housing Ass'y.
53	710-0323	1	/P	Truss. Mach. Scr. 5/16-18 x 751' La.
54	732-0357	1	S	Extension Spring .33" O.D. x 1.12" Lg.
55	05783	1		Chute Flange Keeper Ass'y.
56	710-0776	1		FI-Wash. Hd. AB-Tap Scr. 114" x.62" Lg.

Ref #	Part Number	Qty	S/P/F	Description
57	14531	1		Retaining Strip 19.0" Lg.
58	731-0587	1		Rear Flap 4.69" x 18.2"
60	710-0892	1	S	Hex L-Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
61	784-5171	1		Auger Half 21.0" Lg.
62	710-0599	1	/P	Hex Wash. Hd. Self-Tap Scr. 1/4-20 x .50" Lg.
63	736-0173	1	/P	FI-Wash. .28" I.D. x .74" O.D.
64	731-0700	1		8.5" Dia. Rubber Spiral
65	710-0896	1	/P	Hex B-Tap Scr. 1/4 x .62" Lg.
66	731-0496	1		Plastic Plug
67	784-5171	1		Auger Half 21.0" Lg.
68	731-0700	1		8.5" Dia. Rubber Spiral
69	784-5172	1		Auger Axle Ass'y.
70	712-0287	1	S	Hex Nut 1/4-20 Thd.*
71	784-5166	1	S	Shave Plate
72	710-0167	1	/P	Carriage Bolt 1/4-20 x .50" Lg.*
73	710-0875	1		Hex Wash. TT-Tap Scr. 1/4-20 x .75" Lg.
74	736-0329	1	S	L-Wash. 1/4" I.D.*
75	784-5159	1		Thrower Housing Angle
76	710-0352	1	/P	Hex "B"-Tap Scr. 1/4" x .38" Lg.
77	714-0507	1	S	Cotter Pin 3/32" Dia. x .75" Lg.
78	736-0234	1	/P	FI-Wash. .385" I.D. x 1.5" O.D.
79	741-0403	1	/P	Hex Bushing .385" I.D.
80	726-0221	1	/P	Cap Speed Nut 1/2" Rod
81	734-0831	1		Wheel Ass'y. 6 x 1.50
82	726-0225	1		Cable Tie x 17.75" Lg.
83	751-0352	1	/P	Gas Tank
84	712-0107	1	S	Hex Nylon L-Nut 1/4-20 Thd.
85	784-5160	1		5.0" Dia. Chute Ass'y.
86	710-0260	1	S	Carriage Bolt 5/16-18 x .62"*
87	728-0481	1		Rivet.250" x.44" Lg.
88	721-0198	1		Chute Seal
89	784-5163	1	/P	Top Chute Ass'y.
90	736-0242	1	/P	Bell-Wash. .345" I.D. x .88"
91	712-0158	1	S	Hex Cent. L-N ut 5/16-18 Thd.
92	784-5170	1		Top Chute Stop
93	09966	1	S	Knob-Handle Ass'y.
94	710-0405	1	S	Curved Hd. Carriage Bolt 5/16-18 x 1.75" Lg.
95	749-0538	1	S	Upper Handle
96	726-0135	1	/P	Cap Speed Nut 5/16" Rod
98	731-0702	1		Shroud
99	751-0353	1	S	Gas Tank Cap
100	710-0276	1	/P	Carriage Bolt 5/16-18 x 1.00"*
102	736-0108	1	S	FI-Wash. .75" O.D. x .50" I.D.
103	710-0351	1	/P	Hex AB-Tap Scr. #10 x .50"
104	736-0116	1	S	FI-Wash. .635" I.D. x .93" O.D.
	751-0355	1		3 H.P. 110V Electric Start