


127-560-190 Lawn Boss 26 (1987)  
Deck Assembly

Page 1 of 10




127-560-190 Lawn Boss 26 (1987)  
Deck Assembly

Page 2 of 10

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 712-0318    | 1   | /P    | Hex Jam Nut 5/16-18 Thd.                  |
| 2     | 736-0317    | 1   | /P    | Bell-Wash. .630" I.D. x 1.25" O.D.        |
| 3     | 756-0484    | 1   |       | 5/8" "V"-Pulley .75" I.D. x 9.5"          |
| 4     | 732-0529    | 1   |       | Extension Spring .56" O.D. x 10.5         |
| 5     | 710-0118    | 1   | S     | Hex Bolt 5/16-18 x .75" Lg.               |
| 6     | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.*                       |
| 7     | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |
| 8     | 736-0272    | 1   | S     | Fl-Wash. .510" I.D. x 1.0" O.D.           |
| 9     | 16499       | 1   |       | 26" Deck Ass'y.                           |
| 10    | 714-0101    | 1   | S     | Inter. Cotter Pin 1/2" Dia.               |
| 11    | 13703       | 1   |       | Bearing Shield                            |
| 12    | 712-0123    | 1   | /P    | Hex Nut 5/16-24 Thd.                      |
| 13    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 14    | 742-0147    | 1   | S     | Blade 26"                                 |
| 15    | 710-0888    | 1   | /P    | Hex Bolt Special 5/16-24 x 1.0" Lg.       |
| 16    | 710-0152    | 1   | S     | Hex Bolt 3/8-24 x 1.00" Lg.               |
| 17    | 736-0356    | 1   | S     | Bell-Wash. .391" I.D. x 1.38" O.D.        |
| 18    | 748-0300    | 1   |       | Blade Adapter                             |
| 19    | 711-0571    | 1   |       | Hinge Pin                                 |
| 20    | 710-0599    | 1   | /P    | Hex Wash. Hd. TT-Scr. 1/4-20              |
| 21    | 11571       | 1   |       | Chute Cover Ass'y.                        |
| 22    | 732-0261    | 1   |       | Torsion Spring                            |
| 23    | 11396       | 1   |       | Adapter Plate                             |
| 24    | 726-0106    | 1   | S     | Cap Speed Nut 1/4" Rod                    |
| 25    | 738-0578    | 1   |       | Blade Spindle 4.42" Lg.                   |
| 26    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |
| 27    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 28    | 08253       | 1   | S     | Bearing Housing 1.85                      |
|       | 741-0163    | 1   | S     | Brg. Hsg. Ass'y. (Incl. Ref. No. 29)      |
| 29    | 741-0919    | 1   | S     | Ball Brg. .787" I.D. x 1.85" O.D.         |
| 30    | 750-0456    | 1   | S     | Spacer 1.0" O.D. x .790" I.D. x .350" Lg. |
| 31    | 16490       | 1   |       | Spindle Mounting Plate                    |
| 32    | 741-0919    | 1   | S     | Ball Brg. .787" I.D. x 1.85" O.D.         |
| 33    | 15296       | 1   | S     | Open Brg. Housing 1.85                    |
|       | 15297       | 1   | S     | Brg. Hsg. Ass'y. (Incl. Ref. No. 32)      |
| 34    | 710-0118    | 1   | S     | Hex Bolt 5/16-18 x .75" Lg.               |
| 35    | 754-0326    | 1   | S     | "V"-Belt                                  |

127-560-190 Lawn Boss 26 (1987)  
Drive Assembly

Page 3 of 10



127-560-190 Lawn Boss 26 (1987)  
Drive Assembly

Page 4 of 10

| Ref # | Part Number | Qty | S/P/F | Description                                     |
|-------|-------------|-----|-------|-------------------------------------------------|
| 1     | 736-0409    | 1   | S     | Washer 1.0" I.D. x 1.2" O.D.                    |
| 2     | 746-0400A   | 1   | S     | BBC Clutch Cable 46" Lg.                        |
|       | 16509       | 1   |       | Black                                           |
| 3     | 16509       | 1   |       | Clutch Housing                                  |
| 4     | 741-0326    | 1   |       | Steel Ball .500" Dia.                           |
| 5     | 731-0520    | 1   |       | Ball Block                                      |
| 6     | 710-0875    | 1   |       | Hex Wash. TT-Tap Cl. Scr. 1/4-20 x .75" Lg .    |
| 8     | 717-0888    | 1   |       | Clutch Blade Housing Ass'y. (Inc. Ref. 19 & 84) |
| 9     | 741-0124    | 1   | S     | Ball Brg. .669" I.D. x 1.574" O.D.              |
| 10    | 736-0412    | 1   |       | Bell-Wash. .44" I.D. x .87" O.D.                |
| 11    | 14302       | 1   |       | Blade Disc                                      |
| 12    | 756-0483    | 1   |       | 5/8 V"-Pulley 1.58" I.D. x 8.0" O.D.            |
| 13    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                               |
| 14    | 712-0328    | 1   |       | Hex Nut 3/8-24 Thd.                             |
| 15    | 710-1002    | 1   | /P    | Hex Bolt 7/16-20 x 2.0" Lg.- 0 Gr. 5            |
| 16    | 732-0527    | 1   |       | Comp. Spring .33" O.D. x 2.05" Lg.              |
| 17    | 14305       | 1   |       | Brake Cup Cone                                  |
| 18    | 732-0545    | 1   | S     | Extension Spring .35" O.D. x 1.80" Lg.          |
| 19    | 756-0504    | 1   |       | Fixed Pulley MBC 0 Adapter                      |
| 20    | 756-0503    | 1   |       | Movable Pulley Half                             |
| 21    | 736-0408    | 1   | S     | Wave Wash. .164 High x 1.005" I.D.              |
| 22    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                            |
| 23    | 736-0242    | 1   | /P    | Bell-Wash. .336" I.D. x .860" O.D.              |
| 24    | 16505       | 1   |       | Hi-Wheel Frame                                  |
| 25    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                              |
| 26    | 710-0973    | 1   |       | Belt Guard 5/16" Bolt                           |
| 27    | 710-0603    | 1   | /P    | Hex Wash. Hd. B-Tap Scr. 5/16-18 x .50" Lg.     |
| 28    | 736-0219    | 1   | S     | Bell-Wash. .378" I.D. x 1.110" O.D.             |
| 29    | 712-0287    | 1   | S     | Hex Nut 1/4-20 Thd.                             |
| 30    | 736-0329    | 1   | S     | L-Wash. 1/4" I.D.                               |
| 31    | 732-0357    | 1   | S     | Extension Spring .33" I.D. x 1.12" Lg.          |
| 32    | 717-0417    | 1   | S     | Transmission Comp. (See Breakdown)              |
| 33    | 746-0650    | 1   | S     | Self-Propelled Cable x 50" Lg.-Black            |
| 34    | 738-0440    | 1   |       | Shld. Spacer .375" Dia. x .170                  |
| 35    | 756-0330    | 1   | S     | FI-Pulley 5.06" O.D.                            |
| 36    | 16504       | 1   |       | 45 Tooth Chain Cover                            |
| 37    | 736-0329    | 1   | S     | L-Wash. 1/4" I.D.                               |
| 38    | 710-0352    | 1   | /P    | Hex B-Tap Scr. 1/4 X .38" Lg.                   |
| 39    | 713-0257    | 1   | S     | #48 Chain .500" Pitch x 52 0 Links              |
| 40    | 710-0599    | 1   | /P    | Hex Wash. TT-Tap Scr. 1/4-20 X .50" Lg.         |
| 41    | 16503       | 1   |       | 45 Tooth Chain Case                             |
| 42    | 710-0352    | 1   | /P    | Hex B-Tap Scr. 1/4 X .38" Lg.                   |
| 43    | 713-0402    | 1   |       | Rear Axle Ass'y. 26.82" Lg.                     |
| 44    | 710-0281    | 1   | /P    | Hex Bolt 1/4-28 x .88" Lg.                      |
| 45    | 741-0481    | 1   |       | Hex Flange Brg. .631" I.D. x .320               |
| 46    | 736-0256    | 1   | S     | FI-Wash. .635" I.D. x 1.0" O.D.                 |
| 47    | 748-0313    | 1   |       | Spacer .630" I.D. x 1.250" O.D.                 |
| 48    | 741-0413    | 1   | S     | Hex Flange Brg. .631" I.D. x .720               |
| 49    | 712-0314    | 1   |       | Hex Jam Nut 1/4-28 Thd.                         |
| 50    | 754-0327    | 1   | S     | "V"-Belt                                        |
| 51    | 738-0691    | 1   | S     | Shld. Bolt .375" Dia. x .400 0 Lg.              |


127-560-190 Lawn Boss 26 (1987)  
Drive Assembly

Page 5 of 10

| Ref # | Part Number | Qty | S/P/F | Description                                  |
|-------|-------------|-----|-------|----------------------------------------------|
| 52    | 736-0344    | 1   | S     | FI-Wash. .390" I.D. x 1.00" O.D.             |
| 53    | 756-0447    | 1   | S     | FI-Idler Plastic 1.50" Dia. x .48            |
| 54    | 736-0270    | 1   | /P    | Bell-Wash. .265" I.D. x .75" O.D.            |
| 55    | 712-0138    | 1   | S     | Hex Patch L-Nut 1/4-28 Thd.                  |
| 56    | 16502       | 1   |       | Idler Brk't. Ass'y.                          |
| 57    | 736-0722    | 1   | S     | L-Wash. #10                                  |
| 58    | 710-0106    | 1   | /P    | Hex Bolt 1/4-20 x 1.25" Lg.                  |
| 59    | 712-0138    | 1   | S     | Hex Nut 1/4-28 Thd.                          |
| 60    | 710-0501    | 1   | /P    | Hex Bolt 1/4-20 x 2.00" Lg.                  |
| 61    | 710-0654    | 1   | S     | Hex Wash. Hd. TT-Tap Scr. 3/8-16 x 1.0" Lg.  |
| 63    | 710-0352    | 1   | /P    | Hex B-Tap Scr. 1/4 X .38" Lg.                |
| 64    | 736-0329    | 1   | S     | L-Wash. 1/41" I.D.                           |
| 65    | 16500       | 1   | S     | Hex Bearing Cup                              |
| 66    | 736-0185    | 1   | S     | FI-Wash. .406" I.D. x .734" O.D.             |
| 67    | 741-0485    | 1   | S     | Flange Bearing .630" I.D. x 2.83" Lg.        |
| 69    | 734-1400    | 1   |       | Rimstrip 16 x 7/8                            |
| 70    | 734-1397    | 1   | /P    | Inner Tube 16 x 2.12                         |
| 71    | 734-1396    | 1   | /P    | Chevron Tire 16 x 2.125                      |
| 72    | 710-0376    | 1   | /P    | Hex Bolt Special 5/16-18 x 1.0" Lg.          |
| 73    | 736-0104    | 1   | S     | Intern. L-Wash. 5116" I.D.                   |
| 74    | 712-0329    | 1   | S     | Special Hex Nut 5/16-18 Thd.                 |
| 75    | 748-0315    | 1   |       | Pawl and Spring Ass'y.                       |
| 76    | 14967       | 1   |       | Wheel Cover 4.75" I.D.                       |
| 77    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                         |
| 78    | 710-0782    | 1   |       | Hex Wash. Hd. Self-Tap Screw 1/4" X 3/4" Lg. |
| 79    | 736-0270    | 1   | /P    | Bell-Wash. .265" I.D. x .75" O.D.            |
| 80    | 748-0312    | 1   |       | Wheel Ratchet 2.92" O.D.                     |
| 81    | 741-0482    | 1   | S     | Needle Brg. .3751" x .31"                    |
| 82    | 734-1399    | 1   |       | Rim Ass'y. Only 16.0" x 2.1                  |
| 83    | 734-1398    | 1   |       | Wheel Ass'y. Comp. 16 x 2.12                 |
| 84    | 14304       | 1   |       | Clutching Cone                               |

127-560-190 Lawn Boss 26 (1987)  
Frame Assembly

Page 6 of 10



127-560-190 Lawn Boss 26 (1987)  
Frame Assembly

Page 7 of 10


| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 753-0362    | 1   |       | Clutch Control Housing Comp.              |
| 2     | 753-0431    | 1   |       | Control Housing Comp.                     |
| 3     | 731-0609    | 1   |       | Control Handle Ass'y.                     |
| 4     | 731-0607    | 1   |       | Lock Pin                                  |
| 5     | 731-0524    | 1   |       | Control Disc Pin                          |
| 6     | 731-0528    | 1   | S     | Throttle Control Lever                    |
| 7     | 720-0190    | 1   | S     | Spring Lever Knob                         |
| 8     | 710-0796    | 1   | /P    | Truss Mach. Hi-B Tap Scr. #12 x 1.50" Lg. |
| 9     | 731-0817    | 1   | S     | Control Panel Half                        |
| 10    | 746-0631    | 1   | S     | Throttle Control Wire 43" Lg. -Yellow     |
| 11    | 777-5772    | 1   |       | Control Label-Throttle                    |
| 12    | 746-0650    | 1   | S     | Self-Propelled Cable 50" Lg.              |
| 13    | 746-0400A   | 1   | S     | Drive Clutch Cable-46" Lg.                |
| 14    | 731-0816    | 1   |       | Clutch Panel Half                         |
| 15    | 718-0145    | 1   |       | Grip 22" Lg.                              |
| 16    | 749-0437    | 1   |       | Upper Handle                              |
| 17    | 749-0505    | 1   | S     | Lower Handle                              |
| 18    | 14426       | 1   |       | Gas Tank Mounting Brk't.                  |
| 19    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |
| 20    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 21    | 710-0262    | 1   | /P    | Carriage Bolt 5/16-18 x 1.50" Lg.         |
| 22    | 723-0155    | 1   |       | Gas Gauge 13/4-6 x 5.50" Lg.              |
| 23    | 751-0225    | 1   |       | Gas Tank                                  |
| 24    | 726-0209    | 1   | /P    | Cable Tie 30.6" Lg.                       |
| 25    | 710-0158    | 1   | S     | Hex Bolt 5/16-24 x 1.25" Lg.              |
| 26    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 27    | 712-0123    | 1   | /P    | Hex Nut 5/16-24 Thd.                      |
| 28    | 735-0149    | 1   | S     | Bushing-Gas Tank                          |
| 29    | 751-0171    | 1   | S     | Fuel Shut-Off Valve w/Screen              |
| 30    | 731-0617    | 1   | S     | Control Cover Half-Upper                  |
| 31    | 731-0620    | 1   | S     | Control Lever                             |
| 32    | 731-0618    | 1   | S     | Control Cover Half-Lower                  |
| 33    | 710-0841    | 1   | /P    | Flat 'C" Sunk Hd. Tap Scr. #10 x .75" Lg. |
| 34    | 731-0619    | 1   |       | Cable Mounting Cap                        |
| 35    | 726-0240    | 1   | S     | Cable Tie                                 |
| 36    | 726-0245    | 1   |       | Push Cap                                  |
| 37    | 749-0697    | 1   |       | Strut .75" O.D. x 43.44" Lg.              |
| 38    | 710-0436    | 1   | S     | Hex Sems Scr. #10-32 x .62" Lg.           |
| 39    |             | 1   |       | Engine-5 H.P.                             |
| 40    | 751-0442    | 1   |       | Casing Clamp                              |
| 41    | 12577       | 1   |       | Handle Mount Brk't.-L.H.                  |
| 42    | 710-0118    | 1   | S     | Hex Bolt 5/16-18 x .75" Lg.               |
| 43    | 720-0142    | 1   | /P    | Grip-Black                                |
| 44    | 15342       | 1   |       | Lift Handle                               |
| 45    | 710-0260    | 1   | S     | Carriage Bolt 5/16-18 x .62" Lg.          |
| 46    | 16507       | 1   |       | Lift Handle Support Brk't.                |
| 47    | 710-0603    | 1   | /P    | Hex Wash. Hd. B-Tap Scr. 5/16-18 x .50    |
| 48    | 736-0235    | 1   |       | FI-Wash. .406" I.D. x 1.25' O.D.          |
| 49    | 15331       | 1   |       | Connecting Link Ass'y.                    |
| 50    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 51    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |
| 52    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                        |
| 53    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |

127-560-190 Lawn Boss 26 (1987)  
Frame Assembly

Page 8 of 10

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 54    | 10293       | 1   |       | Wheel Brk't. Ass'y.-L.H.                |
| 55    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                    |
| 56    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                      |
| 57    | 710-0198    | 1   | S     | Hex Sems Bolt 5/16-18 x .75" Lg.        |
| 58    | 712-0375    | 1   | /P    | Hex Cent. L-Nut 3/8-16 Thd.             |
| 59    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                       |
| 60    | 736-0105    | 1   | /P    | Bell-Wash. .400" I.D. x .88" O.D.       |
| 61    | 741-0267    | 1   |       | Flanged Ball Brg. 3/8" I.D.             |
| 62    | 710-0427    | 1   | S     | Hex Bolt 3/8-16 x 2.00" Lg.             |
| 63    | 741-0484    | 1   | S     | Flanged Ball Brg. .501" I.D.            |
| 64    | 750-0434    | 1   | /P    | Spacer .375" I.D. x .505" O.D. x 1" Lg. |
| 65    | 734-0644    | 1   |       | Wheel Ass'y. Comp. 8 x 1.75             |
| 66    | 10294       | 1   |       | Wheel Brk't. Ass'y.-R.H.                |
| 67    | 710-0198    | 1   | S     | Hex Sems Bolt 5/16-18 x .75" Lg.        |
| 68    | 16497       | 1   |       | Lift Brk't. Shaft Ass'y.                |
| 69    | 714-0104    | 1   | S     | Intern. Cotter Pin 5/16" Dia.           |
| 70    | 736-0300    | 1   | S     | Fl-Wash. .385" I.D. x .88" O.D.         |
| 71    | 16505       | 1   |       | Hi-Wheel Frame                          |
| 72    | 712-0116    | 1   | S     | Hex Ins. L-Nut 3/8-24 Thd.              |
| 73    | 736-0300    | 1   | S     | Fl-Wash. .385" I.D. x .87" O.D.         |
| 74    | 735-0126    | 1   | S     | Rubber Wash. .33" I.D. x .87" O.D.      |
| 75    | 714-0115    | 1   | S     | Cotter Pin 1/8" Dia. x 1"               |
| 76    | 736-0272    | 1   | S     | Fl-Wash. .510" I.D. x 1.0" O.D.         |
| 77    | 710-0258    | 1   | S     | Hex Bolt 1/4-20 X .62" Lg.              |
| 78    | 736-0329    | 1   | S     | L-Wash. 1/4" I.D.                       |
| 79    | 16563       | 1   |       | Retaining Strip Ass'y. 2" x 15" Lg.     |
| 80    | 731-0811    | 1   |       | Rear Flap 7.5 x 20" Lg.                 |
| 81    | 712-0342    | 1   | /P    | Hex Nut 3/8-16 Thd.                     |
| 82    | 12578       | 1   |       | Handle Mount Brk't.                     |
| 83    |             | 1   |       | Part of Engine                          |
| 84    | 710-0216    | 1   | /P    | Hex Bolt 3/8-16 x .75" Lg.              |
| 85    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                       |
| 86    | 737-0125    | 1   |       | 90 Deg. Elbow Male to Female 3/8        |
| 88    | 726-0207    | 1   |       | Hose Clamp-.406" Dia.                   |
| 89    | 751-0173    | 1   | S     | Fuel Line 15" Lg.                       |
| 90    | 732-0401    | 1   |       | Lockout Lever                           |





127-560-190 Lawn Boss 26 (1987)  
Transmission Assembly

Page 10 of 10

| Ref # | Part Number | Qty | S/P/F | Description                            |
|-------|-------------|-----|-------|----------------------------------------|
| 1     | 710-0106    | 1   | /P    | Hex Bolt 1/4-20 x 1.25" Lg.*           |
| 2     | 736-0329    | 1   | S     | L-Wash. 1/4" I.D.*                     |
| 3     | 717-0418    | 1   | S     | Upper Transmission Hsg. Half           |
| 4     | 713-0400    | 1   |       | #48 Sprocket 7 Tooth x 1/2 0 Pitch     |
| 5     | 736-0336    | 1   | S     | Fl-Wash. 5/8" I.D. x .030              |
| 6     | 741-0413    | 1   | S     | Hex Flange Brg. .631" I.D.             |
| 7     | 16500       | 1   | S     | Hex Bearing Cup                        |
| 8     | 736-0314    | 1   | S     | Thrust Wash. .382" I.D. x .70" O.D.    |
| 9     | 741-0479    | 1   |       | Thrust Bearing .375" I.D. x .812" O.D. |
| 10    | 715-0152    | 1   |       | Spring Pin Spir. 1/8" x .62" Heavy     |
| 11    | 717-0420    | 1   |       | 11 Tooth Helical Gear                  |
| 12    | 748-0208    | 1   | S     | Flange Bearing                         |
| 13    | 721-0212    | 1   |       | Oil Seal                               |
| 14    | 738-0708    | 1   | S     | Pulley-Transmission Shaft .375 O.D.    |
| 15    | 756-0330    | 1   | S/F   | Fl-Pulley 5.06" O.D.                   |
| 16    | 736-0270    | 1   | /P/F  | Bell-wash. .265" I.D. x .75" O.D.      |
| 17    | 712-0138    | 1   | S/F   | Hex Lock Nut 1/4-28 Thd                |
| 18    | 738-0440    | 1   | F     | Shld. Spacer .375" Dia. x .170         |
| 19    | 736-0344    | 1   | S/F   | Fl-Wash. .390" I.D. x 1.0" O.D.        |
| 20    | 738-0691    | 1   | S/F   | Shld. Bolt .375" Dia. x .40"           |
| 21    | 756-0447    | 1   | S/F   | Fl-Idler Plastic 1.50" Dia. x .48      |
| 22    | 741-0482    | 1   | S/F   | Needle Brg. .375" x .31                |
| 23    | 736-0270    | 1   | /P/F  | Bell-Wash. .265" I.D. x .75" O.D.      |
| 24    | 16502       | 1   | F     | Idler Brk't. Ass'y.                    |
| 25    | 712-0138    | 1   | S/F   | Hex Patch L-Nut 1/4-28 Thd.            |
| 26    | 732-0357    | 1   | S/F   | Extension Spring 1.12" Lg.             |
| 27    | 717-0419    | 1   | S     | Lower Transmission Hsg. Half           |
| 28    | 741-0415    | 1   | S     | Flange Bearing .566 Dia.               |
| 29    | 717-0422    | 1   | S     | 33 Tooth Helical Gear                  |
| 30    | 741-0414    | 1   |       | Flange Bearing .629 Dia.               |
| 31    | 721-0213    | 1   | /P    | Oil Seal .625 Dia.                     |
| 32    | 738-0607    | 1   | S     | Gear Sprocket Shaft                    |
| 33    | 736-0722    | 1   | S     | L-Wash. #10                            |
| 34    | 710-0436    | 1   | S     | Hex B-Tap Scr. #10 x .62"              |
| 35    | 736-0410    | 1   | S/F   | Hex Washer .26" x .88" x .04"          |
|       | 717-0417    | 1   | S     | Transmission Comp.                     |