


310-440-190 Snow Boss 410 (1990)  
Belt Drive Assembly

Page 1 of 12



310-440-190 Snow Boss 410 (1990)  
Belt Drive Assembly

Page 2 of 12

| Ref # | Part Number | Qty | S/P/F | Description                                            |
|-------|-------------|-----|-------|--------------------------------------------------------|
| 1     |             | 1   |       | Engine                                                 |
| 2     | 714-0133    | 1   | S     | Sq. Key 3/16" x 1.50" Lg. (440, 550 & 552)             |
|       | 714-0114    | 1   | S     | Sq. Key 1/4" x 2.0" Lg. (586)                          |
| 3     | 05872A      | 1   |       | Engine Plate Ass'y.                                    |
| 4     | 732-0429    | 1   | S     | Extension Spring 50" O.D. x 3 97" Lg.                  |
| 5     | 05896       | 1   |       | Drive Clutch Idler Brkt.                               |
| 6     | 710-0191    | 1   | /P    | Hex Bolt 3/8-24 x 1.25" Lg.                            |
| 7     | 754-0256    | 1   | S     | "V"-Belt                                               |
| 8     | 710-0459    | 1   | S     | Hex Bolt 3/8-24 x 1.50" Lg.                            |
| 9     | 736-0105    | 1   | /P    | Bell-Wash. .40" I.D. x .88" O.D. x .06                 |
| 10    | 711-0396    | 1   | /P    | Spacer .38" I.D. x .62" O.D. x 75" Lg                  |
| 11    | 741-0155    | 1   | S     | Ball Brg. .62" I.D. x 1.38" O.D. x .44                 |
| 12    | 714-0507    | 1   | S     | Cotter Pin 3/32" Dia. x 75" Lg.                        |
| 13    | 736-0272    | 1   | S     | Fl-Wash. .53" I.D. x 1.00" O.D. x .125                 |
| 14    | 784-5197    | 1   |       | Frame Ass'y.                                           |
| 15    | 710-0502A   | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 3/8-16 x 1.25" Lg.         |
| 16    | 738-0497    | 1   |       | Shaft .50" Dia. x 9.50" Lg.                            |
| 17    | 710-0599    | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 1/4-20 x .50" Lg.          |
| 18    | 05897       | 1   |       | Axle Bracket                                           |
| 19    | 712-0107    | 1   | S     | Hex L-Nut 1/4-20 Thd.                                  |
| 20    | 05878       | 1   |       | Drive Pulley Support Brkt. Ass'y.                      |
| 21    | 736-0219    | 1   | S     | Bell-Wash. .40" I.D. x 1.13" O.D.                      |
| 22    | 732-0550    | 1   |       | Extension Spring .56" O.D. x 4" Lg.                    |
| 23    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                                      |
| 24    | 710-0723    | 1   | /P    | Hex Scr. 3/8-16 x 1.25" Lg.                            |
| 25    | 05921       | 1   |       | 6.00" O.D. Drive Pulley Ass'y. (Incl. Ref. #11)        |
| 26    | 712-0923    | 1   | /P    | Hex Jam Cent. L-Nut 5/8-18 Thd.                        |
| 27    | 736-0116    | 1   | S     | Fl-Wash. .64" I.D. x .94" O.D. x .06                   |
| 28    | 756-0344    | 1   | /P    | 1/2" V-Pulley .625" I.D. x 7.50" O.D. (440, 550 & 552) |
|       | 756-0418    | 1   |       | 5/8" V-Pulley .625" I.D. x 7.50 O.D. (586)             |
| 29    | 738-0281    | 1   | S     | Shld. Bolt .625" Dia. x .170" Lg. (3/8-16)             |
| 30    | 784-5061    | 1   |       | Brake Bracket Ass'y. (440, 550 & 552)                  |
|       | 784-5048    | 1   |       | Brake Brkt. Ass'y. (586)                               |
| 31    | 712-0342    | 1   | /P    | Hex Ins. L-Nut 3/8-16 Thd.                             |
| 32    | 05895       | 1   |       | Auger Clutch Idler Brkt.                               |
| 33    | 784-5245    | 1   |       | Brake Linkage Ass'y.                                   |
| 34    | 738-0347    | 1   | S     | Shld. Spacer .625" I.D.                                |
| 35    | 756-0137    | 1   |       | Fl-Idler Pulley 2.25" O.D.                             |
| 36    | 754-0257    | 1   | S     | "V"-Belt (440, 550 & 552)                              |
|       | 754-0282    | 1   | S     | "V"-Belt (586)                                         |
| 37    | 710-0427    | 1   | S     | Hex Bolt 3/8-16 x 2" Lg.                               |
| 38    | 712-0116    | 1   | S     | Hex Ins. Jam L-Nut 3/8-24 Thd.                         |
| 39    | 710-0459    | 1   | S     | Hex Bolt 3/8-24 x 1.50" Lg.                            |
| 40    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                                      |
| 41    | 736-0247    | 1   | /P    | Bell-Wash. .40" I.D. x 1.25" O.D. (440,550 & 552)      |
|       | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D. (586)                |
| 42    | 756-0421    | 1   | /P    | Double Groove Engine Pulley (440, 550 & 552)           |


310-440-190 Snow Boss 410 (1990)  
Belt Drive Assembly

Page 3 of 12

| Ref # | Part Number | Qty | S/P/F | Description                                   |
|-------|-------------|-----|-------|-----------------------------------------------|
|       | 756-0241B   | 1   | /P    | Double Groove Engine Pulley (586)             |
| 43    | 738-0215A   | 1   | /P    | Shld. Scr. .498" x 3.0" Lg. (440, 550 & 552)  |
|       | 711-0769    | 1   | /P    | Stud 3/8-16 x 3.37" Lg. (586)                 |
| 44    | 710-0117    | 1   | S     | Hex Bolt 5/16-24 x 1.00" L                    |
| 45    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                            |
| 46    | 748-0234    | 1   | /P    | Shld. Spacer .27" Lg.                         |
| 47    | 736-0105    | 1   | /P    | Bell-Wash. .40" I.D. x .88" x .06             |
| 48    | 710-0237    | 1   | /P    | Hex Bolt 5/16-24 x .62" Lg.                   |
| 49    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                            |
| 50    | 710-0599    | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 1/4-20 x .50" Lg. |
| 51    | 736-0173    | 1   | /P    | Fl-Wash. .28" I.D. x .75" O.D. x .06          |
| 52    | 731-0642    | 1   | /P    | Belt Cover                                    |
| 53    | 750-0456    | 1   | S     | Spacer (440, 550 & 552)                       |
| 54    | 756-0225    | 1   | /P    | Fl-Idler Pulley 2.75" O.D.                    |
| 56    | 710-0623    | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 3/8-16 x .75" Lg. |
|       | 725-0954    | 1   | S     | Ignition Key (Not Shown)                      |
| 58    | 711-0769    | 1   | /P    | Stud 3/8-16 x 3.37" Lg.                       |
| 59    | 736-0217    | 1   | S     | L-Wash. 818" I.D.-H.D.                        |

310-440-190 Snow Boss 410 (1990)  
Frame Assembly

Page 4 of 12



310-440-190 Snow Boss 410 (1990)  
Frame Assembly

Page 5 of 12

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 1     | 05988       | 1   |       | Clutch Grip Ass'y.-R.H.                   |
| 2     | 720-0220    | 1   |       | Grip-Red                                  |
| 3     | 738-0560    | 1   | S     | Shoulder Bolt .374 Dia. x 1.375" Lg .     |
| 4     | 784-5451    | 1   |       | Handle Panel Ass'y.                       |
| 5     | 741-0402    | 1   | S     | Hex Flange Plastic Bearing .380" I.D.     |
| 9     | 05987       | 1   |       | Clutch Grip Ass'y.-L.H.                   |
| 10    | 738-0561    | 1   | S     | Shoulder Nut 1/4-20 Thd.                  |
| 11    | 736-0242    | 1   | /P    | Bell-Wash. .34" I.D. x .88" O.D.          |
| 12    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                      |
| 13    | 726-0100    | 1   | S     | Push Nut 3/8" Rod                         |
| 14    | 720-0201A   | 1   | /P    | Knob 3/8" Rod                             |
| 15    | 715-0138    | 1   | S     | Roll Pin .12 Dia. X .63" Lg.              |
| 16    | 05980       | 1   |       | Chute Crank Ass'y. 39" Lg.                |
| 17    | 747-0416A   | 1   | /P    | Eye Bolt 5/16-18 x 5.0" Lg.               |
| 18    | 749-0595    | 1   |       | Upper Handle-L.H.                         |
| 21    | 712-0429    | 1   | S     | Hex Ins. Jam L-Nut 5/16-18 Thd.           |
| 22    | 732-0193    | 1   | /P    | Compression Spring .50" O.D. x .88" Lg.   |
| 23    | 747-0356A   | 1   |       | Shifting Rod 5/16" x 32.50" Lg.           |
| 24    | 05898       | 1   |       | Shifting Linkage Bracket                  |
| 25    | 747-0452    | 1   |       | Lockout Rod .214" Dia. x 36.0" Lg.        |
| 26    | 711-0736    | 1   | /P    | Adjustment Ferrule 1/4-20                 |
| 27    | 712-0324    | 1   | /P    | Hex Ins. L-Nut 1/4-20 Thd.                |
| 28    | 710-0427    | 1   | S     | Hex Bolt 3/8-16 x 2.00" Lg.               |
| 29    | 05899B      | 1   |       | Frame Cover                               |
| 30    | 710-0599    | 1   | /P    | Hex Wash. Self-Tap Scr. 1/4-20 x .50" Lg. |
| 31    | 732-0320    | 1   | S     | Extension Spring .38" O.D. x 3.25" Lg.    |
| 32    | 712-0342    | 1   | /P    | Hex Jam Nut 3/8-16 Thd.                   |
| 33    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                         |
| 34    | 784-5050    | 1   |       | Auger Clutch Bracket Ass'y.               |
| 35    | 738-0281    | 1   | S     | Shld. Bolt .625" Dia. x .170              |
| 36    | 732-0121    | 1   | S     | Extension Spring .75" O.D. X 4.31" Lg.    |
| 37    | 05878       | 1   |       | Drive Pulley Support Brkt. Ass'y.         |
| 38    | 714-0507    | 1   | S     | Cotter Pin 3/32" Dia. x .75" Lg.'         |
| 39    | 05501       | 1   |       | Drive Clutch Bracket                      |
| 40    | 10080       | 1   |       | Drive Clutch Rod                          |
| 41    | 712-0342    | 1   | /P    | Hex Jam Nut 3/8-16 Thd.                   |
| 42    | 736-0169    | 1   | S     | L Wash . 3/8" I . D .                     |
| 43    | 736-0219    | 1   | S     | Bell-Wash. .40" I.D. x 1.13" O.D.         |
| 44    | 738-0281    | 1   | S     | Shld. Bolt .625" Dia. x .170              |
| 45    | 731-0496    | 1   |       | Plastic Plug                              |
| 46    | 710-0487    | 1   | /P    | Carriage Bolt 5/16-18 X 2.0" Lg.          |
| 47    | 747-0696    | 1   |       | Shift Handle                              |
| 48    | 714-0104    | 1   | S     | Int. Cotter Pin 5/16" Dia.                |
| 49    | 749-0596    | 1   |       | Upper Handle-R.H.                         |
| 50    | 741-0475    | 1   | S     | Plastic Bushing                           |
| 51    | 736-0264    | 1   | S     | FI-Wash. .344" I.D. x .62" O.D.           |
| 52    | 732-0184    | 1   | /P    | Extension Spring 75" O.D. x 5 oon Lg.     |
| 53    | 747-0154    | 1   |       | Lockout Rod .214" Dia. x 32" Lg.          |
| 54    | 749-0418    | 1   |       | Lower Handle-R.H.                         |
| 55    | 749-0417    | 1   |       | Lower Handle-L.H.                         |
| 56    | 711-0677    | 1   | S     | Adjustment Ferrule                        |
| 57    | 736-0105    | 1   | /P    | Bell-Wash. 40" I.D. x .88"                |
| 58    | 710-0623    | 1   |       | Self-Tap Scr. 3/8-16 X 75" Lg.            |


310-440-190 Snow Boss 410 (1990)  
Frame Assembly

Page 6 of 12

| Ref # | Part Number | Qty | S/P/F | Description                    |
|-------|-------------|-----|-------|--------------------------------|
| 60    | 736-0264    | 1   | S     | Fl-Wash. 3/4" I.D. x .62" O.D. |
| 61    | 714-0507    | 1   | S     | Cotter Pin 3/32" Dia.          |
| 62    | 720-0218    | 1   | /P    | Knob                           |
| 63    | 726-0247    | 1   | S     | Push Cap                       |
| 64    | 731-0473    | 1   |       | Black Vinyl Grip               |

310-440-190 Snow Boss 410 (1990)  
Tine Assembly

Page 7 of 12



310-440-190 Snow Boss 410 (1990)  
Tine Assembly

Page 8 of 12

| Ref # | Part Number | Qty | S/P/F | Description                                              |
|-------|-------------|-----|-------|----------------------------------------------------------|
| 1     | 731-0846B   | 1   | S     | Upper Chute                                              |
| 2     | 710-0276    | 1   | /P    | Carriage Bolt 5/16-18 x 1.0                              |
| 3     | 710-0255    | 1   | S     | Truss Mach. Scr. 1/4-20 x 75                             |
| 4     | 731-0840B   | 1   | S     | Lower Chute                                              |
| 5     | 714-0507    | 1   | S     | Cotter Pin                                               |
| 6     | 710-0451    | 1   | /P    | Carriage Bolt 5/16-18 x .75"                             |
| 7     | 741-0475    | 1   | S     | Bushing                                                  |
| 8     | 736-0140    | 1   | S     | Fl-Wash. .385 I.D. x .62" O.D.                           |
| 9     | 05980       | 1   |       | Chute Crank Ass'y.                                       |
| 10    | 741-0155    | 1   | S     | Ball Brg. .62" I.D. x 1.38" O.D.                         |
| 11    | 750-0118    | 1   | S     | Spacer .63" I.D. x .88" O.D. x .900" Lg.                 |
| 12    | 784-5123    | 1   | S     | Chute Crank Brkt.                                        |
| 13    | 756-0344    | 1   | /P    | 1/2" "V"-Pulley .625" I.D. x 7.50" O.D. (440, 550 & 552) |
|       | 756-0418    | 1   |       | 5/8" "V"-Pulley .625" I.D. x 7.50" O.D. (586)            |
| 14    | 714-0388    | 1   | S     | #61 Hi-Pro Key 3/16" x 5/8" Dia                          |
| 15    | 738-0154A   | 1   |       | Shld. Bolt .50" Dia. x 2.11n                             |
| 16    | 736-0105    | 1   | /P    | Bell-Wash. .40" I.D. x .88" O.D. x .06                   |
| 17    | 736-0242    | 1   | /P    | Bell-Wash. .34" I.D. x .88" O.D.                         |
| 19    | 784-5124    | 1   |       | 20" Blower Housing Ass'y. (440)                          |
|       | 784-5125    | 1   |       | 24" Blower Housing Ass'y. (550 & 552)                    |
|       | 784-5243    | 1   |       | 26" Blower Housing Ass'y. (586)                          |
| 20    | 710-0790    | 1   | S     | Carriage Bolt 3/8-16 x .62"                              |
| 21    | 784-5038A   | 1   | S     | Slide Shoe                                               |
| 22    | 736-0105    | 1   | /P    | Bell-Wash. 3/8" I.D.                                     |
| 23    | 712-0342    | 1   | /P    | Hex Jam Nut 3/8-16 Thd.                                  |
| 24    | 784-5057    | 1   |       | 20" Shave Plate (440)                                    |
|       | 05847       | 1   | S     | 24" Shave Plate (550 & 552)                              |
|       | 784-5244    | 1   | S     | 26" Shave Plate (586)                                    |
| 25    | 715-0114    | 1   | S     | Spring Pin Spiral 1/4" Dia. x 1.50" Lg.                  |
| 26    | 05865A      | 1   | S     | 11" Dia. Blower Fan Ass'y.                               |
| 27    | 714-0133    | 1   | S     | Sq. Key 3/16" x 1.5" Lg.                                 |
| 28    | 741-0493    | 1   | S     | Flange Brg. .75" I.D. x .88" O.D.                        |
| 29    | 712-0429    | 1   | S     | Hex Ins. L-Nut 5/16-18                                   |
| 30    | 738-0565A   | 1   |       | Spiral Axle (440)                                        |
|       | 738-0488A   | 1   | /P    | Spiral Axle (550 & 552)                                  |
|       | 738-0711A   | 1   |       | Spiral Axle (586)                                        |
| 31    | 736-0188    | 1   | /P    | Fl-Wash. .75" I.D. x 1.50" O.D. x .06                    |
| 32    | 741-0300    | 1   | S     | Flange Brg. w/Flats .755" I.D.                           |
| 33    | 05845       | 1   | S     | Bearing Housing                                          |
| 34    | 710-0726    | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 5/16-24 x .62" Lg.           |
| 35    | 710-0890    | 1   | S     | Hex Bolt 5/16-18 x 1.50" Lg.                             |
| 36    | 784-5053    | 1   |       | 20" Spiral Ass'y.-L.H. (440)                             |
|       | 784-5054    | 1   | F     | 20" Spiral Ass'y.-R.H. (440)                             |
|       | 05923       | 1   |       | 24" & 26" Spiral Ass'y.-L.H. (550 thru 586)              |
|       | 05924       | 1   | F     | 24" & 26" Spiral Ass'y.-R.H. (550 thru 586)              |
| 37    | 721-0176    | 1   | S     | "O"-Ring-3/4" I.D.                                       |
| 38    | 717-0456    | 1   |       | Bevel Gear Housing-Lower Half                            |
| 39    | 741-0293    | 1   | S     | Plastic Flange Brg. .755" I.D.                           |
| 40    | 717-0457B   | 1   |       | Bevel Gear                                               |
| 41    | 712-0237    | 1   |       | Hex Nut 5/16-24 Thd.                                     |




310-440-190 Snow Boss 410 (1990)  
Tine Assembly

Page 9 of 12

| Ref # | Part Number | Qty | S/P/F | Description                                    |
|-------|-------------|-----|-------|------------------------------------------------|
| 42    | 736-0264    | 1   | S     | Fl-Wash. .34" I.D. x .62" O.D. x .06           |
| 43    | 748-0237    | 1   | S     | Pinion Gear                                    |
| 44    | 736-0287    | 1   | S     | Fl-Wash. .75" I.D. x 1.25" O.D. x .06          |
| 45    | 748-0171    | 1   | /P    | Flange Brg. .755" I.D.                         |
| 46    | 748-0106    | 1   | /P    | Sleeve Brg. .755" I.D.                         |
| 47    | 738-0649    | 1   | /P    | Blower Axle                                    |
| 48    | 717-0455    | 1   |       | Bevel Gear Housing-Upper Half                  |
| 49    | 710-0588    | 1   | S     | Hex Wash. Hd. Self-Tap Scr. 1/4-20 x 1.00" Lg. |
| 50    | 712-0267    | 1   | S     | Hex Nut 5/16-18 Thd.                           |
| 52    | 710-0260    | 1   | S     | Carriage Bolt 5/16-18 x .62                    |
| 53    | 710-0260    | 1   | S/F   | Carriage Bolt 5/16-18 x .62" Ly.               |
| 54    | 736-0119    | 1   | S/F   | L-Wash. 5/16" I.D.                             |
| 55    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                           |
| 56    | 05139       | 1   | S/F   | Drift Cutter Bar                               |
| 57    | 09966       | 1   | S     | Knob                                           |
| 60    | 736-0142    | 1   | S     | Fl-Wash. 1/4" I.D.                             |
| 61    | 712-0107    | 1   | S     | Hex L-Nut 1/4-20 Thd.                          |
| 62    | 731-0851    | 1   | S     | Chute Flange Keeper                            |
| 63    | 736-0116    | 1   | S     | Fl-Wash. .64" I.D. x .94" O.D. x .06           |
| 64    | 712-0923    | 1   | /P    | Hex Jam Nut 5/8-18 Thd.                        |
| 65    | 736-0231    | 1   | S     | Fl-Wash. .344 I.D. x 1.125 O.D.                |
| 66    | 712-0158    | 1   | S     | Hex L-Nut 5/16-18 Thd.                         |
| 67    | 710-0323    | 1   | /P    | Truss Mach. Scr. 5/16-18 x .75" Lg.            |
| 68    | 750-0190    | 1   | /P    | Spacer (586)                                   |
|       | 717-0864A   | 1   |       | Gear Box Complete (440)                        |
|       | 717-0867A   | 1   |       | Gear Box Complete (550 & 552)                  |
|       | 717-0836A   | 1   |       | Gear Box Complete (586)                        |

310-440-190 Snow Boss 410 (1990)  
Wheel Chain Drive Assembly

Page 10 of 12



310-440-190 Snow Boss 410 (1990)  
Wheel Chain Drive Assembly

Page 11 of 12

| Ref # | Part Number | Qty | S/P/F | Description                                       |
|-------|-------------|-----|-------|---------------------------------------------------|
| 1     | 784-5197    | 1   |       | Frame Ass'y.                                      |
| 2     | 750-0499    | 1   | /P    | Spacer.50" I.D. x .75" O.D. x.78" Lg.             |
| 4     | 714-0129    | 1   | S     | #4 Hi-Pro Key 3/32 x 5/8" Dia.                    |
| 5     | 05080A      | 1   | S     | Friction Wheel Ass'y.                             |
| 6     | 738-0496A   | 1   |       | Hex Shaft                                         |
| 7     | 05883       | 1   |       | Friction Wheel Mounting Plate Ass'y.              |
| 8     | 716-0102    | 1   | S     | Snap Ring 1.00" Dia. Shaft                        |
| 9     | 736-0163    | 1   | S     | FI-Wash. 1.00" x 1.63" O.D. x 03                  |
| 10    | 05880       | 1   |       | Sliding Bracket Ass'y.                            |
| 12    | 713-0285    | 1   |       | #41 Chain 1/2" Pitch x 35 Links                   |
| 13    | 713-0723    | 1   | S     | Master Link for #41 Chain                         |
| 14    | 713-0281    | 1   |       | 32 Teeth Sprocket Ass'y.                          |
| 15    | 741-0225    | 1   | S     | Hex Flange Brg. .630" I.D.                        |
| 16    | 736-0290    | 1   | /P    | FI-Wash. .62" I.D. x 1.00" O.D. x .06             |
| 17    | 710-0538    | 1   | /P    | Hex Lock Bolt 5/16-18 x .62" Lg.                  |
| 18    | 714-0507    | 1   | S     | Cotter Pin 3/32" Dia. x .75" Lg.                  |
| 20    | 741-0490    | 1   | S     | Flange Brg. w/Flats .75" I.D.                     |
| 21    | 736-0231    | 1   | S     | FI-Wash. .34" I.D. x 1.12" O.D. x .125            |
| 25    | 712-0342    | 1   | /P    | Hex Jam Nut 3/8-16 Thd.                           |
| 26    | 736-0169    | 1   | S     | L-Wash. 3/8" I.D.                                 |
| 27    | 05898A      | 1   |       | Shifting Linkage Bracket                          |
| 29    | 738-0281    | 1   | S     | Shld. Bolt .625" Dia. x .170" Lg.                 |
| 30    | 711-0677    | 1   | S     | Adjustment Ferrule                                |
| 31    | 747-0356    | 1   |       | Shifting Rod 5/16" Dia. x 32.50" Lg.              |
| 32    | 736-0264    | 1   | S     | FI-Wash. .34" I.D. x .64" O.D. x .06              |
| 33    | 714-0507    | 1   | S     | Cotter Pin 3/32" Dia. x .75" Lg.                  |
| 34    | 716-0145    | 1   | S     | Snap Ring .562" Dia. Shaft                        |
| 35    | 713-0280    | 1   |       | Sprocket 7 Teeth x .50" Pitch                     |
| 36    | 738-0497    | 1   |       | Shaft .50" Dia. x 9.50" Lg.                       |
| 37    | 713-0323    | 1   |       | 32 Teeth Wheel Axle Ass'y. (440 & 550)            |
|       | 738-0713    | 1   |       | Wheel Axle (586)                                  |
| 38    | 710-0600    | 1   | /P    | Hex Wash. Hd. Self-Tap Scr. 5/16-24 x .50" Lg.    |
| 39    | 713-0270    | 1   |       | #41 Chain 1/2" Pitch x 43 Links (440 & 450)       |
|       | 713-0287    | 1   | S     | #420 Chain 1/2" Pitch x 39 0 Links (550 & 586)    |
| 40    | 713-0723    | 1   | S     | Master Link for #41 Chain (440 & 450)             |
|       | 713-0154    | 1   | S     | Master Link for #420 Chain (550 & 586)            |
| 41    | 748-0204    | 1   | /P    | 8 Teeth Center Sprocket                           |
| 42    | 736-0119    | 1   | S     | L-Wash. 5/16" I.D.                                |
| 43    | 741-0476    | 1   | S     | Bearing                                           |
| 44    | 748-0184    | 1   | /P    | Bronze Bearing                                    |
| 45    | 736-0188    | 1   | /P    | FI-Wash. .76" I.D. x 1.49 0 O.D. (440, 450 & 550) |
|       | 736-0315    | 1   | /P    | FI-Washer (586 only)                              |
| 46    |             | 1   |       | Wheel Assembly                                    |
|       | 734-1528    | 1   |       | Wheel Ass'y. Comp. 13 x 5.0 (440 & 550)           |
|       | 734-1521    | 1   |       | Wheel Ass'y. Comp. 13 xc 6.5 (586)                |
| 47    | 734-0255    | 1   | S     | Air Valve                                         |
| 48    | 714-0143    | 1   | S     | Klick Pin                                         |
| 49    | 716-0101    | 1   | S     | Snap Ring .75 Dia.                                |

310-440-190 Snow Boss 410 (1990)  
Wheel Chain Drive Assembly

Page 12 of 12

| Ref # | Part Number | Qty | S/P/F | Description                           |
|-------|-------------|-----|-------|---------------------------------------|
| 50    | 712-0200A   | 1   | /P    | Hex Ins. L-Nut 1/2-20 Thd.            |
| 51    | 736-0257    | 1   | S     | Fl-Wash. .53 I.D. x 1.25 O.D. x .10   |
| 52    | 736-0253    | 1   | S     | Bell-Wash. .50 I.D. x 1.0 O.D. x .075 |
| 53    | 741-0401    | 1   | S     | Sleeve Brg.                           |
| 54    | 713-0384    | 1   |       | 32 Teeth Sprocket Hub As. r (586)     |
| 55    | 710-0698    | 1   | /P    | Hex Bolt 1/4-28 x 1.5" (586)          |
| 56    | 712-0896    | 1   |       | Hex L-Nut 1/4-28 Thd. (586)           |
| 57    | 750-0506    | 1   |       | Spacer (586)                          |
| 58    | 736-0287    | 1   | S     | Fl-Washer (586)                       |
| 60    | 736-0315    | 1   | /P    | Fl-Washer (586 Only)                  |