


122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Rotary Mower

Page 1 of 6



122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Rotary Mower

Page 2 of 6

| Ref # | Part Number | Qty | S/P/F | Description                                                                          |
|-------|-------------|-----|-------|--------------------------------------------------------------------------------------|
| 1     | 647-0004    | 1   |       | Control Handle Ass'y. Code: N notates a new part (not previously existing).          |
| 2     | 720-0225    | 1   | S     | Foam Grip                                                                            |
| 3     | 749-0539B   | 1   | S     | Upper Handle Code: N notates a new part (not previously existing).                   |
| 4     | 710-0605    | 1   | /P    | Oval C-Sunk Scr. Code: N notates a new part (not previously existing).               |
| 5     | 746-0875    | 1   | S     | Throttle Body Code: N notates a new part (not previously existing).                  |
| 6     | 746-0550    | 1   | S     | Control Cable - 39" Lg.                                                              |
| 7     | 736-0501    | 1   | S     | Spring Wash. .66" I.D.                                                               |
| 8     | 712-0291    | 1   | S     | Hex L-Nut 1/4-20 Thd.                                                                |
| 9     | 731-0620    | 1   | S     | Control Lever                                                                        |
| 10    | 731-1057    | 1   | S     | Control Cover Half - Upper                                                           |
| 11    | 731-1058    | 1   | S     | Control Cover Half - Lower                                                           |
| 12    | 746-0710A   | 1   | S     | Self-Propelled Cable - 48" Lg. Code: N notates a new part (not previously existing). |
| 13    | 731-1059    | 1   | S     | Cable Mounting Cap                                                                   |
| 14    | 710-0841    | 1   | /P    | Fl-"C" Sunk Hd. Tap Scr. #10 x .75" Lg.                                              |
| 15    | 710-0671    | 1   | S     | Curved Carr. Bolt 5/16-18 x 1.38" Lg.                                                |
| 16    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                                                                 |
| 17    | 712-0324    | 1   | /P    | Hex L-Nut 1/4-20 Thd.                                                                |
| 18    | 710-1205    | 1   | /P    | Rope Guide                                                                           |
| 19    | 726-0240    | 1   | S     | Cable Tie                                                                            |
| 20    | 749-0372B   | 1   | S     | Lower Handle                                                                         |
| 21    | 14967       | 1   |       | Wheel Cover                                                                          |
| 22    |             | 1   |       | Engine                                                                               |
| 23    | 710-0812    | 1   |       | Hex Bolt 1/4-20 x .75" Lg. (Gr. 5)                                                   |
| 24    | 736-0270    | 1   | /P    | Bell-Wash. 1/4" I.D.                                                                 |
| 25    | 748-0312    | 1   |       | Wheel Ratchet                                                                        |
| 26    | 748-0315    | 1   |       | Pawl and Spring Ass'y.                                                               |
| 27    | 712-0329    | 1   | S     | Special Hex Nut 5/16-18 Thd.                                                         |
| 28    | 741-0485    | 1   | S     | Flange Bearing .63" I.D.                                                             |
| 29    | 734-1399    | 1   |       | Rim Ass'y. Only 16" x 2.1"                                                           |
| 30    | 734-1400    | 1   |       | Rimstrip 16" x 7/8"                                                                  |
| 31    | 734-1397    | 1   | /P    | Inner Tube 16" x 2.12"                                                               |
| 32    | 734-1396    | 1   | /P    | Chevron Tire 16" x 2.125"                                                            |
| 33    | 736-0104    | 1   | S     | Intern. L-Wash. 5/16" I.D.                                                           |
| 34    | 710-0376    | 1   | /P    | Hex Bolt 5/16-18 x 1.0" (Gr. 5)                                                      |
| 35    | 735-0639    | 1   | /P    | Spark Plug Boot (Optional)                                                           |
| 36    | 753-0484    | 1   |       | Blade Adapter Kit                                                                    |
| 37    | 742-0522    | 1   | S     | 22" Blade                                                                            |
| 38    | 736-0452    | 1   | S     | Bell-Wash. .39" I.D.                                                                 |
| 39    | 710-1044    | 1   | /P    | Hex Bolt 3/8-24 x 1.5" Lg.                                                           |
| 40    | 710-1055    | 1   | /P    | Hex Bolt 3/8-24 x 1" Lg.                                                             |
| 41    | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                                                                    |
| 42    | 712-0241    | 1   | /P/F  | Hex Nut 3/8-24 Thd.                                                                  |
| 43    | 756-0962    | 1   |       | Upper Pulley Half Code: N notates a new part (not previously existing).              |

122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Rotary Mower

Page 3 of 6

| Ref # | Part Number | Qty | S/P/F | Description                                                                                          |
|-------|-------------|-----|-------|------------------------------------------------------------------------------------------------------|
| 44    | 736-0473    | 1   |       | Bell-Wash. 7/8" I.D. Code: N notates a new part (not previously existing).                           |
| 45    | 748-0358    | 1   |       | Crankshaft Spacer Code: N notates a new part (not previously existing).                              |
| 46    | 741-0180    | 1   | S     | Ball Bearing 1/2" I.D.                                                                               |
| 47    | 736-0105    | 1   | /P    | Bell-Wash. .38" I.D.                                                                                 |
| 48    | 738-0507B   | 1   | S     | Shld. Bolt .5"                                                                                       |
| 49    | 14832       | 1   | S     | Spring Lever Ass'y. w/Knob                                                                           |
| 50    | 15262B      | 1   | /P    | Pivot Bar                                                                                            |
| 51    | 15261A      | 1   | S     | Height Adj. Plate                                                                                    |
| 52    | 734-1268    | 1   | /P    | Wheel Ass'y. Comp.                                                                                   |
| 53    | 14579       | 1   |       | Height Adj. Ass'y. Comp. - L.H.                                                                      |
| 54    | 736-0356    | 1   | S     | Bell-Wash. .39" I.D. x 1.38"                                                                         |
| 55    | 712-0798    | 1   | /P/F  | Hex Nut 3/8-16 Thd.                                                                                  |
| 56    | 682-0001    | 1   |       | 22" Deck Ass'y. Code 629                                                                             |
| 57    | 731-1034    | 1   | S     | Chute Deflector Ass'y.                                                                               |
| 58    | 747-0710    | 1   | S     | Hinge Pin                                                                                            |
| 59    | 732-0593    | 1   | S     | Torsion Spring                                                                                       |
| 60    | 17032       | 1   | S     | Adapter Plate                                                                                        |
| 61    | 710-0599    | 1   | /P    | Hex TT-Tap Scr. 1/4-20 x .5"                                                                         |
| 62    | 736-0232    | 1   | S     | Wave Wash. .53" I.D. x .78"                                                                          |
| 63    | 731-0355A   | 1   |       | Hub Cap (See Chart)                                                                                  |
| 64    | 710-0654A   | 1   | /P    | Hex TT-Tap Scr. 3/8-16 x 1"                                                                          |
| 65    | 710-0260    | 1   | S     | Carriage Bolt 5/16-18 x .62" Lg.                                                                     |
| 66    | 16136A      | 1   | S     | Handle Brkt. Ass'y. - R.H.                                                                           |
| 67    | 750-0624    | 1   |       | Shld. Spacer .5" x .10"                                                                              |
| 68    | 736-0242    | 1   | /P    | Bell-Wash. 5/16" I.D.                                                                                |
| 69    | 714-0104    | 1   | S     | Intern. Cotter Pin 5/16" Dia.                                                                        |
| 70    | 16563A      | 1   |       | Retaining Strip                                                                                      |
| 71    | 731-1172    | 1   |       | Rear Flap                                                                                            |
| 72    | 811-00185   | 1   | S     | Throttle Box Comp. Code: N notates a new part (not previously existing). (Incl. Ref. 4, 5, 7, 8, 98) |
| 73    | 738-0102    | 1   | S     | Front Axle Bolt                                                                                      |
| 74    | 720-0223    | 1   |       | Grip                                                                                                 |
| 75    | 732-0655    | 1   |       | Height Adjustment Lever                                                                              |
| 76    | 682-3004    | 1   |       | Handle Brkt. Ass'y. - L.H.                                                                           |
| 77    | 754-0369    | 1   | S     | "V" Belt                                                                                             |
| 78    | 717-0417B   | 1   | S     | Transmission Comp. (See Breakdown)                                                                   |
| 79    | 710-0352    | 1   | /P    | Hex B-Tap Scr. 1/4 x .38" Lg.                                                                        |
| 80    | 710-0776A   | 1   | S     | Hex AB-Tap Scr. 1/4 x .62" Lg.                                                                       |
| 81    | 736-0329    | 1   | S/F   | L-Wash. 1/4" I.D.                                                                                    |
| 82    | 712-0287    | 1   | S/F   | Hex Nut 1/4-20 Thd.                                                                                  |
| 83    | 734-1398    | 1   |       | Wheel Ass'y. Comp.                                                                                   |
| 84    | 713-0425    | 1   |       | Sprocket and Axle Ass'y.                                                                             |
| 85    | 736-0256    | 1   | S     | Fl-Wash. .635" I.D. x 1.0" O.D.                                                                      |
| 86    | 682-7501    | 1   |       | Chaincase and Arm Ass'y.                                                                             |
| 87    | 713-0257    | 1   | S     | #48 Chain 1/2" Pitch x 52 Links                                                                      |
| 88    | 682-7500    | 1   |       | Rear Drive Support Ass'y. Code 629                                                                   |
| 89    | 710-0599    | 1   | /P    | Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.                                                           |



122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Rotary Mower

Page 4 of 6

| Ref # | Part Number | Qty | S/P/F | Description                                                                                |
|-------|-------------|-----|-------|--------------------------------------------------------------------------------------------|
| 90    | 746-0843    | 1   | S     | Throttle Cable Code: N notates a new part (not previously existing).                       |
| 91    | 16500A      | 1   | S     | Hex Bearing Cup                                                                            |
| 92    | 741-0413    | 1   | S     | Hex Flange Brg. .631" I.D.                                                                 |
| 93    | 748-0313    | 1   |       | Spacer .63" I.D. x 1.25"                                                                   |
| 94    | 736-0300    | 1   | S     | Fl-Wash. .385" I.D. x .87" O.D.                                                            |
| 95    | 712-0296    | 1   | S     | Hex L-Nut 3/8-24 Thd.                                                                      |
| 96    | 710-0201    | 1   |       | Hex Bolt 3/8-16 x .62" Lg.                                                                 |
| 97    | 712-0431    | 1   | S     | Flanged L-Nut 3/8-16 Thd.                                                                  |
| 98    | 746-0876    | 1   | S     | Throttle Lever Code: N notates a new part (not previously existing).                       |
| 99    | 710-0603    | 1   | /P    | Hex B-Tap Scr. 5/16-18 x .5"                                                               |
| 100   | 710-0289    | 1   | S     | Hex Bolt 1/4-20 x .5" Lg.                                                                  |
| 101   | 736-0302    | 1   | /P    | Fl-Wash. .632" I.D. x .943"                                                                |
| 102   | 750-0547    | 1   |       | Spacer .628" I.D. x .875"                                                                  |
| 103   | 736-0119    | 1   | S     | L-Wash. 1/4" I.D.                                                                          |
| 104   | 736-0258    | 1   | /P    | Fl-Wash. .38" I.D. x 1" O.D.                                                               |
| 105   | 710-1237    | 1   |       | Hex Wash. Hd. Scr. #10-32 x .62" Lg. Code: N notates a new part (not previously existing). |
| 106   | 751-0568    | 1   | S     | Casing Clamp Code: N notates a new part (not previously existing).                         |
| 107   | 756-0961    | 1   |       | Lower Pulley Half Code: N notates a new part (not previously existing).                    |
|       | 777-8151    | 1   | S     | Danger Label - Plastic Chute                                                               |
|       | 777-7505    | 1   |       | Height Adj. Label                                                                          |

122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Transmission

Page 5 of 6



122-528R190 22" ERS SP Hi-Wheel Mower (1992)  
Transmission

Page 6 of 6

| Ref # | Part Number | Qty | S/P/F | Description                                                                      |
|-------|-------------|-----|-------|----------------------------------------------------------------------------------|
| 1     | 710-0106    | 1   | /P/F  | Hex Bolt 1/4-20 x 1.25" Lg.                                                      |
| 2     | 726-0329    | 1   | F     | L-Wash. 1/4" I.D.                                                                |
| 3     | 717-0418A   | 1   | /P    | Upper Hsg. Half                                                                  |
| 4     | 713-0400    | 1   |       | #48 Sprocket 7 Tooth x 1/2 Pitch                                                 |
| 5     | 736-0336    | 1   | S     | Fl-Wash. 5/8" I.D. x .030                                                        |
| 6     | 741-0413    | 1   | S     | Hex Flange Brg. .631" I.D.                                                       |
| 7     | 16500A      | 1   | S     | Hex Bearing Cup                                                                  |
| 8     | 736-0314    | 1   | S     | Thrust Wash. .382" I.D. x .70" O.D.                                              |
| 9     | 741-0479    | 1   |       | Thrust Bearing .375" I.D. x .812" O.D.                                           |
| 11    | 717-1216    | 1   | S     | 11 Tooth Helical Gear                                                            |
| 12    | 748-0208A   | 1   | /P    | Flange Bearing                                                                   |
| 13    | 721-0212    | 1   |       | Oil Seal                                                                         |
| 15    | 756-0330A   | 1   | /P/F  | Fl-Pulley 5.06" I.D.                                                             |
| 16    | 736-0270    | 1   | /P/F  | Bell-Wash. .265" I.D. x .75"                                                     |
| 17    | 712-0351    | 1   | S/F   | Hex Nut 1/4-28 L.H. Thd.                                                         |
| 18    | 738-0440    | 1   | F     | Shld. Spacer .375" Dia. x .170                                                   |
| 19    | 736-0344    | 1   | S/F   | Fl-Wash. .390" I.D. x 1.0"                                                       |
| 20    | 738-0826    | 1   | S/F   | Shld. Bolt .375" Dia. x .40"                                                     |
| 21    | 756-0558    | 1   | S/F   | Fl-Idler Plastic 1.50" Dia.                                                      |
| 22    | 741-0556    | 1   | S/F   | Needle Brg. .375" x .375"                                                        |
| 23    | 736-0270    | 1   | /P/F  | Bell-Wash. .265" I.D. x .75"                                                     |
| 24    | 17052A      | 1   | /P/F  | Idler Brk't. Ass'y.                                                              |
| 25    | 712-0138    | 1   | S/F   | Hex Patch L-Nut 1/4-28 Thd.                                                      |
| 26    | 732-0357A   | 1   | S/F   | Extension Spring 1.12" Lg. Code: N notates a new part (not previously existing). |
| 27    | 717-0419A   | 1   | S     | Lower Hsg. Half                                                                  |
| 28    | 741-0415    | 1   | S     | Flange Bearing .56 Dia.                                                          |
| 29    | 717-0422    | 1   | S     | 33 Tooth Helical Gear                                                            |
| 30    | 741-0414    | 1   |       | Flange Bearing .629 Dia.                                                         |
| 31    | 721-0213    | 1   | /P    | Oil Seal .625 Dia.                                                               |
| 32    | 738-0607    | 1   | S     | Gear Sprocket Shaft                                                              |
| 33    | 736-0722    | 1   | S     | L-Wash. #10 I.D.                                                                 |
| 34    | 710-0436    | 1   | S     | Hex B-Tap Scr. #10 x .62"                                                        |
| 35    | 736-0410    | 1   | S/F   | Hex Washer .26" x .88"                                                           |
| 36    | 17718       | 1   | F     | Transmission Belt Guard                                                          |
| 37    | 17064       | 1   |       | Belt Cover                                                                       |
| 38    | 710-0352    | 1   | /P/F  | Hex B-Tap Scr. 1/4 x .38" Lg.                                                    |
| 39    | 710-0599    | 1   | /P/F  | Hex AB-Tap Scr. 1/4 x .50" Lg.                                                   |
| 40    | 710-0896    | 1   | /P    | Hex B-Tap Scr. 1/4 x .62" Lg.                                                    |
| 41    | 712-0287    | 1   | S/F   | Hex Nut 1/4-20 Thd.                                                              |
| 42    | 736-0270    | 1   | /P/F  | Bell-Wash. .265" I.D. x .75"                                                     |
| 43    | 736-0329    | 1   | S/F   | L-Wash. 1/4" I.D.                                                                |
| 44    | 746-0710    | 1   | S/F   | S.P. Cable - 48" Lg.                                                             |
| 45    | 747-0549    | 1   | F     | S.P. Belt Guard                                                                  |
|       | 717-0417B   | 1   | S     | Transmission Comp.                                                               |