


122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Rotary Mower

Page 1 of 7



122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Rotary Mower

Page 2 of 7

Ref #	Part Number	Qty	S/P/F	Description
1	720-0225	2	S	Foam Grip
2	647-0004	1		Control Handle Ass'y. Code: N notates a new part (not previously existing).
3	731-1023	1	/P	Rear Discharge Chute Ass'y.
4	710-0605	1	/P	Oval C-Sunk Scr. Code: N notates a new part (not previously existing).
5	746-0875	1	S	Throttle Body Code: N notates a new part (not previously existing).
6	736-0501	1	S	Spr. Wash. .66" I.D. Code: N notates a new part (not previously existing).
7	712-0291	1	S	Hex L-Nut 1/4-20 Thd.
8	746-0876	1	S	Throttle Lever Code: N notates a new part (not previously existing).
9	710-1205	1	/P	Rope Guide Bolt
10	712-0324	1	/P	Hex L-Nut 1/4-20 Thd.
11	731-0981A	1	S	Hub Cap
12	710-0946	1	/P	Truss Mach. Scr. 1/4-20 x .62" Lg.
13	736-0258	1	/P	FI-Wash. .383" I.D. x 1" O.D.
14	749-0439B	1	S	Upper Handle - Painted
15	16129A	1	S	Panel Support Brkt.
16	16862	1	/P	Rear Catcher Panel Ass'y.
17	17095A	1	S	Rear Discharge Door
18	736-0211	1	S	FI-Wash. .285" I.D. x 1.25" O.D.
19	732-0483A	1	/P	Torsion Spring
20	747-0514	1		Pivot Pin
21	710-0134	1	/P/F	Carriage Bolt 1/4-20 x .62"
22	710-0255	1	S	Truss Mach. Scr. 1/4-20 x 3/4" Lg.
23	710-0289	1	S/F	Hex Bolt 1/4-20 x .50" Lg.
24	738-0704	1	S	Shoulder Bolt .312 Dia. x .18 Lg. - Special
25	710-0258	1	S/F	Hex Bolt 1/4-20 x .62" Lg.
26	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
27	736-0270	1	/P	Bell-Wash. 1/4" I.D.
28	736-0329	1	S/F	L-Wash. 1/4" I.D.
29	747-0705	1	S	Front Grass Catcher Frame
30	719-0279	1	/P	Rope Guide
31	731-0906	1	S	S.P. Control Cover
32	735-0639	1	/P	Spark Plug Insulator
33	712-0397	1	S	Wing Nut w/Washer
34	746-0674	1	S	Throttle Control Wire 61"
35	749-0725	1	S	Lower Handle - Painted
36		1		Engine
37	710-1237	1		Hex Self-Tap Scr. #10-32 x .62" Lg. Code: N notates a new part (not previously existing).
38	764-0257	1	S	Grass Bag
39	14835	1		Retaining Strip
40	710-0323	1	/P	Truss Mach. Scr. 5/16-18 x .75" Lg.
41	736-0204	1	/P	FI-Wash. .344" I.D. x .62"
42	17055B	1	/P	Chain - Axle Ass'y. Code 629
43	710-0352	1	/P	Hex B-Tap Scr. 1/4" x .38" Lg.
44	741-0180			Bearing 1/2" I.D.

122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Rotary Mower

Page 3 of 7

Ref #	Part Number	Qty	S/P/F	Description
45	710-0776A	1	S	Hex AB-Tap Scr. 1/4 x .62"
46	749-0778	1		Catcher Panel Support Arm
47	712-0296	1	S	Hex Patch L-Nut 3/8-24 Thd.
48	713-0353	1	S	#48 Chain .500" Pitch x 30 Links
49	712-3020	1	S	Hex L-Nut 3/8-16 Thd.
50	731-0564	1		Plug
51	731-0672A	1	/P	Rear Flap 3.75" x 17.30" Lg.
52	726-0240	1	S	Cable Tie
53	751-0568	1	S	Cable Clamp Code: N notates a new part (not previously existing).
54	710-1025	1	/P	Hex AB Scr. #12 x 1.25" Lg.
55	753-0485	1	/P	Blade Adapter Kit
56	742-0563	1	S	21" Blade
57	731-1343	1	S	Mulching Plug Code: N notates a new part (not previously existing).
58	736-0453	1	S	Bell-Wash. .46" I.D.
59	16863	1	S	Height Adj. Connecting Arm
60	710-0757	1	/P	Hex Bolt 7/16-20 x 1.5" Lg. (Grade 5)
61	748-0190	1	/P	Spacer .513" I D. x .703" O.D. x .69" Lg.
63	736-0119	1	S/F	L-Wash. 5/16" I.D.
64	16136A	1	S	R.H. Handle Wheel Brkt. Ass'y.
65	16137B	1	S	L.H. Handle Wheel Brkt. Ass'y.
66	710-0260	1	S/F	Carriage Bolt 5/16-18 x .62"
67	710-0603	1	/P	Hex Wash. Hd. B-Tap Scr. 5/16-18
68	710-0654A	1	/P	Hex Wash. Hd. TT-Tap Scr. 3/8-16
69	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
70	720-0223	1		Grip
71	732-0606	1		Height Adj. Lever
72	732-0362	1	S	Extension Spring .75" O.D. x 8" Lg.
73	736-0242	1	/P	Bell-Wash. 5/16" I.D.
74	750-0736	1	S	Spacer
75	750-0624	1		Shld. Spacer .500" Dia.
77	726-0233	1	/P	Bolt Retainer 1/4 x .50" O.D.
80	738-0137	1		Shld. Scr. .342" Dia. x .268
81	748-0188B	1	S	Pawl
82	734-1510B	1	S	Wheel Ass'y. Comp.
83	726-0175	1	/P	Clamp
84	741-0486B	1		Bearing 1/2" I.D.
87	731-0880	1		Panel Clip
88	712-0414	1	S	Weld L-Nut 1/4-20 Thd. Code: N notates a new part (not previously existing).
95	746-0710A	1	S	S.P. Cable
96	754-0343	1	S	"V"-Belt
?97	710-0969	1	/P	Hex AB-Tap Scr. 1" Lg.
98	731-0801	1	/P	Bag Handle
102	16859A	1		21" Deck Ass'y. Code 629/N
103	738-0234	1		Shld. Bolt .5" Dia. x .295
104	736-0253	1	S	Bell-Wash. .515" I.D. x 1.0" O.D.
105	682-7509	1	S	Front Axle Ass'y.
106	711-0313	1	S	Sleeve .526" I.D. x .690" O.D. x .880" Lg.
111	736-0221	1	/P/F	Intern. L-Wash. 3/8 I.D.

122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Rotary Mower

Page 4 of 7

Ref #	Part Number	Qty	S/P/F	Description
112	738-0705	1	S	Shld. Bolt .575" Dia. x .42
113	734-1513B	1	S	Wheel Ass'y. Comp.
114	731-0904	1	S	Self-Propelled Control Cover
115	731-0905	1	S	Self-Propelled Control Cover
116	731-0620	1	S	Control Lever
117	720-0190	1	S	Door Grip
118	710-0841	1	/P	Fl-"C"-Sunk Hd. Tap Scr. #10 x .75" Lg.
119	16855	1		Pawl Plate
121	710-0671	1	S	Curved Carr. Bolt 5/16-18 x 1.38" Lg.
122	711-0805	1		Shld. Pin 3/8-24 x 1.43" Lg.
123	736-0169	1	S/F	L-Wash. 3/8" I.D.
129	746-0557	1	S	Control Cable 47" Lg.
130	748-0318	1	S	Ratchet Wheel 1.62" O.D.
131	714-0115	1	S/F	Cotter Pin 1/8" Dia. x 1.00" Lg.
132	712-0711	1	/P	Hex Jam Nut 3/8-24 Thd.
133	731-0884	1	/P	Side Chute Deflector Ass'y.
134	741-0522	1	S	Hex Flange Bearing
135	811-00185	1	S	Throttle Box Comp. (Incl. Ref. 4, 5, 6, 7, 8) Code: N notates a new part (not previously existing).
136	10622B	1	S	Spring - Nylon
138	17053A	1		Chain Cover
140	710-0599	1	/P	Hex Wash. S-Tap Scr. 1/4-20 x .50" Lg.
144	736-0300	1	S	Fl-Wash. .385" I.D. x .87"
147	738-0719A	1	S	Rear Shaft Ass'y. 21.94" Lg.
148	741-0324	1	S	Hex Flange Bearing .506" I.D. Plastic
149	736-0160	1	S	Fl-Wash. .531" I.D. x .930"
151	741-0491	1		Flanged Nyliner Brg.
152	710-0751	1	/P	Hex Bolt 1/4-20 x .62" Lg. (Grade 5)
153	717-0417B	1	S	Transmission Comp. (See Breakdown)
154	16500	1	S	Hex Bearing Cup
155	710-0429	1	S	Hex B-Tap Scr. #10 x .38
156	710-1055	1	/P	Hex Scr. 3/8-24 x 1.0" Lg.
157	736-0169	1	S	L-Wash. 3/8" I.D.
158	712-0241	1	/P	Hex Nut 3/8-24 Thd.
160	736-0108	1	S	Fl-Wash. .51" I.D. x .75" O.D.
161	749-0764A	1	S	Rear Catcher Frame
162	712-0266	1	S	Hex Jam Nut 3/8-16 Thd.
163	713-0397	1	S	3 Tooth Rack Gear Insert
164	746-0706	1		Spd. Control Cable - 50" Lg.
165	731-0924	1		6-Spd. Shift Lever
166	17070	1	S	Adjustable Cable Brkt.
167	736-0270	1	/P	Bell-Wash. .265" I.D. x .75" O.D.
168	712-0291	1	S	Hex Cent. L-Nut 1/4-20 Thd.
169	714-0507	1	S	Cot-Pin 3/32" Dia. x .75" Lg.
170	747-0684	1		Shift Rod
171	741-0500	1	S	Movable Pulley Half Ass'y.
172	710-0167	1	/P	Carr. Bolt 1/4-20 x .50" Lg.
173	756-0503	1		Spined Pulley Half
174	731-1137	1	S	Flanged Bushing
175	736-0278	1		Fl-Wash. .328" I.D. x .68" O.D.
176	17073	1		Cable Mtg. Brkt. Ass'y.



122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Rotary Mower

Page 5 of 7

Ref #	Part Number	Qty	S/P/F	Description
177	732-0627	1		Shift Lever Spring
178	16864	1		6-Speed Rack Cable Brkt.
179	736-0300	1	S	FI-Wash. .385" I.D.

122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Transmission

Page 6 of 7



122-848R190 21" ERS 6 Speed SP Convertible Mower (1992)
Transmission

Page 7 of 7

Ref #	Part Number	Qty	S/P/F	Description
1	710-1062	1	F	Hex Bolt 1/4-20 x 1.25" Lg.
2	726-0329	1	F	L-Wash. 1/4" I.D.
3	717-0418A	1	/P	Upper Hsg. Half
4	713-0400	1		#48 Sprocket 7 Tooth x 1/2 Pitch
5	736-0336	1	S	Fl-Wash. 5/8" I.D. x .030
6	741-0413	1	S	Hex Flange Brg. .631" I.D.
7	16500A	1	S	Hex Bearing Cup
8	736-0314	1	S	Thrust Wash. .382" I.D. x .70" O.D.
9	741-0479	1		Thrust Bearing .375" I.D. x .812" O.D.
11	717-1216	1	S	11 Tooth Helical Gear
12	748-0208A	1	/P	Flange Bearing
13	721-0212	1		Oil Seal
15	756-0330A	1	/P/F	Fl-Pulley 5.06" I.D.
16	736-0270	1	/P/F	Bell-Wash. .265" I.D. x .75"
17	712-0351	1	S/F	Hex Nut 1/4-28 L.H. Thd.
18	738-0440	1	F	Shld. Spacer .375" Dia. x .170
19	736-0344	1	S/F	Fl-Wash. .390" I.D. x 1.0"
20	738-0826	1	S/F	Shld. Bolt .375" Dia. x .40"
21	756-0558	1	S/F	Fl-Idler Plastic 1.50" Dia.
22	741-0556	1	S/F	Needle Brg. .375" x .31"
23	736-0270	1	/P/F	Bell-Wash. .265" I.D. x .75"
24	17052A	1	/P/F	Idler Brk't. Ass'y.
25	712-0138	1	S/F	Hex Patch L-Nut 1/4-28 Thd.
26	732-0357A	1	S/F	Extension Spring 1.12" Lg. Code: N notates a new part (not previously existing).
27	717-0419A	1	S	Lower Hsg. Half
28	741-0415	1	S	Flange Bearing .56 Dia.
29	717-0422A	1	S	33 Tooth Helical Gear
30	741-0414	1		Flange Bearing .629 Dia.
31	721-0213	1	/P	Oil Seal .625 Dia.
32	738-0607A	1	S	Gear Sprocket Shaft
33	736-0722	1	S	L-Wash. #10 I.D.
34	710-0436	1	S	Hex B-Tap Scr. #10 x .62"
35	736-0410	1	S/F	Hex Washer .26" x .88"
36	17718	1	F	Transmission Belt Guard
37	17065A	1	S/F	Belt Cover
38	710-0352	1	/P/F	Hex B-Tap Scr. 1/4 x .38" Lg.
39	710-0599	1	/P/F	Hex AB-Tap Scr. 1/4 x .50" Lg.
40	710-0896	1	/P	Hex B-Tap Scr. 1/4 x .62" Lg.
41	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
42	736-0270	1	/P/F	Bell-Wash. .265" I.D. x .75"
43	736-0329	1	S/F	L-Wash. 1/4" I.D.
44	746-0710A	1	S/F	S.P. Cable - 48" Lg.
45	747-0549	1	F	S.P. Belt Guard
	717-0417B	1	S	Transmission Comp.