


190-492-000 (1997)  
42" Snow Blade



190-492-000 (1997)  
42" Snow Blade

Page 2 of 3

Ref #	Part Number	Qty	S/P/F	Description
1	23863	1		Blade 42"
2	23117	1		Wear Plate 42"
3	62980	1		Reinforcement Plate Ass'y.
4	43080	10		Bolt, Carriage 5/16-18 x 3/4"
5	43079	2		Bolt, Carriage 5/16-18 x 1"
6	43064	11		Nut, Hex Lock 5/16-18
7	43081	4		Washer, 5/16"
8	23070	2		Skid Shoe
9	17511	1	/P	Support Bracket (L.H.)
10	62970	1		Ass'y. Channel Sub
11	43262	1		Nut, Hex Lock 1/2-13
12	23131	1		Bolt, Special Pivot
13	43352	1		Washer, Flat 7/16"
14	23958	1		Plate, Pivot 7 Ga.
15	23130	1		Bracket, Spring Mt.
16	17512	1		Support Bracket (R.H.)
17	46066	1		Shaft Pivot
?18	43070	2		Washer 3/8" Std.
19	9466R	1		Spring, Blade Adjust
20	44071	1		Bolt, Hex 3/8-16 x 3-1/2"
21	43015	2	S	Nut, Hex 3/8-16
22	44074	1		Plastic Cap
23	746-0366	1	S	Control Cable Ass'y.
24	62561	1		Release Grip Ass'y.
25	43055	4		Pin, Hairpin Small 3/32"
26	46053	2		Spacer, .28 I.D. x 1"
27	63033	1		Lift Handle Rod Ass'y.
29	732-0153	1	/P	Extension Spring
30	24023	1		Pivot Support Bracket
38	46049	1		Rod, Blade Pivot
39	62972	1		Ass'y. Lift Handle Tube
42	23151	2		Angle Lock Bar
43	23856	1		Spring Mount Rod
44	44917	2		Palnut, 3/8"
45	43010	3	S	Cotter Pin 1/8" x 1-1/4"
46	43348	1		Angle Lock Spring
47	746-0260	2		Cable End Fitting
48	731-0869	1		Grip, Plastic
49	46198	1		Handle, Grip 3/4"
50	712-0256	4	/P	Hex Jam Nut 5/16 Thread
51	23658	1		Spacer
52	43085	1		Hex Bolt, 5/16-18 x 1-1/2"
53	43064	1		Hex Lock Nut 5/16-18 Thread
54	05762	1		Cable Mount Bracket
55	1509-90	1		Hex Bolt 1/4-20 x 1-1/4"
56	43013	3	S	Hex Lock Nut 1/4-20 Thread
57	710-0305	2	S	Carriage Bolt 3/8-16 x 1-1/4"
59	46065	1		Pivot Channel Shaft
60	63034	1		Lift Link Ass'y.
63	43001	4	S	Hex Bolt 3/8-16 x 1"
66	43015	10	S	Hex Nut 3/8-16 Thread
67	43003	10	S	Lock Washer 3/8"
68	726-0178	2	S	Plastic Tie

190-492-000 (1997)  
42" Snow Blade

---

Ref #	Part Number	Qty	S/P/F	Description
69	R19171616	1		Washer
71	46071	1		Bolt, Hex 1/4-20 x 3-1/4" Lg. (Gr. 5)
72	43349	1		1/4" x 1" Spring Pin