


190-990-000 (1997)

Page 1 of 6

45" Snow Thrower Attachment (Part 1)



190-990-000 (1997)

Page 2 of 6

## 45" Snow Thrower Attachment (Part 1)

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 714-0507    | 1   | S     | Cotter Pin                              |
| 2     | 736-0140    | 1   | S     | Fl-Wash. .39" I.D. x .62" O.D.          |
| 3     | 741-0475    | 1   | S     | Plastic Bushing                         |
| 4     | 736-0140    | 1   | S     | Fl-Wash. .385" I.D. x .62" O.D.         |
| 5     | 05982       | 1   |       | Chute Crank Ass'y.                      |
| 6     | 741-0471    | 1   | S     | Plastic Bushing                         |
| 7     | 720-0201A   | 1   | /P    | Knob (Black)                            |
| 8     | 726-0100    | 1   | S     | Push Nut 3/8" Rod                       |
| 9     | 750-0526    | 1   |       | Spacer .385 I.D. x .50" O.D.            |
| 10    | 749-0230B   | 1   |       | Chute Crank Support Tubing              |
| 11    | 747-0416A   | 1   | /P    | Eyebolt                                 |
| 12    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                    |
| 13    | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D.       |
| 14    | 711-0640    | 1   | S     | Stud 3/8-16 x 2.75" Lg.                 |
| 15    | 736-0105    | 1   | /P    | Bell-Wash. .40" I.D. x .88" O.D.        |
| 16    | 710-0191    | 1   | /P/F  | Hex Bolt 3/8-24 x 1.25" Lg.             |
| 17    | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D.       |
| 18    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                    |
| 19    | 712-0138    | 1   | S     | Hex Nut 1/4-28 Thd.                     |
| 20    | 736-0270    | 1   | /P    | Bell-Wash. .265" I.D. x .75" O.D.       |
| 21    | 784-5076    | 1   | S     | Gear Housing Support Brkt.              |
| 22    | 784-5036C   | 1   |       | 45" Snow Thrower Housing Ass'y.         |
| 23    | 736-0119    | 1   | S/F   | L-Wash. 5/16" I.D.                      |
| 24    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                    |
| 25    | 784-5038B   | 1   | S     | Slide Shoe                              |
| 26    | 736-0105    | 1   | /P    | Bell-Wash. .40" I.D. x .88" O.D.        |
| 27    | 712-0342    | 1   | /P    | Hex Jam Nut 3/8-16 Thd.                 |
| 28    | 710-0790    | 1   | S/F   | Carriage Bolt 3/8-16 x .62" Lg.         |
| 30    | 738-0679    | 1   |       | Blower Axle .875" Dia. x 14.75" Lg.     |
| 31    | 715-0118    | 1   | S     | Spring Pin Spir. 5/16" Dia. x 1.75" Lg. |
| 32    | 784-5145    | 1   | S     | Blower Fan Ass'y.                       |
| 33    | 716-0111    | 1   | /P    | Snap Ring for .875" Dia. Shaft          |
| 34    | 714-0135    | 1   | S     | #91 Woodr-Key 1/4 x 3/4" Dia. (HDN)     |
| 35    | 737-0175    | 1   |       | Vent Plug                               |
| 36    | 717-0297    | 1   | S     | Comp. Gear Hsg. Half - L.H.             |
| 37    | 736-0271    | 1   | S     | Spr-Wash. .32" I.D. x .62" O.D.         |
| 38    | 712-0429    | 1   | S     | Hex Ins. L-Nut 5/16-18 Thd.             |
| 39    | 714-0135    | 1   | S     | #91 Woodr-Key 1/4 x 3/4" Dia. (HDN)     |
| 40    | 05608       | 1   | S     | Spiral Ass'y. - R.H. (Not Shown)        |
|       | 05609       | 1   | S     | Spiral Ass'y. - L.H.                    |
| 41    | 712-0429    | 1   | S     | Hex Ins. L-Nut 5/16-18 Thd.             |
| 42    | 05136       | 1   |       | Plastic Bushing                         |
| 43    | 741-0192    | 1   |       | Flange Brg. w/Flats 1" I.D.             |
| 44    | 05845       | 1   | S     | Bearing Housing                         |
| 45    | 710-0198    | 1   | S     | Hex Sems Bolt 5/16-18 x .75" Lg.        |
| 46    | 736-0250    | 1   | /P    | Fl-Wash. 1.0" I.D. x 1.75" O.D.         |
| 47    | 738-0492    | 1   |       | Spiral Axle                             |
| 48    | 741-0182    | 1   |       | Flange Bearing 1.503" I.D.              |
| 49    | 710-0891    | 1   | /P    | Shear Bolt 5/16-18 x 1.75" Lg.          |
| 50    | 721-0146    | 1   | S     | Oil Seal 1.50" I.D.                     |
| 51    | 736-0266    | 1   | S     | Fl-Wash. 1.50" I.D. x 2.0" O.D.         |
| 52    | 738-0275    | 1   |       | Worm Gear Shaft                         |
| 53    | 717-0300    | 1   | S     | Double Threaded Worm Gear - L.H.        |

190-990-000 (1997)

Page 3 of 6


## 45" Snow Thrower Attachment (Part 1)

| Ref # | Part Number | Qty | S/P/F | Description                               |
|-------|-------------|-----|-------|-------------------------------------------|
| 54    | 741-0184    | 1   |       | Thrust Brg. .88" I.D. x 1.44" O.D.        |
| 55    | 736-0291    | 1   | S     | Fl-Wash. .88" I.D. x 1.4" O.D.            |
| 56    | 717-0299    | 1   | S     | Double Threaded Worm - L.H.               |
| 57    | 741-0217    | 1   | S     | Sleeve                                    |
| 58    | 717-0298    | 1   | S     | Complete Gear Hsg. Half - R.H.            |
| 59    | 710-0528    | 1   | /P/F  | Hex Bolt 5/16-18 x 1.25" Lg.              |
| 60    | 710-0376    | 1   | /P    | Hex Bolt 5/16-18 x 1.0" Lg. (Gr. 5)       |
| 61    | 710-0412    | 1   | /P    | Hex Bolt 1/4-28 x .75" Lg.                |
| 62    | 784-5075    | 1   |       | Gear Housing Support Plate                |
| 63    | 721-0144    | 1   | S     | Rubber Gasket                             |
| 64    | 721-0145    | 1   | S     | Oil Seal - .875" I.D.                     |
| 65    | 714-0126    | 1   | S     | #9 Hi-Pro Key 3/16 x 3/4" Dia. (HT)       |
| 66    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                      |
| 67    | 736-0119    | 1   | S/F   | L-Wash. 5/16" I.D.                        |
| 68    | 05598       | 1   | S     | Shave Plate                               |
| 69    | 710-0276    | 1   | /P/F  | Carriage Bolt 5/16-18 x 1.0" Lg.          |
| 70    | 710-0260    | 1   | S/F   | Carriage Bolt 5/16-18 x .62" Lg.          |
| 71    | 736-0119    | 1   | S/F   | L-Wash. 5/16" I.D.                        |
| 72    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                      |
| 73    | 05139       | 1   | S     | Guide Blade                               |
| 74    | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D.         |
| 75    | 710-0726    | 1   | /P    | Hex Wash. Hd. AB-Tap Scr. 5/16 x .75" Lg. |
| 76    | 784-5123    | 1   | S     | Chute Crank Brkt.                         |
| 77    | 710-0451    | 1   | /P/F  | Carriage Bolt 5/16-18 x .75" Lg.          |
| 78    | 712-0116    | 1   | S     | Hex Ins. L-Nut 3/8-24 Thd.                |
| 79    | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                         |
| 80    | 731-0851A   | 1   | /P    | Chute Flange Keeper                       |
| 81    | 712-0287    | 1   | S/F   | Hex Nut 1/4-20 Thd.                       |
| 82    | 731-0843B   | 1   | S     | Lower Chute Ass'y.                        |
| ?83   | 736-0179    | 1   | S     | Fl-Wash. .285" I.D. x 1.25" O.D.          |
| 84    | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D.         |
| 85    | 712-0158    | 1   | S     | Hex Cent. L-Nut 5/16-18 Thd.              |
| 86    | 09966       | 1   | S     | Knob Handle                               |
| 87    | 736-0242    | 1   | /P    | Bell-Wash. .345" I.D. x .88" O.D.         |
| 88    | 731-0846B   | 1   | S     | Upper Chute Ass'y.                        |
| 89    | 710-0276    | 1   | /P/F  | Carriage Bolt 5/16-18 x 1.0" Lg.          |
| 90    | 710-0260    | 1   | S/F   | Carriage Bolt 5/26-18 x .62" Lg.          |
| 91    | 710-0255    | 1   | S     | Truss Mach. Scr. 1/4-20 x .75"            |
| 92    | 715-0138    | 1   | S     | Roll Pin .12" Dia. x .63"                 |
| ?94   | 712-0107    | 1   | S     | Hex Cent. L-Nut 1/4-20 Thd.               |
| ?95   | 717-0871A   | 1   | S     | Worm Gear Box Ass'y. Comp.                |

190-990-000 (1997)

Page 4 of 6

45" Snow Thrower Attachment (Part 2)



190-990-000 (1997)

Page 5 of 6

## 45" Snow Thrower Attachment (Part 2)

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 1     | 714-0117    | 1   | /P    | Intern. Cotter Pin 3/4" Dia.            |
| 2     | 05613       | 1   | S     | Guide Bracket Ass'y.                    |
| 4     | 715-0113    | 1   |       | Spring Pin Spiral 5/16" Dia. x 2.5" Lg. |
| 5     | 736-0242    | 1   | /P    | Bell-Wash. .341" I.D. x .88" O.D.       |
| 6     | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                    |
| 7     | 717-0870    | 1   |       | Gear Box Ass'y. Comp.                   |
| 8     | 05607       | 1   |       | Gear Box Support Brkt.                  |
| 9     | 736-0242    | 1   | /P    | Bell-Wash. .341" I.D. x .88" O.D.       |
| 10    | 710-0118    | 1   | S/F   | Hex Bolt 5/26-18 x .75" Lg.             |
| 11    | 717-0366A   | 1   |       | N Universal Drive Shaft Ass'y.          |
| 12    | 710-0620    | 1   | /P/F  | Hex Bolt 3/8-24 x 4.5" Lg.              |
| 13    | 714-0147    | 1   |       | Hairpin Cotter                          |
| 14    | 736-0156    | 1   | /P    | FI-Wash. .62" I.D. x 1.12" O.D.         |
| 15    | 05670       | 1   |       | Lift Shaft Ass'y.                       |
| 16    | 712-0116    | 1   | S     | Hex Ins. Jam L-Nut 3/8-24 Thd.          |
| 17    | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                       |
| 18    | 710-0629    | 1   | F     | Hex Bolt 3/8-24 x 2.75" Lg.             |
| ?19   | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                       |
| ?20   | 712-0116    | 1   | S     | Hex Ins. Jam L-Nut 3/8-24 Thd.          |
| 22    | 736-0246    | 1   | /P    | FI-Wash. 1.31" I.D. x 2.0" O.D. x .060  |
| 23    |             | 1   |       | UNKNOWN                                 |
| 24    | 716-0116    | 1   | /P    | Snap Ring for 1/25" Dia. Shaft          |
| 25    | 738-0677    | 1   |       | Gear Shaft 1.25" Dia. x 6.0" Lg.        |
| 26    | 717-0362    | 1   | S     | 28 Teeth Spur Gear                      |
| ?27   | 736-0246    | 1   | /P    | FI-Wash. 1.31" I.D. x 2.0" O.D. x .060" |
| 28    | 748-0194    | 1   | /P    | Flange Brg. 1.25" I.D. x 1.75" O.D.     |
| 29    | 721-0117    | 1   | S     | Oil Seal 1.25" I.D. x 1.75" O.D. x .26" |
| 30    | 710-0281    | 1   | /P    | Hex Bolt 1/4-28 x .88" Lg.              |
| 31    | 736-0247    | 1   | /P    | FI-Wash. .40" I.D. x 1.25" O.D. x .160" |
| 32    | 710-0591    | 1   | /P    | Hex L-Scr. 3/8-24 x 1.0" Lg.            |
| 33    | 717-0359    | 1   |       | Compl. Gear Hsg. Half - L.H.            |
| 34    | 721-0158    | 1   |       | Gasket                                  |
| 35    | 741-0131    | 1   | S     | Ball Brg. 1.0" I.D. x 2.0" O.D.         |
| 36    | 736-0259    | 1   | S     | FI-Wash. 1.03" I.D. x 1.63" x .090"     |
| 37    | 717-0361    | 1   |       | 15 Teeth Spur Gear                      |
| 38    | 738-0361A   | 1   |       | Input Shaft                             |
| 39    | 714-0135    | 1   | S     | Woodruff Key 1/4" x 3/4" Dia.           |
| ?40   | 741-0131    | 1   | S     | Ball Brg. 1.0" I.D. x 2.0" O.D.         |
| ?41   | 748-0194    | 1   | /P    | Flange Brg. 1.25" I.D. x 1.75" O.D.     |
| 42    | 717-0360    | 1   |       | Compl. Gear Hsg. Half - R.H.            |
| ?43   | 721-0117    | 1   | S     | Oil Seal 1.25" I.D. x 1.75" O.D. x .26" |
| 44    | 716-0118    | 1   |       | Snap Ring for 1.0" Dia. Shaft           |
| 45    | 736-0175    | 1   | S     | Spring Wash. 1/4" I.D.                  |
| 46    | 712-0138    | 1   | S     | Hex Nut 1/4-28 Thd.                     |
| ?47   | 736-0156    | 1   | /P    | FI-Wash. .62" I.D. x 1.12" O.D.         |
| ?48   | 714-0147    | 1   |       | Hairpin Cotter                          |
| 49    | 13780       | 1   |       | Lift Bar                                |
| 50    | 750-0444    | 1   |       | Spacer                                  |
| 51    | 736-0156    | 1   | /P    | FI-Wash. .62" I.D. x 1.12" O.D.         |
| ?52   | 714-0147    | 1   |       | Hairpin Cotter                          |
| 53    | 710-0763    | 1   | S     | Hex Bolt 5/8-18 x 4.0" Lg.              |
| 54    | 712-0267    | 1   | S/F   | Hex Nut 5/16-18 Thd.                    |
| 55    | 736-0119    | 1   | S/F   | L-Wash. 5/16" I.D.                      |

190-990-000 (1997)

Page 6 of 6

45" Snow Thrower Attachment (Part 2)

| Ref # | Part Number | Qty | S/P/F | Description                             |
|-------|-------------|-----|-------|-----------------------------------------|
| 56    | 13781       | 1   |       | Lift Bar Cam                            |
| ?57   | 712-0116    | 1   | S     | Hex Ins. L-Nut 3/8-24 Thd.              |
| ?58   | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                       |
| ?59   | 710-0629    | 1   |       | Hex Bolt 3/8-24 x 2.75"                 |
| ?60   | 710-0376    | 1   | /P/F  | Hex Bolt 5/16-18 x 1.0" Lg.             |
| 61    | 05611       | 1   | S     | Lift Bracket                            |
| 62    | 710-0369    | 1   | /P    | Hex Bolt 3/8-24 x 2.5" Lg.              |
| 64    | 736-0258    | 1   | /P    | Fl-Wash. .375" I.D. x 1.0" O.D. x .135" |
| 65    | 750-0497    | 1   |       | Spacer .275" I.D. x .625" O.D. x .440"  |
| 66    | 736-0156    | 1   | /P    | Fl-Wash. .62" I.D. x 1.12" O.D.         |
| ?67   | 712-0221    | 1   |       | Hex Jam L-Nut 5/8-18 Thd.               |
| 68    | 13789       | 1   |       | Cross Shaft Ass'y.                      |
| 69    | 712-0206    | 1   | S/F   | Hex Nut 1/2-13 Thd.                     |
| 70    | 736-0921    | 1   | S/F   | L-Wash. 1/2" I.D.                       |
| 71    | 710-0474    | 1   | /P    | Hex Bolt 1/2-13 x 1.25"                 |
| 72    | 750-0462    | 1   |       | Bushing                                 |
| 73    | 736-0158    | 1   | S/F   | L-Wash. 5/8" I.D.                       |
| 74    | 712-0318    | 1   | /P    | Hex Jam Nut 5/8-18 Thd.                 |
| 75    | 05646       | 1   | S     | Tongue Ass'y.                           |
| 76    | 736-0169    | 1   | S/F   | L-Wash. 3/8" I.D.                       |
| 77    | 712-0241    | 1   | /P/F  | Hex Nut 3/8-24 Thd.                     |
| 78    | 784-5093A   | 1   |       | N Drive Shaft Cover                     |
| 79    | 746-0146    | 1   |       | Grease Fitting                          |