




14A-992-190 GT-2055 (1999)
Drive

Page 2 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	735-0189	1		Foot Pad
2	13080	1		Foot Pedal Brkt. Ass'y. - R.H.
3	715-0114	1	S/F	Spring Pin Spiral 1/4" Dia. x 1.50" Lg.
4	720-0166	1	/P	Ball Knob - Brake
5	747-0283	1		Brake Rod
6	736-0101	1	S	Fl-Wash. .375" I.D. x 1.00" O.D. x .030"
7	711-0198	1	S	Ferrule
8	13548A	1		Brake Transfer Shaft Ass'y.
9	13523	1		Parking Brake Cam
10	720-0223	1		Grip
11	13787	1		Control Arm Ass'y. Comp.
12	738-0186	1		Shld. Bolt .62" Dia. x 2.75" Lg.
13	736-0187	1	/P	Fl-Wash. .460" I.D. x 1.24" O.D. x .06"
14	712-0222	1		Push Speed Nut for .625" Dia. Shaft
15	738-0402	1		Brake Pivot Shaft
16	715-0114	1	S/F	Spring Pin Spiral 1/4" Dia. x 1.50" Lg.
17	741-0225	1	S	Hex Flange Brg. Plastic .62" I.D.
18	13505B	1		Brake Lever Ass'y.
19	750-0181	1		Spacer
20	683-0020	1		Control Handle Shaft Ass'y.
21	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
22	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
23	736-0169	1	S/F	L-Wash. 3/8" I.D.
24	748-0270	1		Spacer
25	738-0138	1	S	Shoulder Bolt
26	736-0406	1	S	Fl-Wash. 7/16" I.D. x 1-3/8" O.D.
27	723-0351	1	S	Ball Joint Ass'y. 3/8-24 Thd. - L.H.
28	750-0915	1		Spacer
29	736-0362	1	/P	Fl-Wash. .325" I.D. x 1.25" O.D.
31	747-0365	1	S	Tie Rod
32	710-0216	1	/P/F	Hex Bolt 3/8-16 x .75" Lg.
34	13562	1		Support Channel
35	710-3008	1	/P/F	Hex Bolt 5/16-18 x .75" Lg.
36	738-0296	1	S	Shld. Bolt .437" Dia. x .268"
37	13555	1		Cam Plate
38	13557	1		Slide Mtg. Plate Ass'y.
39	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
40	712-0206	1	S/F	Hex Nut 1/2-13 Thd.
41	736-0921	1	S/F	L-Wash. 1/2" I.D.
42	736-0300	1	S	Fl-Wash. .385" I.D. x .87" O.D. x .060"
43	710-0492	1		Socket Hd. Scr. 3/8-16 x 2.75" Lg.
44	716-0123	1		Snap Ring
45	714-0131	1		#5 Hi-Pro Key 1/8" x 5/8" Dia.
46	712-0107	1	S	Hex Cent. L-Nut 1/4-20 Thd.
47	13559	1		Pintle Plate Ass'y.
48	736-0142	1	S	Fl-Wash. .281" I.D. x .50" O.D. x .063"
49	741-0154	1		Needle Brg. .31" I.D. x .50" O.D.
50	710-0491	1	/P	Shld. Bolt .31" Dia. x .500
51	13556A	1	/P	Neutral Control Slide
52	747-0873	1		Neutral Control Rod
53	736-0264	1	S	Fl-Wash. .312" I.D. x .630" O.D.
54	714-0104	1	S	Hairpin Cotter
55	13702	1		Brake Link Rod Ass'y.

14A-992-190 GT-2055 (1999)
Drive

Page 3 of 26

Ref #	Part Number	Qty	S/P/F	Description
56	647-0012	1		Universal Drive Shaft Comp.
57	747-0282	1		Parking Brake Link
58	731-0317	1	S	Fan Ass'y.
59	714-0388	1	S	#61 Hi-Pro Key 3/16 x 5/8" Dia.
60	HU-24-13772	1	S	Lining - Brake
61	HU-24-13772	1	S	Lining - Brake
62	HU-39-13774	1		Actuator Pin
63	HU-39-14232	1		Housing with Lever and Pin
64	HU-20-9764	1		Washer
65	HU-37-13818	1	S	Nut
66	HU-39-13775	1	S	Adjustment Pin
67	732-0260	1	S	Extension Spring .50" O.D. x 6.5" Lg.
68	732-0429A	1	S	Extension Spring (Brake Return)
69	761-0170	1		Disc Brake Ass'y. Comp.
70	761-0142	1	/P	Brake Disc Ass'y.
71	714-0137	1	/P	Hi-Pro Key 3/16 x 3/4" Dia.
72	751-0239	1		Dipstick Tube Ass'y.
73	751-0240	1	S	Dipstick Ass'y.
74	736-0119	1	S/F	L-Wash. 5/16" I.D.
75	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
76	714-0115	1	S/F	Cotter Pin 1/8" Dia. x 1.00" Lg.
77	736-0162	1	/P	Fl-Wash. .635" I.D. x 1.00" O.D.
78	710-1122	1	/P/F	Hex Scr. 1/4-20 x 2.50" Lg.
79	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
80	736-0329	1	S/F	L-Wash. 1/4" I.D.
81	710-3005	1	/P/F	Hex Scr. 3/8-16 x 1.25" Lg.
82	HU-25-13808	1	S	Backing Plate
84	737-0280	1	S	Grease Fitting
85	712-0240	1	S/F	Hex Nut 7/16-20 Thd.
86	736-0171	1	S/F	L-Wash. 7/16" I.D.
87	732-0121	1	S	Extension Spring
89	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
90	710-0106	1	/P/F	Hex Bolt 1/4-20 x 1.25" Lg.
91	736-0329	1	S/F	L-Wash. 1/4" I.D.
92	736-0101	1	S	Fl-Wash.
93	736-0247	1	/P	Fl-Wash. .38" I.D. x 1.25" O.D.
94	736-0242	1	/P	Bell-Wash.
95	710-0351	1	/P	Truss Mach. Scr. #10 x .5" Lg.
96	725-1657A	1	S	Safety Switch
97	723-0156	1	S	Ball Joint Ass'y. 3/8-24 Thd. - R.H.
98	736-3081	1		Fl-Wash. .32" I.D. x .6" O.D.
99	710-0666	1		Set Screw 5/16-18 x .38" Lg.
100	736-0436	1	S	Thrust Washer
101	750-0985	1		Flange Brg. .75" Dia.



14A-992-190 GT-2055 (1999)
Engine Accessories & PTO Drive

Page 5 of 26

Ref #	Part Number	Qty	S/P/F	Description
1		1		Engine
3	710-0642	1	/P	Hex Washer Self-Tap Scr .1/4-20 x .75"
4	13590	1		Belt Guard
5	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
6	736-0169	1	S/F	L-Wash. 3/8" I.D.
7	710-0601	1	S	Hex Washer Self-Tap Scr. 5/16-18 x .75"
8	13554	1		PTO Support Brkt.
9	714-0101	1	S	Hairpin Cotter 1/2" Dia.
10	736-0133	1	S	FI-Wash. .38" I.D. x 1.25" O.D. x .100"
11	783-0112	1		Engine Spacer Bar
12	783-0107	1		Engine Heat Shroud
13	783-0111	1		Heat Baffle - Lower
14	751-0565	1		Crankshaft Ext.
15	13550	1	S	PTO Idler Ass'y.
16	711-0598	1		Idler Adapter
17	750-0782	1		Pulley Spacer
18	756-0601	1		Engine PTO - Pulley
19	736-0169	1	S	L-Wash. 3/8" I.D.
20	710-0696	1	/P	Hex Bolt 3/8-24 x .88" Lg.
21	736-3053	1		FI-Wash. 3/8" I.D. x 1.5" O.D.
22	710-0859	1	/P/F	Hex Bolt 3/8-16 x 2.50" Lg.
23	711-0306	1	/P	Flat Idler Pulley
24	756-0309	1		1/2" V-Pulley 7.00" O.D. (PTO)
25	716-0127	1	/P	Snap Ring
26	754-0234	1	S	"V"-Belt (PTO)
27	651-0004	1		Engine Screen
28	710-3209	1		Hex Bolt M6-1.0 x 10 MM Lg.
29	750-0374	1		Spacer .375" I.D. x .62" O.D. x 1.830"
30	710-0224	1	S	Hex "B" Tap Scr. #10 x .50"
31	13546	1	S	PTO Cup
32	13542	1	S	PTO Belt Guard Ass'y.
33	710-1260	1	S	Hex Wash. TT-Tap Scr. 5/16-18 x .75
34	714-0154	1		#91 Hi-Pro Key
35	710-0528	1	/P	Hex Bolt 5/16-18 x 1.25" Lg.
36	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
37	710-0607	1	/P	Hex Wash. Hd. Tap Scr.
38	736-0119	1	S/F	L-Wash. 5/16" I.D.
39	13553	1		PTO Brg. Retainer Brkt.
40	741-0242	1	/P	1.00" Dia. Brg. w/Flangette
41	716-0127	1	/P	Snap Ring
42	710-0451	1	/P/F	Carr. Bolt 5/16-18 x .75" Lg.
43	738-0395	1		Spline Shaft
44	732-0262	1	S	Extension Spring (PTO Clutch)
45	710-0514	1	/P/F	Hex Scr. 3/8-16 x 1.00" Lg.
50	710-1035	1	/P	Hex L-Wash. TT-Tap Scr. 3/8-16 Thd.
51	746-0341	1	S	PTO Control Cable
52	710-0599	1	/P	Hex Washer TT-Tap Scr. 1/4-20 x .5"
53	747-0211	1		PTO Handle
54	720-0232	1	S	Shift Knob
55	13587	1		PTO Actuator Lever Ass'y.
59	647-0012	1		Universal Drive Shaft Comp.
61	736-0142	1	S	FI-Wash. .281" I.D. x .5" O.D.
64	710-0666	1		Set Scr. 5/16-18 x .38" Lg.


14A-992-190 GT-2055 (1999)
Engine Accessories & PTO Drive

Page 6 of 26

Ref #	Part Number	Qty	S/P/F	Description
65	714-0114	1	S	Sq. Key 1/4" x 2.00" Lg.
74	731-0466	1		Spring Cover Tubing (PTO Clutch)
77	725-1426	1	S	Solenoid
79	725-1382	1	/P	Circuit Breaker
80	710-0351	1	/P	Truss Mach. Scr. #10 x .50" Lg.
81	725-1657A	1	S	Safety Switch (PTO)
83	741-0303	1	/P	Ball Bearing
85	736-0331	1	/P	Bell-Wash. .39" I.D. x 1.13"
86	710-0344	1	/P/F	Hex Bolt 3/8-16 x 1.5" Lg.
87	712-3000	1	S	Hex Cent. L-Nut 3/8-16 Thd.
89	736-0289	1	S	Shoulder Spacer
90	736-0362	1	/P	Fl-Wash. .33" I.D. x 1.25" O.D.
91	747-0874	1		PTO Brake Rod
92	732-0339	1	S	Extension Spring 2.15" Lg.
93	13550	1	S	PTO Idler Arm Ass'y.
94	17116	1	S	Brake Ass'y.
95	683-0013	1		PTO Brg. Retainer Brkt. Ass'y.
96	737-0164	1	S	Pipe Nipple 3/8" x 5" Lg.
97	737-0143	1	S	Oil Drain Cap
99	710-0157	1	/P	Hex Bolt 5/16-24 x .75" Lg.
100	712-0123	1	/P	Hex Nut 5/16-24 Thd.
101	736-0171	1	S	L-Wash. 7/16" I.D.
102	710-3030	1		Hex Bolt 7/16-14 x .75" Lg.
103	783-0237	1		Heat Shield

14A-992-190 GT-2055 (1999)
Hitch, Three Point

Page 7 of 26




14A-992-190 GT-2055 (1999)
Hitch, Three Point

Page 8 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	712-0290	1	/P	Hex Cent. L-Nut 7/16-14 Thd.
2	13130A	1	S	Draft Bar Ass'y. - L.H.
3	13138	1		Clevis Screw Ass'y.
4	711-0649	1		Clevis Pin
5	714-0147	1		Hitch Pin Clip
6	713-0148	1		Chain - 20 Links
7	714-0470	1	S/F	Cotter Pin 1/8" Dia. x 1.25" Lg.
8	13709	1	S	Push Bar Ass'y.
9	710-0216	1	/P/F	Hex Scr. 3/8-16 x .75" Lg.
10	714-0117	1	/P	Hairpin Cotter
11	13026	1	S	Hitch Brkt.
12	711-0654	1	/P	Clevis Pin
13	710-0216	1	/P/F	Hex Scr. 3/8-16 x .75" Lg.
14	736-0217	1	S/F	L-Wash. 3/8" Scr. - H.D.
15	13135	1	S	Rear Lift Shaft Ass'y.
16	13196	1	S	Hitch Plate Ass'y.
17	712-0923	1	/P	Hex Cent. L-Nut 5/8-18 Thd.
18	711-0497	1		Link Clevis Pin
19	13129A	1	S	Draft Bar Ass'y. - R.H.
20	711-0225	1	/P	Clevis Pin .63" Dia. x 1.66" Lg.
21	711-0639	1		Hitch Chain Hook
22	711-0299	1	/P	Clevis Pin .63" Dia. x 2.4" Lg.
23	711-0636	1		Clevis Screw
24	749-0238	1	S	Clevis Tubing
25	711-0299	1	/P	Clevis Pin .63" Dia. x 2.4" Lg.
26	736-0217	1	S	L-Wash. 3/8" Scr. - H.D.

14A-992-190 GT-2055 (1999)
Hood And Fender Assembly

Page 9 of 26



14A-992-190 GT-2055 (1999)
Hood And Fender Assembly

Page 10 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	757-0370A	1	S	Seat Ass'y.
2	736-0722	1	S	L-Wash. .190" I.D.
3	710-0192	1	/P	Truss Hd. Mach. Scr. #10-24 x .38"
5	710-1260	1	S	Hex Wash. Hd. Tap Scr. 5/16-18 x .75"
6	783-0607A	1	S	Seat Pivot Bracket
7	736-0119	1	S/F	L-Wash. 5/16" I.D.
8	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
9	710-0227	1	/P	Hex Wash. Hd. AB-Tap Scr. #8 x.5" Lg.
10	726-0279	1		Insulator Plate
11	726-0278	1		Insulator Boss Plate
12	710-3008	1	/P/F	Hex Bolt 5/16-18 x .75" Lg.
13	710-0697	1	/P	Self-Tap Oval Hd. Scr. 1/2" Lg.
14	731-0384	1		Dash Panel Cover
15	13472A	1		Hood Ass'y.
16	747-0231	1		Hinge Rod
17	13581	1		Hood Hinge Ass'y.
18	736-0270	1	/P/F	Bell-Wash. 1/4" I.D.
19	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
20	783-0140	1	/P	Fender w/Taillight Hole
21	710-0841	1	/P	FI-C-Sunk Hd. Tap Scr.
22	746-0915	1		Throttle Control
23	725-3141	1	S	Ammeter
24	735-0199A	1	S	Rubber Bumper
25	746-0914	1		Choke Control
26	725-0646	1	S	Light Switch
27	731-1903	1		Dash Panel
28	710-0751	1	/P/F	Hex Bolt 1/4-20 x .62" Lg.
29	13689	1		Hood Support Brkt. Ass'y. - R.H.
30	736-0159	1	S	FI-Wash. .344" I.D. x .875"
31	722-0160	1		Bushing
32	13585	1		Hinge Rod Support
33	736-0211	1	S	FI-Wash. .250" I.D. x 1.25" O.D.
34	725-1303	1	S	Safety Switch (Seat)
35	725-1439	1		Safety Switch (Seat)
36	710-0294	1	F	Hex Bolt 1/4-20 x .38" Lg.
37	17950	1	S	Seat Pivot Support Brkt. - R.H.
38	13690	1		Hood Support Brkt. Ass'y. - L.H.
39	13687	1		Head Lamp Retainer
40	722-0136	1		Foam Strip
41	13724	1		Heat Shield Brkt.
42	731-0465	1		Head Lamp Bezel
43	710-0425	1	/P	Truss Mach. Scr. #10-24 x .50" Lg.
44	725-0222	1	S	Head Lamp
45	13730	1		Grille Screen
46	732-3075	1		Compression Spring 4.5" Lg.
47	783-0101	1		Grille
48	783-0110	1		Heat Shield
49	17951	1	S	Seat Pivot Support Brkt. - L.H.
50	710-0286	1	/P/F	Truss Mach. Scr. 1/4-20 x .75" Lg.
51	13725A	1		Grille Strap
52	725-1396	1	S	Ignition Switch
53	725-0201	1	S	Ignition Key
54	738-0155	1	S	Shld. Bolt .437" Dia. x .162"

14A-992-190 GT-2055 (1999)
Hood And Fender Assembly

Page 11 of 26

Ref #	Part Number	Qty	S/P/F	Description
55	17239B	1		Seat Lift Bracket
56	710-0252	1	/P/F	Hex Bolt 1/4-20 x .75" Lg.
57	732-0581B	1	S	Extension Spring 5.31" Lg.
58	731-1989	1		Seat Spacer
59	732-0391	1		Hood Spring
60	736-0722	1	S	L-Wash. #10
61	712-0121	1	S	Hex Nut #10-24 Thd.
62	13528	1	S	Speed Control Guide
63	710-0255	1	S/F	Truss Mach. Scr. 1/4-20 x .75" Lg.
64	13509E	1		Frame Ass'y.
65	736-0242	1	/P	Bell-Wash. 5/16" I.D.
66	736-0141	1	S	Spr. Wash. .445" I.D. x .75"
67	738-0296	1	S	Shld. Bolt .437" Dia. x .268"
69	710-0473	1	/P	Truss Mach. Scr. #10-24 x .5" Lg.
70	783-0108A	1		Side Panel - R.H.
	783-0109A	1	/P	Side Panel - L.H. (Not Shown)
71	683-0074	1		Foot Step Panel Ass'y. - R.H.
	683-0073	1		Foot Step Panel Ass'y. - L.H. (Not Shown)
72	710-0514	1	/P	Hex Bolt 3/8-16 x 1.00" Lg. Grade 5
73	736-0117	1	S	Fl-Wash. .385" I.D. x .62" O.D.
74	710-0521	1	/P/F	Hex Bolt 3/8-16 x 3.00" Lg.
75	710-0514	1	/P	Hex Bolt 3/8-16 x 1.00" Lg. Grade 5
76	723-3045	1		Snap Bushing
78	736-0169	1	S/F	L-Wash. 3/8" I.D.
79	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
80	750-0261	1		Spacer .375" I.D. x .62" O.D. x 2." Lg.
81	736-0300	1	S	Fl-Wash. .406" I.D. x .875" O.D.
82	710-1007	1	/P	Shoulder Screw 3/8-16 x 5" Lg.
83	738-0137A	1	S	Shld. Bolt 1/4-20 Thd.
84	13066	1		Transaxle Support Brkt.
85	710-0617	1		Rd. Hd. Rib Neck Scr. 3/8-24
86	736-0217	1	S/F	L-Wash. 3/8" I.D.
87	712-0328	1		Hex Nut 3/8-24 Thd. (Gr. 5)
88	710-0167	1	/P/F	Carr. Bolt 1/4-20 x .50" Lg.
89	732-0499	1		Compression Spring
90	731-0405	1		Snap Bushing
91	710-0599	1	/P	Hex Wash. Hd. Tap Scr. 1/4-20 x .5"
92	13529	1		Transmission Cover
93	720-0309A	1	/P	Grip
94	783-0611	1		Seat Stop
95	783-0609	1		Seat Lever
96	712-3027	1	S	Lock Nut 1/4-20 Thd.
97	13536	1		Dash Panel Mtg. Brkt. - R.H.
98	736-0175	1	S	Spr. Wash. .265" I.D. x .562" O.D.
99	736-0726	1		FL. Wash. .344" I.D. x .62" O.D.
100	731-0511-84	1		Trim Strip 84" Lg.
101	783-0113	1		Dust Shield
102	710-0502A	1	/P	Hex L-Wash. TT-Tap Scr. 3/8-16 Thd.
103	712-0147	1	/P	Speed Nut #10-24 Thd.
104	683-0023	1		Dash Panel Mtg. Brkt. - L.H.
105	710-0473	1	/P	Truss Mach. Scr. #10-24 x .5" Lg.
106	726-0272	1	/P	Clamp
107	710-0607	1	/P	Self-Tap Scr. 5/16 x .5" Lg.


14A-992-190 GT-2055 (1999)
Hood And Fender Assembly

Page 12 of 26

Ref #	Part Number	Qty	S/P/F	Description
108	712-3010	1	S	Hex Nut 5/16-18 Thd. (Gr. 5)
109	783-0753	1		Seat Selector
110	710-1268	1	/P	Hex B-Tapp Scr. #10-16 x .38" Lg.

14A-992-190 GT-2055 (1999)
Hydrostatic Pump

Page 13 of 26




14A-992-190 GT-2055 (1999)
Hydrostatic Pump

Page 14 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	ET-990045-000	1	/P	Charge Pump Kit
2	ET-092999-000	1	S	Oil Seal
3	ET-008771-036	1		Square Cut Seal Ring .036
4	ET-008771-038	1		Square Cut Seal Ring .038
5	ET-095912-125	1		Socket Head Cap Screw 5/16-18 x 1.25" Long
6	ET-990114-000	1		Cover Subassembly
7	ET-101597-000	1		Button
8	ET-090880-000	1		Drive Pin
9	ET-024129-000	1	/P	Input Shaft Subassembly
10	ET-008771-166	1	/P	Square Cut Seal Ring .166
11	ET-101470-000	1		Pump Rotor - Subassembly
12	ET-101904-000	1		Cam Ring Subassembly
13	ET-101571-000	1		Pintle Subassembly
14	ET-097841-000	1		Cam Ring Insert
15	ET-990136-000	1		Control Shaft Kit
16	ET-101853-000	1		Motor Rotor - Ball Subassembly
17	ET-024608-000	1		Output Shaft Subassembly
18	ET-040525-000	1		Motor Race
19	ET-025090-006	1		"O"-Ring Plug Subassembly
20	ET-097879-000	1		Ball Bearing (Output)
21	ET-091231-000	1		Retaining Ring
22	ET-102583-000	1		Body Subassembly
	ET-001100-006	1		Transmission Comp. (P/N 717-0344)
	717-0344	1	S	Hydrostatic Pump

14A-992-190 GT-2055 (1999)
Lift Assembly & Fuel Tank

Page 15 of 26



14A-992-190 GT-2055 (1999)
Lift Assembly & Fuel Tank

Page 16 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	710-0237	1	/P/F	Hex Bolt 1/4-20 x .75" Lg.
2	13524	1	S	Hi-Lo Speed Control Brkt.
3	711-0684	1		Clevis Pin 1/4" Dia.
4	717-0344	1	S	Hydrostatic Pump Comp.
5	13532	1		Hi-Lo Control Handle Ass'y.
6	720-0232	1	S	Shift Knob
7	13531	1		Cylinder Control Handle Ass'y.
8	710-0105	1	F	Truss Mach. Scr. 1/4-20 x 3.00" Lg.
9	13534	1		Valve Base Plate
10	736-0119	1	S/F	L-Wash. 5/16" I.D.
11	712-0267	1	S/F	Hex Nut 5/16-18 Thd.
12	727-0200	1	S	Valve Ass'y. Comp.
13	736-0329	1	S/F	L-Wash. 1/4" I.D.
14	712-0287	1	S/F	Hex Nut 1/4-20 Thd.
15	714-0101	1	S	Hairpin Cotter 1/2" Dia.
16	711-0140	1	S	Clevis Pin 1/2" Dia.
17	683-0031	1		Adj. Deck Link
?18	736-0156	1	/P	FI-Wash. .62" I.D. x 1.12"
19	714-0147	1		Hairpin Cotter
20	738-0148	1	S	Shld. Bolt .498" Dia. x .66"
21	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
22	736-0217	1	S	L-Wash. 3/8" I.D. - H.D.
23	736-0258	1	/P	FI-Wash. .38" I.D. x 1.00"
24	13151	1	S	Lift Arm
25	748-0241	1		Shld. Spacer .385" I.D.
26	13729	1		Cross Shaft Ass'y. - Front
27	13139	1	S	Lift Arm Link
28	13728	1		Cross Shaft Ass'y. - Rear
29	710-0490	1	F	Hex Bolt 1/2-13 x 2.75"
30	711-0146	1		Collar .50" I.D. x 1.0"
31	13545	1	S	Index Brkt.
32	711-0242	1	S	Spacer .38" I.D. x 1.0" O.D.
33	711-0173	1	/P	Clevis Pin 3/8" Dia.
34	710-0459	1	S	Hex Bolt 3/8-24 x 1.50" Lg.
35	13570	1	S	Deck Link
36	13572	1		Rear Wheel Hub Ass'y.
37	13574A	1	S	Hub Plate
39	736-0364	1	S	L-Wash. 3/4" I.D.
40	712-0288	1	S	Hex Ins. L-Nut 3/4-16 Thd.
41	710-0470	1	S	Wheel Lug Bolt
42	734-0935	1		Rear Wheel Rim Only
43	734-0934	1		Rear Wheel Ass'y. Comp. 27 x 9.50
	734-0397	1		Tire Only 27 x 9.50
	734-0936	1		Air Valve
44	727-0159	1		Hydraulic Cylinder
45	727-0220	1		7/8-14 UNF-2A Thd. 5/8 Tube Fitting
46	727-0219	1		Valve to Cylinder Hose - 20"
47	710-0216	1	/P	Hex Bolt 3/8-16 x .75" Lg. - Grade 5
48	727-0222	1		Bushing Reducer
49	726-0178	1	S	Cable Tie
50	712-0922	1	/P	Hex Jam Nut 1/2-20 Thd.
51	736-0179	1	S	FI-Wash. .50" I.D. x 1.25
52	727-0217	1		Filter Return Hose 24" Lg.

14A-992-190 GT-2055 (1999)
Lift Assembly & Fuel Tank

Page 17 of 26

Ref #	Part Number	Qty	S/P/F	Description
53	749-0309	1		Pump Tube Ass'y.
54	13026	1	S	Hitch Brkt.
55	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
56	714-0114	1	S	Sq. Key 1/4" x 1/4" x 2"
57	714-0104	1	S	Hairpin Cotter 1/4" Dia.
58		1		Peerless Transaxle (See "Transaxle" illustration and parts list.
59	710-0528	1	/P	Hex Bolt 5/16-18 x 1.25"
60	727-0167	1		Pump to Valve Hose
61	727-0162	1		Fram Filter Ass'y. PH-16
62	727-0163	1		Filter Base
63	727-0218	1		Valve to Filter Hose - 8.38"
64	715-0129	1		Spring Pin Spiral 1/8" Dia.
65	727-0187	1		Flare Adapter
66	714-0115	1	S/F	Cotter Pin 1/8" Dia. x 1.0"
67	750-0417	1		Spacer
68	727-0175	1		Adapter 9/16-18 to 9/16-18
69	714-0145	1	S	Hairpin Cotter
70	13530	1		Transmission Brace
71	13135	1	S	Rear Lift Shaft Ass'y.
72	711-0654	1	/P	Clevis Pin
73	710-0514	1	/P	Hex Scr. 3/8-16 x 1.00" Lg. Grade 5
74	714-0470	1	S/F	Cotter Pin 1/8" Dia. x 1.25"
75	13709	1	S	Push Bar Ass'y.
76	13535	1		Position Indicator
77	13501	1		Lift Shaft Ass'y.
78	710-0649	1		Hex Self-Tap Scr. 3/8-24 x .88" Lg.
79	712-0239	1	S	Hex Cent. L-Nut 1/2-20 Thd.
80	710-0504	1	F	Hex Scr. 1/2-20 x 1.25" Lg.
81	731-1683	1		Battery Cover
82	712-3087	1	/P	Wing Nut 1/4-20 Thd.
83	711-0222A	1	S	Battery Hold Down Rods
84	751-0226	1	S	Gas Tank Cap
85	751-0238A	1		Gas Tank Ass'y.
88	726-0205	1	/P	Gas Line Clamp 1/2"
89	751-0535	1		Gas Line 20" Lg.
92	710-0459	1	S/F	Hex Scr. 3/8-24 x 1.50" Lg.
93	736-0169	1	S/F	L-Wash. 3/8" Scr.
94	750-0336	1	S	Push Bar Sleeve
95	710-0514	1	/P	Hex Scr. 3/8-16 x 1.00" Lg.
96	710-3008	1	/P/F	Hex Scr. 5/16-18 x .75" Lg.
97	736-0921	1	S/F	L-Wash. 1/2" Scr.
98	710-3032	1	/P/F	Hex Scr. 1/2-13 x 1.25" Lg.
99	710-0515	1		Hex Scr. 1/2-20 x 3 1/2" Lg. - Grade
100	750-0443	1		Spacer for Cylinder
101	710-0347	1	/P/F	Hex Scr. 3/8-16 x 1.75" Lg.
102	711-0497	1		Link Clevis Pin
103	13196	1	S	Hitch Plate Ass'y.
104	712-0923	1	/P	Hex Cent. L-Nut 5/8-18 Thd.
105	712-0206	1	S	Hex Nut 1/2-13 Thd.
106	711-0817	1	S	Eye Bolt
107	726-0288	1		Tie Strap


14A-992-190 GT-2055 (1999)
Lift Assembly & Fuel Tank

Page 18 of 26

Ref #	Part Number	Qty	S/P/F	Description
108	750-0526	1		Spacer .385" I.D.
?109	751-0239	1		Dipstick Tube Ass'y.
?110	751-0240	1	S	Dipstick Ass'y.
111	736-0116	1	S	Fl-Wash. .63" I.D. x .93" O.D.
112	736-0267	1	S	Fl-Wash. .381" I.D. x .87" O.D.
113	736-0272	1	S	Fl-Wash. .5" I.D. x 1" O.D.

14A-992-190 GT-2055 (1999)
Schematic

Page 19 of 26




14A-992-190 GT-2055 (1999)
Schematic

Page 20 of 26

Ref #	Part Number	Qty	S/P/F	Description
629-0119	629-0119	1		Main Harness
725-1380	725-1380	1		Taillights
725-0963	725-0963	1	S	Headlights
725-0646	725-0646	1	S	Light Sw.
629-0740	629-0740	1	/P	Wire Assembly - Red
629-0739	629-0739	1	/P	Wire Assembly - Black
725-0453F	725-0453F	1	S	Battery
629-0771	629-0771	1		Wire Ass'y
725-1426	725-1426	1	S	Solenoid
725-1382	725-1382	1	/P	Circuit Breaker
725-3141	725-3141	1	S	Ammeter
725-1657A	725-1657A	1	S	Clutch Switch
725-1644	725-1644	1		Reverse Sw.
725-1396	725-1396	1	S	Key Switch
725-1303	725-1303	1	S	Seat Sw.
725-1439	725-1439	1		Seat Sw.
725-1657A	725-1657A	1	S	Deck Switch

14A-992-190 GT-2055 (1999)
Steering Assembly

Page 21 of 26



14A-992-190 GT-2055 (1999)
Steering Assembly

Page 22 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	731-1509A	1	/P	Steering Wheel Insert
3	736-0242	1	/P	Bell-Wash. 5/16" I.D.
4	731-1686	1	S	Steering Wheel
5	731-0954	1	S	Steering Bellow
8	741-0138	1		Ball Brg. .63" I.D. x 1.38" O.D.
9	13515	1	S	Steering Column Ass'y.
10	13586A	1	S	Dash Panel Base Plate Ass'y.
11	710-0623	1	/P	Hex Self-Tap Scr. 3/8-16 x .75" Lg.
12	710-0344	1	/P/F	Hex Bolt 3/8-16 x 1.50" Lg.
13	710-0514	1	/P/F	Hex Bolt 3/8-16 x 1.00" Lg.
14	710-0502A	1	/P	Hex Wash. S.F. Tap Scr. 3/8-16 x 1.25"
15	783-0113	1		Dust Shield
16	13032	1		Front Pivot Brkt. Ass'y.
17	736-0169	1	S/F	L-Wash. 3/8" I.D.
18	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
19	13008	1		Pivot Bar Ass'y.
20	736-0219	1	S/F	Bell-Wash. 3/8" I.D.
21	712-0375	1	/P/F	Hex Cent. L-Nut 3/8-16 Thd.
22	723-0179	1	S	Drag Link End
23	13001	1		Axle Ass'y. - L.H.
24	747-0294	1		Drag Link
25	712-0922	1	/P	Hex Nut 1/2-20 Thd.
26	736-0921	1	S/F	L-Wash. 1/2" I.D.
27	747-0279	1		Tie Rod
28	13002	1		Axle Ass'y. - R.H.
30	714-0142	1	/P/F	Cotter Pin 3/16" Dia. x 1.50" Lg.
31	736-0259	1	S	FI-Wash. 1.00" I.D. x 1.62"
32	734-1221	1		Front Wheel Ass'y. Comp.
	634-0066	1		Front Wheel Rim Only
	734-0294	1	/P	Front Wheel Tire Only
	734-0255	1	S	Air Valve
33	731-0374	1	S	Flange Brg. 1" I.D.
34	736-0259	1	S	FI-Wash. 1" I.D. x 1.25" O.D.
35	737-0280	1	S	Grease Fitting
36	712-0798	1	/P/F	Hex Nut 3/8-16 Thd.
38	731-0349	1	S	Dust Cover
39	683-0047	1	S	Rear Pivot Brkt. Ass'y.
40	710-0859	1	/P/F	Hex Bolt 3/8-16 x 2.50" Lg.
41	741-0199	1	S	Flange Brg. w/Flats .753" I.D.
42	750-0333	1		Steering Gear Shaft Spacer
43	13132	1		Steering Arm
44	748-0238	1	S	Bevel Gear
45	738-0342	1	S	Steering Gear Shaft
46	710-0344	1	/P/F	Hex Bolt 3/8-16 x 1.50" Lg.
48	736-0133	1	S	FI-Wash. .406" I.D. x 1.25" O.D.
50	710-0216	1	/P/F	Hex Bolt 3/8-16 x .75" Lg.
52	738-0936	1		Steering Shaft
53	712-0342	1	/P	Hex Jam Nut 3/8-16 Thd.
55	712-0200A	1	/P	Hex Ins. L-Nut 1/2-20 Thd.
56	748-0227A	1	S	Hex Flange Brg. .630 I.D.
57	748-0237	1	S	Pinion Gear
58	736-0264	1	S	FI-Wash. 3/8" Dia.
59	712-0237	1	S	Hex Cent. L-Nut 5/16-24 Thd.

14A-992-190 GT-2055 (1999)
Steering Assembly

Page 23 of 26


Ref #	Part Number	Qty	S/P/F	Description
60	13539	1		Spacer
61	710-1039	1	/P/F	Hex Bolt 3/8-24 x 1.00" Lg.
62	712-0241	1	/P/F	Hex Nut 3/8-24 Thd.
63	731-0988	1		Cap
65	737-0146	1	S	Grease Fitting
66	710-0643	1	/P	Hex L-Bolt 5/16-18 x 1" Lg. (Gr. 5)

14A-992-190 GT-2055 (1999)
Transaxle

Page 24 of 26

NOTE

If hydrostatic pump is replaced, be sure to remove pinion gear on transaxle (Ref. 51) from old pump shaft and reposition on new pump shaft.



14A-992-190 GT-2055 (1999)
Transaxle

Page 25 of 26

Ref #	Part Number	Qty	S/P/F	Description
1	PE-770060A	1		Case Ass'y., Transaxle (Incl. Nos. 2 thru 5)
2	PE-780097	1		Bearing, Needle
3	PE-780098	1		Bearing, Needle
4	PE-780099	1		Bearing, Needle
5	PE-780100	1		Bearing, Needle
6	PE-772065	1		Cover Ass'y., Transaxle (Incl. 3, 4 & 5)
7	PE-778084	1		Gear, Ring
8	PE-778085	1		Gear, Side
9	PE-778086	1		Gear, Pinion
10	PE-786054	1		Core, Body
11	PE-774199	1		Carrier, Differential
12	PE-774200	1		Carrier, Differential
13	PE-774390	1		Axle, (18-17/64" Long)
13A	PE-774389	1		Axle, (15-29/64" Long)
14	PE-792062	1		Ring, Snap
15	PE-792063	1		Screw, Hex Hd. Mach., 3/8-16 x 3-3/8
16	PE-792011	1		Lock Washer, 3/8"
17	PE-780101	1		Washer, Thrust
17A	PE-780156	1		Washer, Thrust
18	PE-776209	1		Shaft, Counter
19	PE-776122	1		Shaft, Brake
20	PE-776120	1		Pinion, Output
21	PE-778087	1		Gear, Bevel (30 Teeth)
22	PE-778088	1		Gear, Spur (16 Teeth)
23	PE-778096	1		Gear, Spur (23 Teeth)
24	PE-778097	1		Gear, Cluster (20 and 27 Teeth)
26	PE-778098	1		Gear, Output (37 Teeth)
27	PE-786094	1		Spacer (55/64" Long)
29	PE-784195	1		Fork, Shift
30	PE-784196	1		Rod, Shift
31	PE-788047	1		Gasket, Case and Cover
32	PE-780005	1		Spacer
33	PE-792010	1		Plug, Pipe
34	PE-792064	1		Ring, Snap
35	PE-786026	1		Pin, Dowel
36	PE-792003	1		Spring
37	PE-788008	1		Seal, Oil
38	PE-792019	1		Plug, Magnetic Drain
39	PE-780045	1		Washer, Thrust
39A		1		UNKNOWN
40	PE-780012	1		Bearing, Thrust
41	PE-788034	1		Seal, Oil
42	PE-780103	1		Bearing, Ball
43	PE-780104	1		Bearing, Thrust
44	PE-788048	1		Seal, Square Cut
45	PE-792065	1		Screw, Hex Hd. Mach.
46	PE-792066	1		Lock Washer, 1/2"
47	PE-792067	1		Screw, Hex Hd. Thd. Forming, 5/16-18 x 1
48	PE-792068	1		Screw, Set 1/4-20 x 1/2
49	PE-792004	1		Ball, Steel
50	PE-788049	1		Seal, Oil
51	PE-778093A	1		Pinion, Bevel
53	PE-782061	1		Housing, Axle (9-1/4" Long)

14A-992-190 GT-2055 (1999)
Transaxle

Page 26 of 26

Ref #	Part Number	Qty	S/P/F	Description
53A	PE-782060	1		Housing, Axle (7-5/16" Long)