


13BH660F009 YM-1338 (2001)
Axle & Wheels Front, Steering

Page 1 of 25



13BH660F009 YM-1338 (2001)
Axle & Wheels Front, Steering

Page 2 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	731-0220	1	S	Steering Wheel Cap
	731-1459A	1	/P	Steering Wheel Cap (Sq.-MTD)
	731-1460	1		Steering Wheel Cap (Sq.-No logo)
2	710-0643	1	/P	Hex Bolt 5/16-18 x 1" Lg.
3	736-0242	1	/P	Belleville Wash. .345" I.D.
4	731-1693	1	S	Steering Wheel (3 Spoke)
	731-1687	1	S	Steering Wheel (3 Spoke)
	631-0027	1	S	Steering Wheel (4 Spoke)
5	731-0954	1	S	Steering Bellow-9" (Style 0)
	731-1542	1		Steering Bellow-3.25" (Style 7)
6	712-0240	1	S	Hex Jam Nut 7/16-20 Thd.
7	741-0587	1		Flange Bearing.628" I.D. x 1.36 O.D.
8	723-0448	1	S	Ball Joint 7/16-20 Thd.
9	17198A	1	S	Retainer Plate
10	738-0141	1	S	Shoulder Bolt .437 x .35 Lg. 5/16-18
11	710-0152	1	S	Hex Bolt 3/8-24 x 1.0" Lg. (Gr. 5)
13	750-0535	1	S	Spacer.380" I.D. x .625" O.D.x
14	736-0217	1	S	L-Wash. 3/8" I.D. (H.D.)
15	710-0726	1	/P	Hex Wash. Hd. Self-Tap Scr.
16	711-1107	1	S	Steering Drag Link
17	783-0041B	1	/P	Front Pivot Brkt.
18	738-0527	1	S	Shoulder Bolt
19	712-0431	1	S	Flanged L- Nut 3/8-16 Thd.
21	712-0411	1	S	Hex L-Nut 5/16-24 Thd.
22	16481A	1	S	Steering Arm Front Axle
23	710-0593	1		Hex Bolt 5/16-24 x 2.25" Lg.
24	741-0659	1	S	Hex Flg. Brg. .632 I.D.
25	683-0128A	1	S	Pivot Bar Ass'y. (Steel)
	719-0342A	1	S	Pivot Bar Ass'y. (Cast Iron)
	737-0212A	1	/P	Grease Fitting (Cast Iron) Grease Plug 15" x 6" (Round Shoulder) (Square Shoulder)
26	683-0127	1	S	Front Axle Ass'y.-L.H. 15" x 6" (Round Shoulder) (Square Shoulder)
27	712-0241	1	/P	Hex Nut 3/8-24 Thd.
28	736-0169	1	S	L-Wash. 3/8" I.D.
29	723-3018	1	S	Ball Joint 3/8-24 Thd.
30	747-0753	1		Tie Rod (Adjustable)
	747-0861	1	S	Tie Rod (Non-Adjustable)
31	712-0711	1	/P	Hex Jam Nut 3/8-24 Thd.
32	683-0126	1	S	Front Axle Ass'y.-R.H. 15" x 6" (Round Shoulder) (Square Shoulder)
33	634-0056A	1	S	Wheel Ass'y. Comp. 15" x 6" (Round Shoulder)
	634-0105A	1	S	Wheel Ass'y. Comp. 15" x 6" (Square Shoulder)
	734-0864	1	/P	Tire Only 15" x 6" (Round Shoulder)
	734-1731	1		Tire Only 15" x 6" (Square Shoulder)
34	634-0024	1	S	Front Wheel Rim Only 15" x 6" (Round Shoulder) (Square Shoulder)
35	741-0487A	1	S	


13BH660F009 YM-1338 (2001)
Axle & Wheels Front, Steering

Page 3 of 25

Ref #	Part Number	Qty	S/P/F	Description
	734-0255	1	S	Air Valve
36	736-0285	1	/P	FI-Wash 635 I.D. x 1.59" O.D.
37	731-0484A	1	S	Front Wheel Hub Cap
	731-1787A	1		Spoked Hub Cap (Yellow-Opt.)
	734-1613A	1	/P	Spoked Hub Cap (Gray-Opt.)
	734-1612A	1		Spoked Hub Cap (Beige-Opt.)
38	714-0470	1	S	Cotter Pin 1/8" Dia. x 1.25"
39	736-0162	1	/P	FI-Wash 640" I.D. x 1.24" O.D.
40	726-0214	1	/P	Push Cap 5/8" Dia. Rod
42	712-0262	1	/P	Hex Jam Nut 3/8-24 Thd.
43	710-1309	1	/P	Hex Patch Bolt 5/16-18 x .62"
44		1		UNKNOWN
46	748-0389	1	S	Cap
47	712-0214	1	S	Hex Cent. L-Nut 3/8-24 Thd.
48	736-0169	1	S	L-Wash. 3/8" I.D.
49	712-0158	1	S	Hex Cent. L-Nut 5/16-18 Thd.
50	736-0119	1	S	L-Wash. 5/16" I.D.
51	717-0622A	1	S	Steering Gear Segment
52	741-0656	1	S	Hex Flg. Brg. .634 I.D.
53	736-0187	1	/P	FI-Wash. (Hardened)
54	738-0919	1	S	Steering Shaft
57	710-0837	1		Oval Hd. Cr.-Sunk Scr. (Style A)
58	736-3081	1		Wave-Wash. .32" I.D. x .60" O.D.
59	736-0187	1	/P	FI-Wash. (Hardened)
60	723-0448	1	S	Drag Link Ball Joint 7/16-20 Thd.
61		1		UNKNOWN
63	727-0425A	1	S	Spring Clip (Used w/Spoked Hub Cap)
64	736-0356	1	S	Bell-Wash. .39" I.D. x 1.38" O.D.
65	731-1291A	1	S	Pivot Bar End Cap (Optional)
66	710-0459	1	S	Hex Bolt 3/8-24 x 1.5" Lg. (Gr. 5)
69	731-1649	1		Axle Cap
70	731-0955	1	S	Steering Wheel Insert (Optional)

13BH660F009 YM-1338 (2001)
Deck Assembly

Page 4 of 25




13BH660F009 YM-1338 (2001)
Deck Assembly

Page 5 of 25

Ref #	Part Number	Qty	S/P/F	Description
2	710-1260A	1	/P	Hex Wash. TT Tap Scr. 5/16-18 x .75"
3	683-0129A	1	/P	38" Deck Ass'y. Must be ordered with 4 digit color code.
	753-0694	1	/P	38" Deck Ass'y. Comp. (For Service), Must be ordered with 4 digit color code.
4	783-0343A	1	/P	Belt Guard Deck
5	710-0599	1	/P	Hex Wash. Hd. TT Tap Scr. 1/4-20 Thd.
6	710-0134	1	/P	Carriage Screw 1/4-20 Thd. Gr. 2
8	710-0751	1	/P	Hex Bolt 1/4-20 x .62"
10	711-0792	1	S	Hinge Pin
12	783-1297	1	S	Deck Skirt 38"
13	712-0181	1	S	Hex Top L-Nut 3/8-16 Thd.
14	712-3006	1	/P	Hex Nut 1/4-20 Thd. (Gr. 5)
17	734-0973	1	/P	Deck Wheel-5"
18	736-0105	1	/P	Bell-Wash. .40" I.D. x .88" O.D.
22	738-0373	1	S	Shld. Bolt .498" Dia. x 1.53"
23	742-0610	1	S	13 in 1 Blade
26	754-0329A	1	S	V-Belt
27	736-0270	1	/P	Bell-Wash. 1/4" I.D.
28	783-0342	1	S	Brake Disc
35	712-0417A	1	/P	Hex Flange Nut 5/8-18 Thd. Deck pulleys and blade nuts must be torqued to 100 ft. lbs. if removed or replaced.
39	618-0138A	1	S	Blade Spdl Ass'y. (Incl. Ref. 28, 35, 42)
42	756-0969	1		5" Dia. Pulley Deck pulleys and blade nuts must be torqued to 100 ft. lbs. if removed or replaced.
52	703-1693A	1	/P	Hinge Mtg. Brkt.
53	732-0602A	1	/P	Torsion Spring
54	726-0106	1	S	Push Nut
55	731-1032B	1	S	Chute Ass'y. (Incl. Ref. 10, 52, 53, 54, 55)
57	712-3087	1	/P	Wing Nut 1/4-20 Thd. Optional
58	731-2363	1	/P	Mulching Plug Optional
59	16606	1	S	Retainer Hook Brkt.
60	712-3027	1	S	Hex Flange Nut 1/4-20 Thd.

13BH660F009 YM-1338 (2001)
Deck, Lift Hanger Assembly

Page 6 of 25




13BH660F009 YM-1338 (2001)
Deck, Lift Hanger Assembly

Page 7 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	783-0103	1	S	Connecting Rod
2	683-0029A	1	S	Pivot Link Ass'y.-L.H.
3	683-0028A	1		Pivot Link Ass'y.-R.H.
4	17710	1	S	Deck Hanger Link Ass'y.
5	14800A	1	S	Deck Hanger Link Ass'y.
6	14804A	1		Deck Hanger Link Ass'y.
7	748-0331	1	S	Shld. Spacer.318" I.D.
8	736-0231	1	S	Fl-Wash. .344" I.D. x 1.125" O.D.
9	736-0119	1	S	L-Wash. 5/16" I.D.
10	712-3004A	1	/P	Flange Lock Nut 5/16-18 Thd. (Gr. 5)
12	714-0470	1	S	Cotter Pin 1/8" Dia.
13	736-0256	1	S	Fl-Wash. .635" I.D. x 1.0" O.D.
14	683-0003	1	S	Hgt Adj. Stop Lever Ass'y. (Incl. #15); Optional
15	08540	1	/P	Knob Optional
16	710-0604A	1	/P	Hex Wash. TT Tap Scr.5/16-18 x .75"
17	748-0176	1		Flange Brg. .63" I.D. Optional
18	710-1238	1	/P	Hex Wash. Hd. Scr. 5/16-18x .875" Lg.
19	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
20	17730	1	S	Index Brkt.
21	783-0042D	1	/P	Upper Frame-R.H.
23	736-0267	1	S	Fl-Wash. .385" I.D. x .87" O.D.
24	736-0160	1	S	Fl-Wash. .531" I.D. x .93" O.D.
25	726-0272	1	/P	Clamp
26	738-0526	1		Running Board Rod
27	710-3007	1	/P	Hex Wash. Hd. Tap Scr.
28	14802A	1	S	Link Deck Lift Ass'y.
29	711-0723A	1	S	Adj. Ferrule 3/8-24 Thd.
30	17712	1	S	Adj. Deck Lift Link
31	712-3066	1	S	Hex Nut 1/2-20 Thd. (Gr. 5)
32	711-0841	1	S	Lift Link Adjuster
33	17637A	1		Lift Shaft Ass'y.
34	725-1657A	1	S	Safety Switch (Deck)
35	714-0145	1	S	Inter. Cotter Pin 3/8" Dia.
36	732-0637	1	S	Extension Spring
37	17636D	1	S	Stabilizer Bracket
38	738-0670A	1	/P	Shaft 1/2" Dia. x 10.28" Lg.
39	732-0638	1		Extension Spring
40	720-0233	1	S	Grip (Lift Handle)
41	97675A	1	S	Deck Lift Handle Ass'y.
42	747-1283	1		Shaft 3/8" Dia. x 9.34" Lg.
43	747-0598	1		Disengagement Rod
44	97624	1	S	Stabilizer Shaft Ass'y.
45	732-0556	1	S	Extension Spring 7.58" Lg.
46	783-0043A	1		Upper Frame-L.H.
47	741-0313	1	S	Flange Brg. .632" I.D.
48	17128A	1	S	Spring Retainer Brkt.
49	716-0104	1	S	"E"-Ring
50	736-0425	1	S	Bell-Wash. .325" I.D.

13BH660F009 YM-1338 (2001)
Electrical

Page 8 of 25




13BH660F009 YM-1338 (2001)
Electrical

Page 9 of 25

Ref #	Part Number	Qty	S/P/F	Description
2	629-0305D	1	S	Wire Harness w/Light Switch and Amp
	629-0304D	1	S	Wire Harness w/o Light Switch and Am
3	725-0634	1	S	Light Switch (Optional)
4	725-0925	1	S	Ammeter (Optional)
5	725-0963	1	S	Bulb (Headlight)
6	725-1396	1	S	Ignition Switch
7	725-1426	1	S	Solenoid
8	725-1643	1		Safety Switch (Reverse)
9	725-1657A	1	S	Safety Switch

13BH660F009 YM-1338 (2001)
Engine Accessories, Muffler

Page 10 of 25




13BH660F009 YM-1338 (2001)
Engine Accessories, Muffler

Page 11 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	710-0148	1	/P	Hex Tap Scr. #8-32 x .38" Lg.
2	710-0599	1	/P	Hex TT Tap Scr. 1 /4-20 x .5" Lg.
3	710-0604	1	S	Hex TT Tap Scr. 5/16-18 x .62"
4	710-1237	1		Hex Wash. Scr. #10-32 x .62"
5	710-1314	1	S	Socket Head Scr. 5/16-18 x .62"
6	710-1315	1	/P	Hex TT Tap Scr. 3/8-16 x 1.25"
7	712-0271	1	/P	Hex Sems Scr. 1/4-20 Thd.
8	721-0208	1	S	Gasket
9	726-0205	1	/P	Hose Clamp
10	726-0272	1	/P	Clamp
11	731-1682A	1	/P	Oil Drain Sleeve
12	736-0119	1	S	Lock Washer 5/16" I.D.
14	751B213146	1	/P	Casing Clamp
15	751-0535-12	1	S	Fuel Line 12" Lg.
16	751-0564	1	S	Muffler Deflector
17	751-0617	1	S	Muffler
18	751-0619	1	S	Exhaust Pipe
19	783-0615	1	S	Muffler Brkt.

13BH660F009 YM-1338 (2001)
Frame, Drive, Wheels Rear

Page 12 of 25



13BH660F009 YM-1338 (2001)
Frame, Drive, Wheels Rear

Page 13 of 25

Ref #	Part Number	Qty	S/P/F	Description
2	17840	1	S	Transaxle Mtg. Brkt.
5	736-0119	1	S	L-Wash. 5/16" I.D."
6		1		UNKNOWN
10	710-1315	1	/P	Hex TT-Tap Scr. 3/8-16 x1.5" Lg.
11	783-0310E	1	S	Lower Frame Ass'y.
13	712-3006	1	/P	Hex Nut 1/4-20 Thd. (Gr. 5)
14	736-0329	1	S	L-Wash. 1/4" I.D."
17	736-0242	1	/P	Bell-Wash. .345" I.D. x .88"
18	712-3010	1	S	Hex Nut 5/16-18 Thd. (Gr. 5)
19	711-1044	1	S	Belt Guard Stud 4.75" Lg.
21	756-0982	1	S	Engine Pulley
?22	736-0322	1	/P	FI-Wash. 7/16" I.D. x 1.25"
23	736-0171	1	S	L-Wash. 7/16" 1.13.
?24	710-0757	1	/P	Hex Bolt 7/16-20 x 1.50" Lg.
25	754-0280A	1	S	Variable-Speed Belt
26	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
27	17963	1		Bearing Shaft Bracket Ass'y.
28	741-0495	1	/P	Flanged Nyliner Brg. 5/8" I.D. x .88" Lg.
29	712-0241	1	/P	Hex Nut 3/8-24 Thd.
30	17643	1	S	Idler Bracket (Used w/20" Wheels w/o 46" Deck)
	17694	1	S	Idler Bracket (Used w/46" Deck)
31	736-0169	1	S	L-Wash. 3/8" I.D.
32	712-0241	1	/P	Hex Nut 3/8-24 Thd.
33	17629A	1	S	Transaxle Support Brkt.
34	732-0556	1	S	Ext. Spring .94" O.D. x 7.58"
35	714-0149B	1	S	Inter. Cotter Pin
36	750-0802	1		Spacer.63" I.D.
37		1		UNKNOWN
38		1		UNKNOWN
39	712-0138	1	S	Hex Nut 1/4-28 Thd.
?40	710-0776	1	S	Hex AB-Tap Scr. 1/4" x .62" Lg.
42	736-0222	1	S	Ext. L-Wash. 1/4" I.D.
43	710-0599	1	/P	Hex Wash. S-Tap Scr.1/4-20 x .50" Lg.
44	683-0123	1		Clutch/Brake Pedal Ass'y.
45	736-0140	1	S	FI-Wash. .344" I.D. x .62"
47	747-0755A	1		Brake Rod Ass'y.
48	735-0196	1	S	Foot Pad
51	17705	1	/P	Shift Lever Ass'y.
54	732-0413	1	S	Ext. Spring .59" O.D. x 7.08" (Used w/20" Wheels w/o 46"Deck)
	732-0642	1	S	Ext. Spring 7.33" Lg. (Used w/46" Deck)
55	710-1068	1	S	Hex Bolt 5/16-18 x 3.5" Lg. (Used w/46" Deck)
	710-0189	1	/P	Hex Bolt 5/16-18 x 3" Lg. (Used w/20" Wheels w/o 46" Deck)
56	734-1675	1		Wheel Ass'y. Comp. 20" x 8.0" (Round Shoulder)
	634-0104	1		Wheel Ass'y. Comp. 20" x 8.0" (Square Shoulder)

13BH660F009 YM-1338 (2001)
Frame, Drive, Wheels Rear

Page 14 of 25

Ref #	Part Number	Qty	S/P/F	Description
57	734-1596	1		Tire Only 20" x 8.0" (Round Shoulder)
	734-1730	1		Tire Only 20" x 8.0" (Square Shoulder)
	634-0070	1	/P	Wheel Rim Only 20" x 8.0" (Round Shoulder) (Square Shoulder)
58	734-0255	1	S	Air Valve (Service Only)
59	710-0627	1	/P	Hex Bolt 5/16-24 x .75" Lg.
63	736-0275	1	S	Fl-Wash. .34" I.D. x .68" O.D.
64	710-0428	1		Hex Bolt 1/4-28 x 1.25" Lg.
65	732-0568	1	S	Ext. Spring
66	732-0384	1	S	Ext. Spring .62" O.D. x 6.12"
67	16554A	1	S	Variable Speed Torque Brkt. Ass'y.
68	741-0419	1		Flanged Bearing
69	714-0111	1	S	Cotter Pin 3/32" Dia.
70	748-0234	1	/P	Shoulder Spacer.27" Lg.
71	747-0530A	1	/P	Speed Control Link
72	741-0405	1	S	Truss Bearing .56 Dia. x 1.25"
73	720-0232	1	S	Shift Knob
74	756-0643	1	S	Fl-Idler Pulley 3.12" Dia.
75	656-0005	1		"V" Pulley (Used w/46" Deck)
	656-0004	1		"V" Pulley (Used w/20" Wheels w/o 46" Deck)
76	736-0427	1	S	Bell-Wash. .56" I.D. x 1.125"
77	712-3035	1	/P	Hex Jam Nut 5/16-18 Thd.
78	710-0539	1	/P	Hex Bolt 3/8-24 x 1.75" Lg.
79	754-0370	1	S	Variable Speed Belt
80	716-0114	1	S	Snap Ring .56" Dia.
81	736-0355	1	/P	Fl-Wash.
82	717-0800A	1	S	Variable Speed Pulley Ass'y.
84	16354B	1	S	Variable Speed Brkt. Ass'y.
85	732-0525	1		Comp. Spring-Clip
86	17668	1	S	Axle Support Brkt.-R.H.
	17669	1	S	Axle Support Brkt.-L.H. (Not Shown)
88	725-1426	1	S	Solenoid
89	17630	1	S	Shift Lever Bracket
90	736-0414	1	S	Teflon Washer.565" I.D.
91	750-0956	1		Spacer 1" I.D. x 1.25" Lg.
92	711-1000	1	S	Belt Keeper 3" Lg.
93	725-1657A	1	S	Safety Switch (Clutch)
94	738-0755	1	S	Shld. Bolt 3/8-24 x 3.12" Lg.
96		1		UNKNOWN
97	736-0105	1	/P	Bell-Wash. .38" I.D. x .88"
98	738-0569	1	S	Shaft .56" Dia. x 3.875" Lg.
99	736-0331	1	/P	Bell-Wash. .39" I.D. x 1.12"
100	736-0256	1	S	Fl-Wash. .64" I.D. x .94"
101	714-0470	1	S	Cotter Pin 1/8" Dia. x 1.25"
102	710-0604A	1	/P	Hex Wash. Hd. Scr. 5/16-18 x .62"
103	734-1615A	1	/P	Hub Cap (Gray-Optional)
	734-1614A	1	S	Hub Cap (Beige-Optional)
	734-1788A	1	S	Hub Cap (Yellow-Optional)
107	17860	1	S	Pedal Bracket
109	711-0198	1	S	Ferrule
111	710-0195	1	S	Hex Bolt 1/4-28 x .50" Lg.
112	736-0270	1	/P	Bell-Wash. .265" I.D. x .75"


13BH660F009 YM-1338 (2001)
Frame, Drive, Wheels Rear

Page 15 of 25

Ref #	Part Number	Qty	S/P/F	Description
113	17707	1		Shift Lever Link Ass'y.
115	736-0140	1	S	FI-Wash. .385" I.D. x .62"
116	741-0404	1	S	Needle Brgs. (2 Req'd.)
117	727-0425A	1	S	Spring Clip (Used w/Ref. No. 103)
128	710-1238	1	/P	Hex Wash. TT-Tap Scr. 5/16-18x .75"
129	710-0726	1	/P	Hex Wash. AB-Tap Scr. 5/16-18x .75"
130	712-0265	1	/P	Hex Sems Nut 5/16-18 Thd.
131	732-0750A	1	S	Spring Switch

13BH660F009 YM-1338 (2001)
Hood

Page 16 of 25




13BH660F009 YM-1338 (2001)
Hood

Page 17 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	783-0250	1		Hood
2	738-0952A	1	S	Shld. Bolt .375" Dia. x .125" Lg.
4	710-0751	1	/P	Hex Bolt 1 /4-20 x .62" Lg. Obtain Locally
6	712-3006	1	/P	Hex Sems Nut 1/4-20 Thd. Obtain Locally
7	749-0812	1		Grille Support Rod
8	731-1099A	1	S	Headlight Lens (w/o Logo)
	731-1767	1	S	Headlight Lens (w/Logo)
9	712-3027	1	S	Flange L-Nut 1/4-20 Thd.
10	731-1097E	1	S	Grille
13	725-0963	1	S	Lamp
14	725-1649	1	S	Socket
15	710-0703	1	/P	Carriage Bolt 1/4-20 x .75" Lg.
16	710-0599	1	/P	Hex Washer Tap Scr. 1/4-20 x .5" Lg.
17	736-0173	1	/P	FI-Wash. .281" I.D. x .73" O.D.
18	726-0233	1	/P	Bolt Retainer 1/4" I.D.
19	712-0185	1		Speed Nut 1/4-20 Thd.
20	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
21	17632B	1	S	Gas Tank Support Brkt.
22	731-2515	1		Dash w/Ammeter Hole
	731-1337A	1	/P	Dash w/o Ammeter Hole
23	725-0267	1	S	Ignition Switch
24	725-0201	1	S	Ignition Key
25	746-0616A	1	S	Choke Control 23" Lg.
	746-0614A	1	/P	Choke Control 38" Lg.
	746-0720	1		Choke Control 20" Lg.
	746-3021	1		Choke Control 29" Lg.
26	725-0634	1	S	Light Switch Not used in this application
27	725-0925	1	S	Ammeter Not used in this application
32	710-0286	1	/P	Truss Mach. Scr. 1/4-20 x .5" Lg.
?34	17870A	1		Fender
35	17871B	1	S	Fender w/Cutout
38	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr.5/16 x
39	17954B	1	S	Shift Cover w/Cutout
40	17286B	1	S	Shift Cover
41	831-0823A	1	/P	Throttle Box Ass'y.
42	710-0779A	1	/P	Truss Mach. AB-Tap Scr.#10 x .5"
43	746-0776	1	S	Throttle Control Wire 18.5" Lg.
	746-0634	1	S	Throttle Control Wire 35" Lg.
	746-0638	1	S	Throttle Control Wire 22" Lg.
44	777-9206	1		Grille Reflector Label
45	710-0603	1	/P	Hex Washer Tap Scr.5/16-18 x .5" Lg.
46	17782	1		Choke Retainer
47	710-0642	1	/P	Hex TT-Tap Scr. 1/4-20 x .75" Lg.
48	726-0201	1		Speed Nut
49	736-3078	1	/P	FI-Wash. .34" LID. x 1"Lg.
50	736-0119	1	S	L-Wash. 5/16" I.D.
51	712-3010	1	S	Hex Nut 5/16-18 Thd.
	629-0309	1	S	Headlight Harness (Not Shown)

13BH660F009 YM-1338 (2001)
Seat, Fuel Tank, Battery, Frame

Page 18 of 25



13BH660F009 YM-1338 (2001)
Seat, Fuel Tank, Battery, Frame

Page 19 of 25

Ref #	Part Number	Qty	S/P/F	Description
2	710-1208	1	/P	Hex Tap Scr. 5/16-18 x 3.25"
6	783-0039A	1	/P	Seat Pivot Bracket
7	751-0603	1	S	Fuel Cap
8	751-0553	1	S	Fuel Tank (1.75 Gal)
	751-0657	1		Fuel Tank (3 Gal.)
9	726-0209	1	/P	Tie Strap
10	751-0535-15	1	S	Fuel Line
11	726-0205	1	/P	Hose Clamp
13	712-0287	1	S	Hex Nut 1/4-20 Thd.
14	736-0329	1	S	L-Wash. 1/4" I.D.
16	732-0735	1	/P	Compression Spring
21	738-0526	1		Running Board Rod
22	710-0227	1	/P	Hex AB-Tap Scr. #8 x .50" Lg.
23	726-0139	1	/P	Speed Nut #10Z
24	783-0041A	1	S	Front Pivot Brkt.
25	710-0870	1	/P	Hex Tap Scr. 3/8-16 x .62" Lg.
26	710-0726	1	/P	Hex Wash. Hd. AB-Tap Scr.5/16 x .75"
28	710-0134	1	/P	Carriage Bolt 1/4-20 x .62"
29	17770E	1	S	Running Board (R.H. & L.H.)
30	761-0168B	1	S	Blade Brake Ass'y.
32	731-0909	1	S	Rubber Foot Pad-L.H."
	731-0910	1	S	Rubber Foot Pad-R.H.
	723-0422	1	S	Abrasive Foot Pad
33		1		UNKNOWN
34	783-0310E	1	S	Lower Frame
36	726-0278	1		Insulator Boss Plate
37	736-0264	1	S	FI-Wash. .344" I.D. x .625" O.D.
38	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
39	783-0042D	1	/P	Upper Frame-R.H.
42	732-05818	1		Extension Spring 5.31" Lg.
44	725-1707D	1	S	12-V Battery
45	783-0043A	1		Upper Frame-L.H.
46		1		Shift Cover (Refer to Style Page)
47	725-1643	1		Reverse Safety Switch
48	726-0279	1		Insulator Plate
49	17951A	1	S	Seat Pivot Brkt. Support-L.H.
50	783-03558	1		Hitch Plate
51	712-0267	1	S	Hex Nut 5/16-18 Thd.
52	736-0119	1	S	L-Wash. 5/16" LID.
53	17239A	1	S	Seat Lift Brkt.
54	757-0378	1	S	Seat 8-7/8" High
	757-0364A	1	S	Seat 8-7/8" High (Yellow)
	757-0360A	1	S	Seat 10-5/8" High
	757-0365	1	S	Seat 10-5/8" High (Yellow)
	757-0348A	1	/P	Seat 14-1/4" High
	757-0372	1	S	Seat 14-1/4" High (Yellow)
	757-0350	1	S	Seat 14-1/4" High w/ Drain holes
55	17950A	1	S	Seat Pivot Brkt. Support-R.H.
56	738-0296	1	S	Shld. Bolt .437" Dia. x .268"
57	725-1303	1	S	Spring Switch (Seat-Outer)
59	710-0650	1	/P	Hex TT Tap Scr. 5/16-18 x 7/8"
62	726-0320	1	S	Insulatop Nut Plate
63	725-1439			Seat Switch (Seat-Inner)


13BH660F009 YM-1338 (2001)
Seat, Fuel Tank, Battery, Frame

Page 20 of 25

Ref #	Part Number	Qty	S/P/F	Description
65	783-0345	1	S	Battery Tray
66	710-0351	1	/P	Truss Mach. B-Tap Scr.#10 x .5" Lg.
67	748-0347	1	S	Spring Spacer
68	710-0323	1	/P	Truss Mach. Scr. 5/16-18 x .75"
69	710-3008	1	/P	Hex Bolt 5/16-18 x .75" Lg.
?70	731-0405	1		Snap Bushing
71	723-3064	1		Battery Retainer Strap
72	712-3010	1	S	Hex Nut 5/16-18 Thd.
73	712-0265	1	/P	Hex Sems Nut 5/16-18 Thd.
74	712-0271	1	/P	Hex Sems Nut 1/4-20 Thd.
75	738-1007	1		Shoulder Screw 3/8-16 x .5
76	710-1268	1	/P	Hex Wash. Hd. B-Tap Scr.
77	712-3027	1	S	Hex Flanged L-Nut 1/4-20 Thd.
78	720-0309A	1	/P	Seat Adjustable Grip
79	731-1989	1		Spacer
80	732-0499	1		Compression Spring 1.5" Lg.
81	736-0175	1	S	Spring Wash. .265" I.D.
82	736-0204	1	/P	Fl-Wash. .344" I.D. x .62" O.D.
84	738-0137A	1	S	Shld. Bolt .34" x 1/4 -20 Thd.
85	783-0607A	1	S	Seat Pivot Bracket
86	783-0609	1		Seat Lever
87	783-0753	1		Seat Selector
88	783-0611	1		Seat Stop
?89	747-1216	1		Stop Rod
?90	712-3017	1	S	Hex Nut 3/8-16
?91	736-0169	1	S	Lock Washer

13BH660F009 YM-1338 (2001)
Speed Selector

Page 21 of 25




13BH660F009 YM-1338 (2001)
Speed Selector

Page 22 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	732-0645	1	S	Compression Spring
2	712-0267	1	S	Hex Nut 5/16-18 Thd.
3	736-0119	1	S	L-Wash. 5/16" I.D.
4	17956	1		Shift Lever Support
5	711-0198	1	S	Ferrule 3/8-24 Thd.
6	747-0787	1		Speed Control Rod
7	750-0662	1		Spacer 1.56" Lg.
8	736-0253	1	S	Bell-Wash. .505" I.D. x 1"
9	736-0300	1	S	Fl-Wash. .385" I.D. x .87"
10	17888A	1	/P	Speed Selector Lever
11	720-0232	1	S	Shift Knob
12	750-0913	1		Spacer 1.46" Lg.
13	736-0159	1	S	Fl-Wash. .345" I.D. x .88"
14	710-3056	1		Hex Bolt 5/16-18 x 3.25" Lg.
15	714-0111	1	S	Cotter Pin 3/32" Dia. x 1"
16	736-0226	1	S	Fl-Wash. .469" I.D. x .88"
17	736-0418A	1	/P	Fl-Wash. .34" I.D. x 2.25"
18	726-0201	1		Speed Nut 5/16-18 Thd.

13BH660F009 YM-1338 (2001)
Transmission

Page 23 of 25



13BH660F009 YM-1338 (2001)
Transmission

Page 24 of 25

Ref #	Part Number	Qty	S/P/F	Description
1	732-0614	1		Wire Ring
2	716-0231	1	S	"E"-Ring
4	710-1325	1	/P	Hex Tap Scr. 1/4-20 x 1.625 Lg.
5	719-0367	1		Upper Housing
8	711-1109	1		Input Shaft
10	736-0335	1	S	Thrust Washer 5/8" I.D. x1.25" O.D.
11	717-1464	1		Pinion Input 14T
12	716-0108	1	S	Retaining Ring
13	711-1003	1	S	Drive Shaft-R.H. Brake
14	741-0336	1	S/F	Flange Brg. 5/8" I.D. x 3/4" Lg.
15	717-1362	1	S	Bevel Gear 42T Small I.D.
16	717-1363	1	S	Bevel Gear 42T Large I.D.
17	718-0228	1		Clutch Collar
21	710-0862A	1	/P	Pan Head Scr. 1/4-20 x.50" Lg.
23	741-0340	1	S	Sleeve Bearing 3/4" I.D. x1.0" Lg.
24	721-0338	1	S	Oil Seal 3/4" I.D.
26	736-0445	1	S	FI-Wash. .760" I.D. x 1.5" O.D.
32		1		Washer (See Below)
	736-0495	1	S	Thrust Wash. 5/8" I.D. x 1" O.D. x .025" Thk.
	736-0336	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
	736-0494	1		Thrust Wash. 5/8" I.D. x 1" O.D. x .035" Thk.
	736-0337	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.
34	719-0313B	1	/P	Lower Housing
35	718-0150	1		Anti-Rotation Brkt.
37		1		Washer (See Below)
	736-0349	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .020" Thk.
	736-0336	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .030" Thk.
	736-0337	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .040" Thk.
38	712-0273	1	S	Hex Nut 5/16-24 Thd.
39	736-0371	1	/P	FI-Wash. .344" I.D. x .875" O.D.
40	717-0700	1	/P	Actuating Arm
41	761-0198	1	S	Brake Yoke
42	717-0682	1	S	Puck Plate
43	717-0678	1	S	Brake Puck
45	761-0202	1		Brake Disc
46	741-0337	1	S	Flange Bearing 5/8" I.D. x 15/16" Lg.
48	611-0011	1	S	Shift Fork Ass'y.
49	741-0862	1	/P	Ball Detent .250" Dia.
50	732-0863	1	S	Spring Detent
52	741-0335	1	S	Needle Brg. 5/8" I.D. x 1/2" Lg.
54	736-0349	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.
55	741-0343	1	S	Actuating Pin 5/16" Dia.
56	710-1206	1	/P	Hex Wash Hd. Self-Tap Scr.1/4-20
58	736-0349	1	S	FI-Wash. 5/8" I.D. x 1" O.D. x .020 Thk.
	736-0495	1	S	Thrust Wash. 5/8" I.D. x 1" O.D. x .025"
60		1		Washer (See Below)
	736-0492	1	S	FI-Wash. .76" I.D. x 1.5" O.D. x .010" Thk.
	736-0493	1	S	FI-Wash. .76" I.D. x 1.5" O.D. x .020" Thk.
	736-0351	1	S	FI-Wash. .76" I.D. x 1.5" O.D. x .030" Thk.
	736-0445	1	S	FI-Wash. .76" I.D. x 1.5" O.D. x .060" Thk.
61	736-0519	1	S	Thrust Washer
62	618-0162	1	S	Differential Ass'y.
63	732-0742	1	S	Part 63 Spring

13BH660F009 YM-1338 (2001)
Transmission

Page 25 of 25

Ref #	Part Number	Qty	S/P/F	Description
	737-0148	1	S	Grease-Shell (15 oz.)