


13A2771G790 LT-542G (2006)
Deck Assembly 42 inch

Page 1 of 20



13A2771G790 LT-542G (2006)
Deck Assembly 42 inch

Page 2 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	918-0624	1	S	Spindle Assembly, Pul, 6.23"
1	712-0417A	1	/P	Flange Nut:5/8-18 Not shown
1	738-1010A	1	/P	Spindle Shaft:5.75 LG. Not shown
1	941-0919	1	/P	Ball Bearing:20x47x14:62 Not shown
1	748-0433	1		Spacer:.820 x 1.150 x .730 Not shown
1	750-1000	1		Spacer:.80 x 1.10 x 1.322 Not shown
1	956-1227	1	/P	Deck Pulley:6.3 Dia Not shown
2	683-04138	1	S	Brake Assembly, Deck
3	683-04165A	1	S	Deck Shell, 42" (w/o Wheel Bracket)
3	683-04162	1	S	Deck Shell, 42" (w/ Wheel Bracket)
4	683-04167	1	S	Brake Assembly, Deck
5	683-04228	1		Brkt. Ass'y, Deck, Hanger LH
6	710-3015	1	/P	Screw, 1/4-20, .75, Gr5
7	710-0650	1	/P	Screw, 5/16-18, 0.875
8	710-0528	1	/P	Screw, 5/16-18, 1.250
9	710-0726	1	/P	Screw, 5/16-12, 0.750
10	710-3085	1	/P	Screw, 3/8-16, 3.50, Gr5
11	710-0778	1	/P	Screw, 1/4-20, 1.500
12	710-3008	1	/P	Screw, 5/16-18, .75, Gr5
13	710-0134	1	/P	Carriage Screw, , 1/4-20 x .62 (if equipped)
14	N/A	1		Chute Stop
15	712-3006	1	/P	Nut, Hex, 1/4-20, Gr5
16	712-0417A	1	/P	Nut, Flange, 5/8-18
17	738-0373	1	S	Screw, Shldr, .498 x 1.53, 3/8-16
18	712-04063	1	/P	Nut, Flange Lock, 5/16-18, GrF
19	712-04065	1	/P	Nut, Flange Lock, 3/8-16, GrF
20	712-0641	1	S	Nut, Hex, M16-1.5
21	712-3083	1	/P	Nut, Hex Lock, 1/2-13, Gr8
22	712-0206	1	S	Nut, Hex, 1/2-13, Gr5
23	714-0104	1	S	Pin, Cot, .072 Dia. x 1.13 LG
24	717-04074	1	S	Gear, Deck Adjustment
25	726-0233	1	/P	Nut, Push, .25 ID x .50 OD
26	732-04280A	1	S	Spring, Exten. , .75 Dia. X 6.375
27	732-04287	1		Spring, Exten. , .50 Dia. X 6.375
28	734-0973	1	/P	Wheel, Deck 5.0 x 1.38 (if equipped)
29	736-0119	1	S	Washer, Lock, 5/16
30	736-0270	1	/P	Washer, Bell, .265 x .75 x .062
31	783-04740	1		Deck Engagement Cable Bracket
32	736-0267	1	S	Washer, Flat, .385 x .87 x .06
33	736-0225	1	/P	Washer, Lock, 5/8, Internal
34	736-0187	1	/P	Washer, Flat, .64 x 1.24 x .06
35	738-04166	1		Spacer, Shoulder, .5000 x .1475
36	738-04146	1		Plug, Screw, M16 x 1.5
37	738-04162A	1	/P	Spacer, Shoulder, .8840 x .190
38	742-0616A	1	S	Blade, 21.23", Star 3-in-1
39	731-2363	1	/P	Mulch Plug (if equipped)
40	747-04379A	1	/P	Control Rod, Brake
41	747-04269A	1	/P	Deck Rod, Front Adjustable
42	748-04069	1		Pivot Cup, Deck Lift
43	750-0566A	1	/P	Spacer, .260 x .372 x 1.030
44	754-04060B	1	S	Belt, V-Type
45	756-04129	1	S	Idler Pulley, 4.25" Dia.
46	712-3087	1	/P	Flange Nut:1/2-20 (if equipped)


13A2771G790 LT-542G (2006)
Deck Assembly 42 inch

Page 3 of 20

Ref #	Part Number	Qty	S/P/F	Description
47	783-04327A	1		Cover, Belt, 6.00 Dia.
48	750-04446	1		Spacr, 3/8 ID x .68 OD x 1.46 Lg
49	710-0347	1	/P	Screw, 3/8-16 x 1.75
50	731-1032B	1	S	Chute Assembly, Discharge

13A2771G790 LT-542G (2006)
Drive and Rear Wheels

Page 4 of 20



13A2771G790 LT-542G (2006)
Drive and Rear Wheels

Page 5 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	618-04034	1	S	Transmission Assembly
2	647-04035	1		Lever Assembly, Shift
3	710-0176	1	/P	Screw, 5/16-18, 2.75, Gr5
4	710-0227	1	/P	Screw, #8-18, 0.500
5	710-0726	1	/P	Screw, 5/16-12, 0.750
6	710-0809	1		Screw, 1/4-20, 1.250
7	710-3008	1	/P	Screw, 5/16-18, .75, Gr5
8	711-04075A	1	S	Ferrule, 3/8-24 x .375 Dia.
9	712-04063	1	/P	Nut, Flange Lock, 5/16-18, GrF
10	712-0700	1	/P	Nut, Flange, 9/16-18, Gr2
11	714-0111	1	S	Pin, Cotter, 3/32, 1.0
12	714-0209	1	S	Cotter Pin, Internal .125 Dia
13	714-0470	1	S	Pin, Cotter, 1/8 x 1.25
14	718-0758A	1	S	Hub, Pulley, 5/8 Spline
15	720-04028	1		Knob, Shift
16	725-1644	1		Spring Switch, Short
17	710-0520	1	/P	Screw, 3/8-16 x 1.50
18	726-0320	1	S	Plate, Insulator Nut
19	731-04602	1		Sleeve, .758 x .821 x 3.3125
20	731-04604	1		Sleeve, .758 x .821 x 2.4375
21	732-04076A	1	/P	Spring, Extension, 1.15 OD x 7.90
22	732-04237	1		Spring, Extension, .50 OD x 12.0
23	732-04306	1		Spring, Extension, .80 OD x 3.28
24	732-0716C	1	S	Spring, Extension, .59 OD x 4.00
25	736-0264	1	S	Washer, Flat, .330 x .630 x .0635
26	747-04265	1		Contol Rod, Variable Speed
27	747-04277	1		Rod, Shift
28	747-04287	1		Rod, Brake
29	750-0566A	1	/P	Spacer, .260 x .372 x 1.030
30	754-04001A	1	S	Belt
31	754-0241A	1	S	Belt
32	756-04002	1	S	Pulley, V-Type, 7.25 Dia
33	783-04595	1		Shift Bracket, Adjustable
34	17962	1		Plate, Switch
35	710-0224	1	S	Screw, #10-16, 0.500
36	725-04039	1	S	Switch, Interlock
37	647-04034C	1		Pedal Assembly, Drive
38	783-04862	1	/P	Latch Bracket - Reverse Caution Mode (RMC)
38	783-04903	1		Latch Bracket (No RMC)
39	710-1008	1		Screw, 3/8-16, 1.875, Gr5
40	731-05362	1	S	7 Speed Shift Lever
41	710-04483	1		Screw, 1/4-20, 0.500
42	711-0736	1	/P	Adjustment Ferrule 1/4-20
43	712-04065	1	/P	Nut, Flange Lock, 3/8-16, GrF
44	731-05361	1		Control Cover
45	726-0214	1	/P	Push Cap, 5/8
46	735-0239	1	/P	Pad, Foot, 4.0
47	683-04216	1	S	Shift Cont. Assembly, 7-Speed
48	747-04430	1		Control Rod, Speed Selector
49	736-0258	1	/P	Washer, Flat, .385 x 1.0 x .135
50	750-04465	1		Spacer, Flge, .390 x .671 x 1.095
51	750-0802	1		Spacer, .640 ID x .76 OD
52	783-04536	1		Shift Bracket, Pedal




13A2771G790 LT-542G (2006)
Drive and Rear Wheels

Page 6 of 20

Ref #	Part Number	Qty	S/P/F	Description
53	683-04207	1		Bracket, Idler
54	683-04176A	1	/P	Torque Bracket, Transmission
55	710-0604A	1	/P	Screw, 5/16-18, 0.625
56	710-3005	1	/P	Screw, 3/8-16, 1.25, Gr5
57	732-0627	1		Shift Lever Spring
58	783-04830	1		Control Bracket
59	710-1325	1	/P	Screw, 1/4-20 x 1.625
60	750-04456	1		Spacer, .260 x .372 x 1.420
61	738-0347	1	S	Spacer, Shoulder, .625 ID x .169
62	756-04213	1	/P	Pulley, Flat Idler
63	656-04015	1	S	Pulley Ass'y, Variable Speed
64	683-04206	1		Bracket Ass'y, Variable Speed
65	710-0627	1	/P	Screw, 5/16-24, .750, Gr5
66	710-1652	1	/P	Screw, 1/4-20, 0.625
67	718-04012	1	/P	Cup, Bearing
68	736-0362	1	/P	Washer, Flat, .330 x 1.25 x .06
69	741-0600	1	S	Bearing, Ball, 17 x 40 x 12
70	736-0242	1	/P	Bell Washer, .34 x .872 x .060
71	734-1675	1		Wheel Ass'y, Round Shoulder
71	734-1596	1		Tire Only, 20 x 8 x 8, Round Shoulder
71	634-0070	1	/P	Rim Assembly (Inc. bearings, valve stem)
71	634-0104	1		Wheel Ass'y, Square Shoulder
71	734-1730	1		Tire Only, 20 x 8 x 8, Square Shoulder
71	734-0603A	1	S	Rim Assembly (Inc. bearings, valve stem)
72	710-0599	1	/P	Screw, 1/4-20 x .500
73	736-0222	1	S	Lock Washer, 1/4

13A2771G790 LT-542G (2006)
Engine Accessories

Page 7 of 20




13A2771G790 LT-542G (2006)
Engine Accessories

Page 8 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	710-0227	1	/P	Screw, #8-18 x .50
5	710-1314A	1	/P	Socket Cap Screw, 5/16-18,.625
6	710-1315	1	/P	Self-tapping Screw, 3/8-16, 1.25
9	725-0157	1	/P	Cable Tie, 7.4"
10	726-0205	1	/P	Hose Clamp, .490
11	710-0599	1	/P	Screw, 1/4-20, 0.500
15	751-10349	1		Fuel Line Hose
16	751-0564A	1	S	Muffler Deflector
19	751-0620A	1	/P	Exhaust Pipe
20	751-3140	1	S	Oil Drain Valve
21	751-3141	1	S	Oil Drain Hose
22	751-3142	1		Oil Drain Cap
23	783-0615D	1	S	Muffler Heat Shield
24	721-0348	1		Exhaust Gasket
26	751-0617B	1	S	Muffer, Single Inlet
27	721-0348	1		Exhaust Gasket
30	712-04065	1	/P	Flange Lock Nut, 3/8-16
31	751-0620A	1	/P	Exhaust Pipe
33	736-0300	1	S	Flat Washer, .406 x .875 x .059
34	738-0143	1	/P	Shldr Screw, .498 x .340 x 3/8-16
36	712-0271	1	/P	Hex Sems Nut, 1/4-20

13A2771G790 LT-542G (2006)
Fender Assembly

Page 9 of 20




13A2771G790 LT-542G (2006)
Fender Assembly

Page 10 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	710-1268	1	/P	Screw, #10-16, .375
2	712-04063	1	/P	Nut, Flange Lock, 5/16-18, GrF
3	712-3027	1	S	Nut, Flange Lock, 1/4-20
4	720-0309A	1	/P	Seat Adjuster Grip
5	736-0607	1	/P	Lock Washer, 5/16
6	731-04074	1		Spacer
7	732-0499	1		Compression Spring, .41 x 1.5
8	710-04483	1		Screw, 1/4-20 x .500
9	736-0275	1	S	Wash, Flat, .344 x .688 x .065
10	736-3019	1		Wash, Flat, .531x 1.062 x .134
11	738-0137A	1	S	Screw, Shlder, .340 x .285, 1/4-20
12	783-04843	1		Lift Adjustment Bracket
13	738-0966	1	S	Screw, Shlder, .50 x .925, 3/8-16
14	783-1489A	1	/P	Mounting Bracket, Seat
15	783-0611	1		Seat Stop
16	783-0738B	1	S	Seat Pivot Bracket
17	783-0739A	1	S	Seat Adjustment Lever
18	783-0753	1		Seat Adjustment Selector
19	710-0227	1	/P	Screw, #8-18 x .50
20	726-0279	1		Plate, Insulator
21	725-1303	1	S	Spring Switch, Outer
22	725-1439	1		Spring Switch, Inner
23	726-0278	1		Plate, Insulator Boss
24	723-04025	1		Foot Pad, Abrasive, RH
25	723-04026	1		Foot Pad, Abrasive, LH
26	720-04009	1	S	Knob, 3/8-16, .625
27	726-0201	1		Nut, Speed, .3125 Id
28	732-1184	1	/P	Spring, Exten., .84 Dia x 4.6 Lg
29	736-0101	1	S	Washer, Flat, .406 x 1.00 x .030
30	738-0296	1	S	Scr., Shlder, .437 x .268, 5/16-18
31	738-04012A	1	/P	Screw, Shlder, .625 x .175, 3/8-16
32	783-0209D	1	/P	Lift Bracket, Seat
33	783-04081A	1		Pivot Bracket, Seat
34	757-04021A	1	S	Seat, Low Back
34	757-04020A	1	S	Seat, Medium Back
35	710-04482	1		Screw, 3/8-16, .875
36	710-0599	1	/P	Screw, 1/4-20, 0.500
37	710-0604A	1	/P	Screw, 5/16-18, 0.625
38	783-04587A	1		Fender
39	731-04591A	1	/P	Cup Holder

13A2771G790 LT-542G (2006)
Frame Assembly

Page 11 of 20




13A2771G790 LT-542G (2006)
Frame Assembly

Page 12 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	17962	1		Plate, Switch
2	647-04040	1		Handle Asswmbly, PTO
3	710-0224	1	S	Screw, #10-16, 0.500
4	710-0599	1	/P	Screw, 1/4-20, 0.500
5	710-3157	1	S	Screw, 7/16-20, 3.25, Gr5
6	714-0104	1	S	Pin, Cotter, .072 Dia. x 1.13
7	714-0145	1	S	Pin, Click, .092 x 1.64
8	720-04049	1	S	Grip, Handle, 3/8
9	732-04276	1	S	Spring, Extension
10	736-0171	1	S	Washer, Lock, 7/16
11	736-0300	1	S	Washer, Flat, .406 x .875 x .059
12	736-0322	1	/P	Washer, Flat, .450 x 1.250 x .164
13	741-04119	1	S	Bearing, PTO
14	746-04173A	1	S	Cable, Deck Engagement
15	783-04753	1		Frame Support Bracket
16	756-04196	1	S	Engine Pulley, 3.39 x 6.12
17	725-04039	1	S	Switch, Interlock
18	747-04307	1	S	Rod, Belt Keeper (42-inch Deck)
19	710-1260A	1	/P	Screw, 5/16-18, .750
20	683-04163A	1		Frame Assembly
21	710-0642	1	/P	Screw, 1/4-20, 0.750
22	710-0604A	1	/P	Screw, 5/16-18, 0.625
23	712-04064	1	/P	Nut, Flange Lock, 1/4-20, GrF
24	732-04035	1		Spring, Compr. , 1.28 OD x 3.125
25	736-0222	1	S	Washer, Lock, 1/4
26	747-04385	1	S	Hold Down Rod, Battery
27	783-04869	1		Bracket, Battery
28	783-04548A	1	S	Seat Bracket, Frame
29	783-04637	1	S	Bracket, Runing Board
30	725-1426A	1	S	Solenoid
31	683-04155	1	S	Shaft Assembly, Lift
32	712-04065	1	/P	Nut, Flange Lock, 3/8-16, GrF
33	714-04043	1		Pin, Cotter, .080 x 1.5625 Internal
34	716-0106A	1		Ring, E-Type, .625 Dia.
35	720-0311	1		Grip, Handle, 1/2
36	732-04225	1		Spring, Torsion
37	738-04130	1		Screw, Shldr. , .625 x .175, 3/8-16
38	741-0225	1	S	Bearing, Hex Flange
39	747-04393	1		Rod, Lift
40	747-04282	1		Deck Handle, Lift
41	783-04494	1		Lift Arm, Deck - RH
41	783-04711	1		Lift Arm, Deck - LH
42	710-0703	1	/P	Screw, Carriage, 1/4-20, .75, Gr5
43	712-0271	1	/P	Nut, Sems, 1/4-20
44	725-1737A	1	S	Battery, 190 CCA
44	725-1704A	1	S	Battery, 125 CCA
45	683-04195	1		Support Bracket Assembly
46	710-0134	1	/P	Carriage Screw, 1/4-20 x .62
47	710-3025	1	/P	Screw, 5/16-18 x .625
48	712-04063	1	/P	Flange Lock Nut, 5/16-18
49	712-0429	1	S	Hex Lock Nut, 5/16-18
50	736-0173	1	/P	Flat Washer, .28 x .74 x .063

13A2771G790 LT-542G (2006)
Hood Style 1

Page 13 of 20




13A2771G790 LT-542G (2006)
Hood Style 1

Page 14 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	710-0599	1	/P	Screw, 1/4-20, 0.500
2	710-0604A	1	/P	Screw, 5/16-18, 0.625
3	710-0751	1	/P	Screw, 1/4-20, .620, Gr5
4	710-04483	1		Screw, 1/4-20, .500
5	712-0185	1		Nut, 1/4-20, Speed U-type
6	712-04064	1	/P	Nut, Flange Lock, 1/4-20,
7	725-0963	1	S	Headlamp, 12V
8	736-0176	1	S	Washer, Flat, .265 x .938
9	731-04945	1		Support, Steering
10	731-04949	1	S	Lens
11	738-04091	1	S	Screw, Shoulder, .43 x.29,
12	783-04551	1		Hood
13	783-04552	1		Grille
14	783-04577	1	S	Pivot Bracket, LH
15	783-04578	1	S	Pivot Bracket, RH
16	783-04621	1	S	Pivot Bracket, Grille
17	725-04039	1	S	Switch with RMC
18	710-0895	1		Screw, 1/4-15, 0.750
19	17962	1		Switch Plate
20	728-04021	1		Pop Rivet with RMC
21	731-04947	1	S	Collar, Dash
22	725-0157	1	/P	Cable Tie
23	783-04892	1		Dash Assembly (Reverse Caution Mode - RMC)
23	783-04873	1		Dash Assembly (No RMC)
24	726-0230	1	/P	Cable Tie, 34.75
25	751-0555B	1	/P	Fuel Tank, 1.5 gal.
26	751-0603	1	S	Fuel Tank Cap
27	725-04227	1	S	Module, Ignition Switch (RMC)
27	725-1741	1	S	Ignition, Switch (No RMC)
28	725-1744	1	S	Key
29	746-1085A	1	S	Choke Control, 37.5"
30	731-05265	1		Plug
31	731-05147A	1	/P	Plenum (Single Cylinder
32	746-04258	1		Throttle/Choke Control, 25" (Single Cylinder Engine)
33	783-04584	1	S	Gas Tank Support Bracket

13A2771G790 LT-542G (2006)
Quick Reference

Page 15 of 20




13A2771G790 LT-542G (2006)
Quick Reference

Page 16 of 20

Ref #	Part Number	Qty	S/P/F	Description
	TC-34645	1	/P	Spark Plug RN4C
	TC-36563	1	/P	Oil Filter
	TC-36357	1	/P	Pre Filter
	TC-36356	1	/P	Air Filter
	TC-37768	1	/P	Fuel Filter
	751-0603	1	S	Fuel Cap
	TC-611221	1	/P	Fuel Solenoid
	618-0624	1	S	Deck Spindles
	742-0616A	1	S	Blades
	712-0417A	1	/P	Blade Nut
	734-0973	1	/P	Deck Wheels
	723-0448A	1	S	Ball Joints
	741-0990B	1	/P	Wheel Bearings
	725-1744	1	S	Ignition Key
	756-04022	1		Upper Drive Belt
	754-04001A	1	S	Lower Drive Belt
	754-04060B	1	S	Deck Spindle Belt
	N/A	1		PTO Belt (Engine To Deck)
	731-1032B	1	S	Discharge Chute
	190-679-101	1		Front Bumper Attachments
	190-116-000	1		Mulch Kit Attachments
	190-823-101	1		42" Two Stage Snow Thrower Attachments
	190-833-000	1	S	46" Dozer Blade Attachments
	190-180-190	1	S	Twin Bagger Attachments
	190-032-101	1		42" Two Stage Snow Thrower Attachments

13A2771G790 LT-542G (2006)
Steering and Front Wheels

Page 17 of 20




13A2771G790 LT-542G (2006)
Steering and Front Wheels

Page 18 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	617-04024	1	S	Gear Assembly, Steering
2	710-0376	1	/P	Screw, 5/16-18, 1.00, Gr5
3	710-0643	1	/P	Screw, 5/16-18, 1.00, Gr5, Lock
4	710-1309	1	/P	Screw, Mach, 5/16-18, 0.750
5	710-3180	1	/P	Screw, 5/16-18, 1.75, Gr5
6	712-0240	1	S	Nut, Jam, 7/16-20, Gr2
7	712-0262	1	/P	Nut, Jam Lock, 3/8-24, Gr2
8	712-04063	1	/P	Nut, Flange Lock, 5/16-18, Grf
9	731-0484A	1	S	Hub Cap
10	723-0448A	1	S	Ball Joint, 7/16-20, Lock
11	736-0242	1	/P	Washer, Bell, .340 x .872 x .060
12	783-04568	1		Front Hanger Bracket, Deck
13	738-04141	1		Scr., Shlder, .435 x .3485, 5/16-18
14	738-0919	1	S	Steering Shaft, 5/8 Spline x 21.86
15	741-04124	1	S	Bearing, Flange, Hex 5/8
16	741-0475	1	S	Plastic Bushing .380 ID
17	747-04298	1		Drag Link, Steering
18	748-0389	1	S	Cap, 1.25 x .16
19	748-04065	1	S	Steering, Block
20	748-04068	1		Spacer, .710 ID x .125
21	750-04418	1		Spacer, .322 ID x .625
22	783-04644	1	S	Stabilizer Plate, Gear Segment
23	638-04007	1	S	Axle Assembly, LH
24	638-04008	1	S	Axle Assembly, RH
25	683-0128B	1	/P	Pivot Bar
26	710-0726	1	/P	Screw, 5/16-12, 0.750
27	712-04065	1	/P	Nut, Flange Lock, 3/8-16, GrF
28	714-04039	1		Pin, Cotter, 5/32, 1.25
29	714-0470	1	S	Pin, Cotter, 1/8 x 1.25
30	726-0341	1	/P	Push Cap, 3/4
31	731-04057A	1		End Cap, Pivot Bar
31	731-1291A	1	S	End Cap, Pivot Bar (w/Fitting)
32	736-0316	1	S	Washer, Flat, .78 x 1.59 x .060
33	738-04128	1		Scr., Shlder, .500 x 2.380, 3/8-16
34	741-0660A	1	/P	Bearing, Flange, .760 x .941
35	747-04299A	1	/P	Tie Rod
36	783-04601B	1		Bracket, Pivot
37	731-04057A	1		Axle End Cap, Standard
38	631-04028	1		Steering Wheel, Standard
38	631-04008	1	S	Steering Wheel, Soft Grip
39	731-04039	1		Cap, Steering Wheel (no logo)
39	731-04040	1		Cap, Steering Wheel (sprig)
39	731-04681	1		Cap, Steering Wheel (tine logo)
40	634-04229	1		Wheel Ass'y, Round Shoulder
40	734-0864	1	/P	Tire Only, 15 x 6 x 6, Round Sheild
40	634-04086	1		Wheel Ass'y, Square Shoulder
40	734-1731	1		Tire Only, 15 x 6 x 6, Rim Assembly (Incl. Bearings valve stem)
40	634-04081	1	S	Rim Assembly includes bearings and valve stem

13A2771G790 LT-542G (2006)
Transmission Assembly

Page 19 of 20



13A2771G790 LT-542G (2006)
Transmission Assembly

Page 20 of 20

Ref #	Part Number	Qty	S/P/F	Description
1	732-0614	1		Ring, Wire
2	716-0231	1	S	Ring, E Type,.750
3	736-0336	1	S/F	Flat Washer, 5/8 x 1.0 x.030
3	736-0337	1	S	Flat Washer, 5/8 x 1.0 x.040
3	736-0349	1	S	Flat Washer, 5/8 x 1.0 x.020
4	736-0335	1	S	Washer, Thrust.635 x 1.26 x. 06
5	710-1325	1	/P	Self-tapping Screw, 1/4-20 x 1.625
6	719-04017	1	S	Upper Housing
7	711-1109	1		Input Shaft
8	741-0335	1	S	Needle Bearing,.625 x.813 x. .495
9	717-1464	1		14-tooth Bevel Pinion
10	716-0108	1	S	Retaining Ring,.437
11	741-0340	1	S	Sleeve Bearing,.75 x.1.0 x 1.0
12	721-0338	1	S	Seal,.75 x 1.0 x.125
13	618-04041	1	S	Differential Assembly
14	741-0336	1	S	Flange Bearing, 5/8 x 3/4 x 3/4
15	717-04056	1	S	42-tooth Bevel Gear
16	718-04045	1	S	Clutch Collar
17	711-04134	1	S	Drive Shaft
18	736-0495	1	S/F	Thrust Washer, 1.0 x.632 x.0
18	736-0494	1		Flat Washer,.632 x 1.00 x.035
19	741-0337	1	S	Flange Bearing, 5/8 x 3/4 x 15/16
20	611-0011	1	S	Detent Shaft Assembly
21	741-0862	1	/P	Detent Ball
22	732-0863	1	S	Compression Spring
23	719-04018	1	S	Lower Housing
24	717-0678	1	S	Brake Puck
25	761-0202	1		Brake Disc
26	710-1206	1	/P	Self-tapping Screw, 1/4-20 x 2.375
27	661-0001	1	S	Brake Assembly
	737-0148	1	S	Grease (19 oz.)